

**Jla ubqšY Kiguli 16 Gicj 2006 Zwi tL AbjZ 233 Zg mfv Kihēei Yx**

“” I cwi evi Kj vY gšYij tqi mPe Rbve এ কে এম জাফর উল্লাহ Lib Gi mfvicuztZ; Jla ubqšY Kiguli 233Zg mfv MZ 16 Gicj - 2006 Zwi tL tejv 2:00 NuUKiq gšYij tqi mfv Ktj AbjZ nq|

**mfvq ubaj uLZ m`m`MY Dcw`Z u0tj b t**

- 01| Rbve tgrt kudKz Bmjvg, hMY mPe (Rb`” I nek! ””), ”” I cwi evi Kj vY gšYij q|
- 02| Aa`vcK Wt gieb Lib, tKviva`q, ezeUztkL gYRe tgmWtKj nekje`ij q|
- 03| Wt tgrt kvnRinib, cwi Pj K (Mtel Yv), ctj-gnicwi Pj K, ci`m`u` Awa`Bi |
- 04| tgrI tRbtij Gg uR ieYvix, Kbmij tUu ucluRikqvb, evsj vt`k AvqW tclvfm, XvKv|
- 05| Aa`vcK W. bi`b b bnvri ingvb, Aa`vcK, cltgmx uefiM, XvKv nekje`ij q, XvKv|
- 06| Aa`vcK Wt G ue fBqv, nVDR bs-42, tiVW bs-4, G avbgwU Av/G, XvKv|
- 07| Aa`vcK ডাঃ মুহম্মদ শহীদুল্লাহ, চর্ম ও যৌন রোগ বিশেষজ্ঞ, ঢাকা মেডিকেল কলেজ।
- 08| Aa`vcK mvtqiv AvLZvi, cUzuba, MvBbx GU AemX XvKv tgmWtKj Ktj R|
- 09| Wt uRbtz Aviv telG, Aa`vcK, cltgmx uR uefiM, XvKv tgmWtKj Ktj R|
- 10| Rbve Gm Gg kudD34vgvb, mfvicuz, evsj vt`k Jla uk`i mgwuz, XvKv|
- 11| Wt tgrtgby nK, Dct`ov, evsj vt`k Jla uk`i mgwuz Ges e`e`vcbr cwi Pj K, tRbtij clgwmDiuK`ij m`ij t|
- 12| Rbve Ave`j gYv`i, m`m`, Kvh`bebnx cwi I`, evsj vt`k Jla uk`i mgwuz Ges e`e`vcbr cwi Pj K, BbtmEv clgwmDiuK`ij m`ij t|
- 13| Wt Gg G gbmj, cUzuba, evsj vt`k tnmgl`c`w`K tevWp
- 14| Avj nuRtnwKg tgrt BDmgt nvi`b fBqv, cUzuba, evsj vt`k BDvbx I AvqjeP K tevWp
- 15| clldmi W. tgrt nweej ingvb, cwi Pj K, Jla clkymb cwi`Bi, XvKv|

mfvicuz gtrv`q Dcw`Z mKj tK`MZ Rvnbqv mfv কার্যক্রম শুরু করেন।

**mfvq ubaj uLZ m`m`MY Dcw`Z Avtj vPbv Kiv nq t**

- 1| uMZ 28-12-2005 Zwi tL AbjZ Jla ubqšY Kiguli 232 Zg mfv Kihēei Yx Abjg`b cht½|
- 2| tUKubK`ij mve-Kiguli MZ 26-02-2006 Zwi tL AbjZ 50Zg mfvq mzwikKZ. uel qmgn`etePbv cht½|
- 3| JI tai cwi ewZz tWtRR dg(Dosage Form) Ges me dg(Salt Form) j vBtmwYs KZ`q KZR. Abjgwi`Z nI qv cht½|

**mfvq Dcw`D`3 uel tq ue`Zwi Z Avtj vPbv Kiv qv ubgeWZ un`vS`mgn`MpxZ nq t**

- 1| uMZ 28-12-2005 Zwi tL AbjZ Jla ubqšY Kiguli 232 Zg mfv Kihēei Yx ubwOZ Kiv nq|
- 2| tUKubK`ij mve-Kiguli 26-02-2006 Zwi tL AbjZ 50 Zg mfvq uetePZ uel q mgn` cht½ ue`Zwi Z Avtj vPbv ceR ubgij uLZ Jla, uij i cvtk`ewYZ mzwik MpxZ nq t

**1. K) Local (New Molecule)**

bs	clZKv`tki big	Jl tai big I tRbwi K big	ib`Rbv	tUKubK`ij mve-Kiguli 50Zg mfv gZigZ	gZigZ
01.	Novartis(BD) Ltd., Tongi, Gazipur	<b>a) Telmisartan 80 mg + Hydrochlorothiazide 12.50 mg Tablet</b>  Telmisartan INN 80 mg Hydrochlorothiazide BP 12.50 mg	Diuretics is used for patients with hypertension not adequately controlled by telmisartan alone	Abjg`b Kiv hBtZ cvti	Abjg`b Kiv evi mzwik Kiv nBj
		<b>b) Telmisartan 40 mg + Hydrochlorothiazide 12.50 mg Tablet</b>  Telmisartan INN 40 mg Hydrochlorothiazide BP 12.50 mg	-do-	Abjg`b Kiv hBtZ cvti	Abjg`b Kiv evi mzwik Kiv nBj

bs	c'ZKvi tKi big	Jl tai big l tRabii K big	ib t' Rbr	tUKubK'ij me-Kug'li 50Zg m'vi gZigZ	gZigZ
	Novartis(BD) Ltd., Tongi, Gazipur	<b>c) Potassium Iodide 3 mg + Sodium Iodide 3mg/ml Eye Drops</b>  Potassium Iodide 300 mg Sodium Iodide 300mg/100ml	Opacity of vitreous body & clouding of lens in cataract	FDA Ges BNF-G AŠ-f <sup>®</sup> b <sup>®</sup> q <sup>®</sup> uearq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> b <sup>®</sup> q <sup>®</sup> uearq Arte`b br gÄy Kiv hvBtZ c'iti
02.	General Pharma Ltd., Gazipur	<b>a) Atomoxetine 10 mg Capsule</b>  Atomoxetine HCl INN 11.43 mg (eq. to 10 mg Atomoxetine)	Used to treat attention deficit/hyperactivity Disorder	Abjgv`b Kiv hvBtZ c'iti	tUKubK'ij me-Kug'li cieZi'mfiq c'itDc`ic'ibi Rb`tc'iy Kiv nBj
		<b>b) Atomoxetine 18 mg Capsule</b>  Atomoxetine HCl INN 20.57 mg (eq. to 18 mg Atomoxetine)	-do-	FDA Ges BNF-G AŠ-f <sup>®</sup> Zte q'uzKi পার্শ্বপ্রতিক্রিয়ার কারণে এই g'v'vq (Dose) Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> Zte ক্ষতিকর পার্শ্বপ্রতিক্রিয়ার কারণে GB g'v'vq (Dose) Arte`b br gÄy Kiv hvBtZ c'iti
		<b>c) Atomoxetine 25 mg Capsule</b>  Atomoxetine HCl INN 28.57 mg (eq. to 25 mg Atomoxetine)	Used to treat attention deficit/hyperactivity Disorder	FDA Ges BNF-G AŠ-f <sup>®</sup> Zte q'uzKi পার্শ্বপ্রতিক্রিয়ার কারণে এই g'v'vq (Dose) Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> Zte ক্ষতিকর পার্শ্বপ্রতিক্রিয়ার কারণে GB g'v'vq (Dose) Arte`b br gÄy Kiv hvBtZ c'iti
		<b>d) Rice Based ORS Sachet/500ml</b>  Sodium Chloride BP 1.30 gm Potassium Chloride BP 0.750 gm Trisodium Citrate Dihydrate BP 1.450 gm Pregelatinized Rice Powder Ph. Gr. 25 gm/Sachet	Prevention and treatment of diarrhea	ICDDR-B-Gi gZigZ M'iy Kiv hvBtZ c'iti	Abjgv`b Kiv hvBtZ c'iti
		<b>e) Rice Based ORS Sachet/500ml</b>  Sodium Chloride BP 1.30 gm Potassium Chloride BP 0.750 gm Trisodium Citrate Dihydrate BP 1.450 gm Processed Rice Powder Ph. Gr. 25 gm/Sachet	Prevention and treatment of diarrhea		Abjgv`b Kiv hvBtZ c'iti
03.	Eskayef Bangladesh Ltd., Tongi, Gazipur	<b>a) Oseltamivir Powder for Suspension 12mg/ml</b>  Oseltamivir Phosphate INN 1.756gm (eq. to 1.200 gm Oseltamivir)/100ml	Prevention of influenza	Abjgv`b Kiv hvBtZ c'iti	Abjgv`b Kiv hvBtZ c'iti
		<b>b) Alendronic Acid 70 mg + Vitamin D3 2800 IU Tablet</b>  Alendronate Sodium USP 91.370 mg (eq. to Alendronic Acid 70 mg) Vitamin D3 (as Cholecalciferol USP) 2800IU	Osteoporosis in Postmenopausal women to increase bone mass and to reduce the incidence of fractures	Abjgv`b Kiv hvBtZ c'iti	Abjgv`b Kiv hvBtZ c'iti
		<b>c) Meclizine HCl 25 mg Chewable Tablet</b>  Meclizine HCl USP 25 mg	Management of Nausea and Vomiting, dizziness associated with motion sickness.	GB g'v'vq FDA Abjgv`b Zte BNF-G AŠ-f <sup>®</sup> b <sup>®</sup> q <sup>®</sup> uearq Arte`b br gÄy Kiv hvBtZ c'iti	BNF-G AŠ-f <sup>®</sup> b <sup>®</sup> q <sup>®</sup> uearq Arte`b br gÄy Kiv hvBtZ c'iti
		<b>d) Ascorbic Acid 1000 mg + Zinc 10 mg Effervescent Tablet</b>  Ascorbic Acid USP 1000 mg Zinc Citrate Trihydrate INN 32.028 mg (eq. to 10 mg elemental Zinc)	Vit. C & Zinc deficiency	Kiv`tbkb Ac'iq'Rbxq Ges FDA Ges BNF-G AŠ-f <sup>®</sup> b <sup>®</sup> q <sup>®</sup> uearq Arte`b br gÄy Kiv hvBtZ c'iti	Kiv`tbkb Ac'iq'Rbxq Ges FDA Ges BNF-G AŠ-f <sup>®</sup> b <sup>®</sup> q <sup>®</sup> uearq Arte`b br gÄy Kiv hvBtZ c'iti

bs	c'ZKvi tKi big	Jl tai big l tRabii K big	ib t' Rbv	tUKib K'ij me-Kag'Wi 50Zg m'vi gZigZ	gZigZ
	Eskayef Bangladesh Ltd., Tongi, Gazipur	<b>e) Alfuzosin 10 mg Extended Release Tablet</b> Alfuzosin HCl BP 10 mg	Acute urinary retention related to benign prostatic hypertrophy	Abjgr` b Kiv hvBtZ c'fi	Abjgr` b Kwi evi m'zmi k Kiv nBj
		<b>f) Diacerein 50 mg Capsule</b> Diacerein INN 50 mg	Osteoarthritis	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weavq Avte` b br gAjy Kiv hvBtZ c'fi	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weavq Avte` b br gAjy Kwi evi m'zmi k Kiv nBj
		<b>g) Xylitol 15 gm Sachet</b> Xylitol NF 15 gm/Sachet	Artificial sweetener for Diabetic patient and health conscious person Dental and oral care Osteoporosis, Prevention of ear, nose and throat infection	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges ib t' Rbv (Indication) A thšw <sup>®</sup> K weavq Avte` b br gAjy Kiv hvBtZ c'fi	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges ib t' Rbv (Indication) A thšw <sup>®</sup> K weavq Avte` b br gAjy Kwi evi m'zmi k Kiv nBj
		<b>h) Racecadotril 10 mg Sachet</b> Racecadotril INN 0.010 g/Sachet	Treatment of acute watery diarrhea including rotavirus induced and hypersenceretory diarrhea either alone or in combination with oral rehydration saline	ICDDR-B-Gi gZigZ MhY Kiv hvBtZ c'fi	c'qirB b bB weavq Avte` b br gAjy Kwi evi m'zmi k Kiv nBj
		<b>i) Racecadotril 15 mg Sachet</b> Racecadotril INN 0.015 g/Sachet	-do-	ICDDR-B-Gi gZigZ MhY Kiv hvBtZ c'fi	c'qirB b bB weavq Avte` b br gAjy Kwi evi m'zmi k Kiv nBj
		<b>j) Racecadotril 50 mg Sachet</b> Racecadotril INN 0.050 g/Sachet	-do-	ICDDR-B-Gi gZigZ MhY Kiv hvBtZ c'fi	c'qirB b bB weavq Avte` b br gAjy Kwi evi m'zmi k Kiv nBj
		<b>k) Rice Based ORS Sachet/500ml</b> Sodium Bicarbonate BP 1.250 gm Sodium Chloride BP 1.759 gm Potassium Chloride BP 0.750 gm Pregelatinized Rice Powder 25 gm/Sachet	Prevention and treatment of diarrhea	ICDDR-B-Gi gZigZ MhY Kiv hvBtZ c'fi	Abjgr` b Kwi evi m'zmi k Kiv nBj
4.	Drug International Ltd., Gazipur Beximco Pharma Ltd.	<b>a) Entecavir 0.5 mg Tablet</b> Entecavir INN 0.5 mg	Treatment of Chronic Hepatitis B-virus infection	Abjgr` b Kiv hvBtZ c'fi	Abjgr` b Kwi evi m'zmi k Kiv nBj
		<b>b) Entecavir 1 mg Tablet</b> Entecavir INN 1 mg	-do-	Abjgr` b Kiv hvBtZ c'fi	Abjgr` b Kwi evi m'zmi k Kiv nBj
5.	ACI Ltd., Narayanganj	<b>a) Metolazone 20 mg Tablet</b> Metolazone USP 20 mg	Diuretic with actions and uses similar to those of the thiazide diuretics.	GB g'iv FDA Ges BNF-G AŠ-f <sup>®</sup> bq weavq Avte` b br gAjy Kiv hvBtZ c'fi	GB g'iv FDA Ges BNF-G AŠ-f <sup>®</sup> bq weavq Avte` b br gAjy Kwi evi m'zmi k Kiv nBj
		<b>b) Metolazone 5 mg Tablet</b> Metolazone USP 5 mg	-do-	Abjgr` b Kiv hvBtZ c'fi	Abjgr` b Kwi evi m'zmi k Kiv nBj

bs	c'ZKvi tKi big	Jl tai big l iRibni K big	ib t Rbr	tUKibK'ij me-Kog'Wi 50Zg m'vi gZigZ	gZigZ
	ACI Ltd., Narayananj	<b>c) Celadrin 1050 mg Tablet</b> Celadrin INN 1050 mg	Arthritis, Bachache, strains, Bruises, Sprains	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kiv hıBtZ cıti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>d) Celadrin 7.5% Cream</b> Celadrin INN 7.5gm/100gm	-do-	Arte`b br gÄy Kiv hıBtZ cıti	c'QqrB bıB neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>e) Ebastine 20 mg Tablet</b> Ebastine INN 20 mg	Allergic rhinitis, urticaria	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kiv hıBtZ cıti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>f) Ebastine 10 mg Tablet</b> Ebastine INN 10 mg	-do-	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kiv hıBtZ cıti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>g) Paricalcitol 0.005 mg Inj/100ml</b> Paricalcitol USP 0.005gm/100ml	Hyperparathy roidism associated with chronic renal failure.	Abjgr`b Kiv hıBtZ cıti	Abjgr`b Kii evi mşzmi k Kiv nBj
		<b>h) Camylofin Dihydrochloride 50 mg Tablet</b> Camylofin Dihydrochloride INN 50 mg	Induced delivery, gastro intestinal spasm	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kiv hıBtZ cıti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>i) Camylofin Dihydrochloride 100ml Inj.</b> Camylofin Dihydrochloride INN 2.5gm/100ml	Induced delivery, gastro intestinal spasm	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kiv hıBtZ cıti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>j) Mecobalamin 0.5 mg + Betaine 500 mg + Folic Acid 1 mg + Pyridoxine HCl 10 mg Tablet</b> Mecobalamin INN 0.5 mg Betaine INN 500 mg Folic Acid BP 1 mg Pyridoxine HCl BP 10 mg	Coronary artery disease, stroke, diabetes, rheumatoid arthritis, osteoporosis, neural tube, defects.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kiv hıBtZ cıti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>k) Balsalazide Disodium 750 mg Capsule</b> Balsalazide Disodium INN 750 mg	Moderate active ulcerative colitis.	Abjgr`b Kiv hıBtZ cıti	Abjgr`b Kii evi mşzmi k Kiv nBj
		<b>l) Codeine Phosphate 0.18 mg + Promethazine HCl 0.072 gm + Ephedrine 0.12 gm/100ml Syrup</b> Codeine Phosphate BP 0.18 gm Promethazine HCl BP 0.072 gm Ephedrine HCl BP 0.146 gm (eq. to Ephedrine 0.12gm)/100ml	For the alleviation of cough.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kiv hıBtZ cıti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Arte`b br gÄy Kii evi mşzmi k Kiv nBj
		<b>m) Mizolastine 10 mg Modified Release Tablet</b> Mizolastine INN 10 mg	Non-sedating antihistamine with a long duration of action	Abjgr`b Kiv hıBtZ cıti	Abjgr`b Kii evi mşzmi k Kiv nBj

bs	cfZKvi tKi big	Jl tai big l tRabni K big	ibf`Rbr	tUKibK'ji me-KagWi 50Zg m'vi gZigZ	gZigZ
6.	Alco Pharma Ltd.	<b>a) Multivitamin and Multimeral Chewable Tablet</b>  Vitamin A USP 2500 IU Vitamin D USP 100 IU Ascorbic Acid USP 60 mg Vitamin B <sub>1</sub> USP 1 mg Vitamin B <sub>2</sub> USP 1.20 mg Vitamin B <sub>3</sub> USP 15 mg Vitamin B <sub>6</sub> USP 1.60 mg Vitamin B <sub>12</sub> USP 2 mcg Vitamin E USP 7.50 IU Folic Acid USP 100 mcg Calcium Pantothenate USP 5 mg Biotin BP 60 mg Iron BP 1.50 mg Zinc BP 2 mg Potassium BP 10 mg Calcium BP 15 mg Phosphorous BP 11.6 mg Magnesium BP 5 mg Manganese BP 50 mcg	Vitamin Deficiency	cfqirb b1B weavq Avte`b br gAy Kiv hvBtZ cti	cfqirb b1B weavq Avte`b br gAy Kiv hvBtZ cti
7.	Somatec Pharma Ltd.	<b>a) Cetirizine HCl 5 mg + Pseudoephedrine HCl 120mg Tablet</b>  Cetirizine HCl BP 5 mg Pseudoephedrine HCl Bp 120 mg	The relief of nasal and non-nasal symptoms associated with seasonal or perennial allergic rhinitis.	FDA Ges BNF-G Aš-f <sup>®</sup> bq Ges Kirtbkb Ac0qirb1q weavq Avte`b br gAy Kiv hvBtZ cti	FDA Ges BNF-G Aš-f <sup>®</sup> bq weavq Avte`b br gAy Kiv hvBtZ cti
		<b>b) Hydroxyzine HCl 10 mg Tablet</b>  Hydroxyzine HCl USP 10 mg	Sedative Anxiolytic	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া বিদ্যমান weavq Avte`b br gAy Kiv hvBtZ cti	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া এবং নির্দেশনা h_th_ bq weavq Avte`b br gAy Kiv hvBtZ cti
		<b>c) Hydroxyzine HCl 25 mg Tablet</b>  Hydroxyzine HCl USP 25 mg	Sedative Anxiolytic	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া বিদ্যমান weavq Avte`b br gAy Kiv hvBtZ cti	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া এবং নির্দেশনা h_th_ bq weavq Avte`b br gAy Kiv hvBtZ cti
		<b>d) Hydroxyzine HCl 0.20gm/100ml Syrup</b>  Hydroxyzine HCl USP 0.20gm/100ml	-do-	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া বিদ্যমান weavq Avte`b br gAy Kiv hvBtZ cti	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া এবং নির্দেশনা h_th_ bq weavq Avte`b br gAy Kiv hvBtZ cti
8.	Acme Lab. Ltd.	<b>a) Cetirizine HCl 5 mg + Pseudoephedrin HCl 120 Extended Release Tablet</b>  Cetirizine HCl BP 5 mg + Pseudoephedrin BP 120 mg	The relief of nasal and non-nasal symptoms associated with seasonal or perennial allergic rhinitis.	FDA Ges BNF-G Aš-f <sup>®</sup> bq weavq Avte`b br gAy Kiv hvBtZ cti	FDA Ges BNF-G Aš-f <sup>®</sup> bq weavq Avte`b br gAy Kiv hvBtZ cti
		<b>b) Cefadroxil Powder for Suspension 250mg/5ml</b>  Cefadroxil Monohydrate USP 5.248 gm (eq. to 5 gm of Cefadroxil)	Respiratory tract, skin and soft tissue, urinary tract infection	Abjgr`b Kiv hvBtZ cti	Abjgr`b Kiv hvBtZ cti

bs	cīZKvītki big	Jlīai big l īRūmī K big	ibī Rbr	tUKūK'j me-Kūūi 50Zg m'vi gZīgZ	gZīgZ
	Acme Lab. Ltd.	<p><b>c) Iron, Folic Acid, Vitamin B<sub>12</sub> Vitamin C and Zinc Sulphate Capsule</b></p> <p>Iron (III) Hydroxide Polymaltose Complex INN 200 mg (eq. to 50 mg elemental iron) Folic Acid BP 0.50 mg Cyanocobalamine (Vit B<sub>12</sub>) BP 0.015 mg Ascorbic Acid (Vit. C) BP 75 mg and Zinc Sulphate Monohydrate USP 25 mg (eq. to 22.5 mg Zinc Sulphate)</p>	Iron deficiency anaemia, megaloblastic anaemia, pregnancy	Abjgr' b Kiv hīBtZ cīi	Abjgr' b Kiv evi mšmī k Kiv nBj
		<p><b>d) Paracetamol 250 mg + Aspirin 250 mg and Caffeine 65 mg Tablet</b></p> <p>Paracetamol BP 250mg Aspirin BP 250 mg Caffeine BP 65 mg</p>	Common cold related headache	Kūf'bk b AcīqīRbīq ūeaiq ūūmm-Gi 232 Zg m'fiq emZj Kivi ūm×īš- enij ivLv hīBtZ cīi	ūūmm-Gi 232 Zg m'fiq emZj Kivi ūm×īš- enij ivLv mšmī k Kiv nBj
		<p><b>e) Paracetamol 500 mg + Domperidone 10 mg Tablet</b></p> <p>Paracetamol BP 500 mg Domperidone Maleate BP 12.72 mg (eq. to 10 mg Domperidone)</p>	Symptomatic treatment of migraine	Kūf'bk b AcīqīRbīq ūeaiq ūūmm-Gi 230 Zg m'fiq emZj Kivi ūm×īš- enij ivLv hīBtZ cīi	ūūmm-Gi 230 Zg m'fiq emZj Kivi ūm×īš- enij ivLv mšmī k Kiv nBj
		<p><b>f) Vitamin + Mineral Chewable Tablet (Dietary Supplement of Children)</b></p> <p>Dry vitamin-A acetate 0.5 MIU/gm USP 8 mg (eq. to 4000IU Vitamin A) Beta Carotene 20% USP 9 mg (eq. to 1000IU Vit. A) Ascorbic Acid BP 60 mg Vitamin D 1 MIU/gm (Ergocalciferol) BP 400 mcg (eq. to 400IU Vit D) Vitamin E Acetate 50% BP 60 mg (eq. to 30 IU Vit. E) Vitamin K 5% SD (Phytonadione) BP 0.20 mg (eq. to 10mcg/vit. K) Thiamine Mononitrate BP 1.50 mg Riboflavin BP 1.70 mg Niacin (Nicotinic Acid) BP 20 mg Pyridoxine HCl (Vit B6) BP 2 mg Folic Acid BP 400 mcg Cyanocobalamin (Vit. B12) 0.1% BP 6 mg (eq. to 6 mcg vit B12) Biotin 2% BP 2.25 mg (eq. to 45 mcg Biotin) Calcium D-Pantothenate BP 10.90mg (eq. to 10 mg Pantothenic Acid) Dibasic Calcium Phosphate, dehydrate BP 277.80 mg (eq. to 64.70 mg Calcium and 50 mg Phosphorus) Calcium Carbonate BP 108.14 mg (eq. to 43.3 mg Calcium) Carbonyl Iron INN 63.14mg (eq. to 18 mg Iron) Potassium Iodide BP 197.0 mcg (eq. to 150 mcg Iodine) Magnesium Oxide, heavy BP 66.32 mg (eq. to 40 mg Magnesium) Zinc Oxide BP 18.67 mg (eq. to 15 mg Zinc) Cupric Oxide INN 2.50 mg (eq. to 2 mg Copper) Manganese Sulphate BP 2.75 mg (eq. to 1 mg Manganese) Chromic Chloride, hexahydrate USP 102.5 mcg (eq. to 20 mcg of Chromium) Sodium Molybdate, dehydrate BP 51 mcg (eq. to 20 mcg Molybdenum)</p>	Nutritional supplement for children that helps support growth and development and strengthen immunity	cīi Pj K, ūki nīmcvZij Ges cīi Pj K, AvīmGgGBP Gi gZīgZ MhY Kiv hīBtZ cīi	mēktl'Avi gZīgZ bī cvl qī chšZ ūūMZ ivLv mšmī k Kiv nBj

bs	cfZKvi tKi big	Jl tai big l tRabi K big	ib t Rbr	tUKib K'ij me-Kog'li 50Zg m'vi gZigZ	gZigZ
	Acme Lab. Ltd.	<p><b>g) Acetaminophen 500 mg + Codeine Phosphate hemihydrate 30 mg Tablet</b></p> <p>Acetaminophen USP 500 mg Codeine Phosphate hemihydrate USP 30mg</p>	Strong analgesic	Ac'qirRbiq K'it'bk b weariq Avte` b br g'Äy Kiv hvBtZ cvti	Ac'qirRbiq K'it'bk b weariq Avte` b br g'Äy Kivi m'zvi k Kiv nBj
		<p><b>h) Atorvastatin Calcium 10 mg + Ezetimibe 10 mg Tablet</b></p> <p>Atorvastatin Calcium INN 10 mg Ezetimibe INN 10 mg</p>	Primary hypercholesterolemia and mixed dyslipidemia Elevated triglyceride.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kivi m'zvi k Kiv nBj
9.	Sun Pharmaceutical (Bd) Ltd.	<p><b>a) Mosapride 5 mg Tablet</b></p> <p>Mosapride Citrate Dihydrate INN 5.27 mg (eq. to Mosapride 5 mg)</p>	Gastro-oesophageal reflux disease and gastrointestinal symptoms such as vomiting, nausea heart burn.	cl'qirRb bivB weariq w'vmm-Gi 230 Zg m'viq emZtj i m'vš- enij i vLvi hvBtZ cvti	w'vmm-Gi 230 Zg m'viq emZtj i m'vš- enij i vLvi m'zvi k Kiv nBj
10.	Healthcare Pharmaceutical Ltd.	<p><b>a) Desloratadine 5mg + Pseudoephedrine Sulphate 240mg extended release Tablet</b></p> <p>Desloratadine INN 5 mg Pseudoephedrine Sulphate USP 240 mg</p>	Relief of the nasal and non nasal symptoms of seasonal allergic rhinitis	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kiv hvBtZ cvti	Ab'g'v` tbi m'zvi k Kiv nBj
		<p><b>b) Atorvastatin 10 mg + Fenofibrate 160 mg Tablet</b></p> <p>Atorvastatin Calcium INN 10.36mg (eq. to 10 g Atorvastatin) Fenofibrate micronized INN 160 mg</p>	Indicated as an adjunct to diet to reduce elevated total LDL-C, and TG levels and to increase HDL-C in these patients, Lipid altering agents,	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kivi m'zvi k Kiv nBj
		<p><b>c) Sevelamer HCl 800 mg Tablet</b></p> <p>Sevelamer HCl INN 800 mg</p>	Control of serum phosphorus in patients of chronic kidney disease on hemodialysis	NIKDU-Gi wekl'tÄi gZigZ M'hy Kiv hvBtZ cvti	wekl'tÄi gZigZ biv cvl qv chŠZ ~mZ i vLvi m'zvi k Kiv nBj
		<p><b>d) Alendronic Acid 70mg + Colecalciferol 70 mcg Tablet</b></p> <p>Alendronic Sodium Trihydrate USP 91.35 mg (eq. to 70 mg of Alendronic Acid) Colecalciferol BP 70 mcg</p>	Treatment of osteoporosis in postmenopausal women, increase bone mass in men with osteoporosis	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kivi m'zvi k Kiv nBj
		<p><b>e) Ramipril 2.5 mg + Hydrochlorothiazine 12.50 mg Tablet</b></p> <p>Ramipril INN 2.50 mg Hydrochlorothiazide BP 12.50 mg</p>	Management of Hypertension	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kivi m'zvi k Kiv nBj
		<p><b>f) Aspirin 25 mg + Dipyridamol 200 mg Extended Release Capsule</b></p> <p>Aspirin USP 25 mg Dipyridamol Extended Release Pellets (eq. to 200 mg Dipyridamol)</p>	Reduce the risk of stroke	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq weariq Avte` b br g'Äy Kivi m'zvi k Kiv nBj

bs	cdZKvi tKi big	Jl tai big l tRabni K big	ib t Rbr	tUKibK'ij me-Kog'li 50Zg m'vi gZigZ	gZigZ
	Healthcare Pharmaceutical Ltd.	<p><b>g) Ascorbic Acid 1000 mg + Zinc Sulphate 10 mg Effervescent Tablet</b></p> <p>Ascorbic Acid USP 1000 mg Zinc Sulphate BP/USP 10 mg</p>	Severe deficiency of Vitamin C causes by scurvey	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kiv hiBtZ crti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kivi m'zvi k Kiv nBj
		<p><b>h) Calcium 500 mg + Residronate Sodium 35 mg Tablet</b></p> <p>Calcium Carbonate USP 1250 mg (eq. to 500 mg of Elemental Calcium) Residronate Sodium Hemopentahydrate INN 40.16 mg (eq. to 35 mg of Residronate Sodium)</p>	Prevention of Osteoporosis in postmenopausal women	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kiv hiBtZ crti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kivi m'zvi k Kiv nBj
11.	Renata Ltd.	<p><b>a) Sodium Bicarbonate 1904 mg + Citric Acid Anhydrous 1000 mg + Aspirin 324 mg Effervescent Tablet</b></p> <p>Sodium Bicarbonate BP 1904 mg Citric Acid Anhydrous BP 1000mg Aspirin BP 324 mg</p>	Hearburn, acid indigestion and sour stomach with headach	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges Ac'iqRbiq uearq Arte`b br gAjy Kiv hiBtZ crti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kivi m'zvi k Kiv nBj
		<p><b>b) Levetiracetam 100mg/ml Suspn.</b></p> <p>Levetiracetam INN 10gm/100ml</p>	Adjunctive therapy in the treatment of partial onset seizures with or without secondary generalization in patients with epilepsy.	Abjgr`b Kiv hiBtZ crti	Abjgr` tbi m'zvi k Kiv nBj
		<p><b>c) Guaiphenesin 2000 mg + Pseudoephedrine HCl 600 mg + Triprolidine HCl 25 mg + Dextromethorphan 200 mg + Glycerol 25 ml/100ml Oral Syrup</b></p> <p>Guaiphenesin BP 2000 mg Pseudoephedrine HCl BP 600 mg Triprolidine HCl BP 25 mg Dextromethorphan Hydrobromide BP 273.97 mg (eq. to 200 mg Dextromethorphan) Glycerol 25 mg/100ml</p>	Non-narcotic antitussive agent, used in dry or painful cough. Benefits of treatment is only occasionally, such as if sleep is disturbed by a dry cough Symptomatic relief of allergic rhinitis and upper respiratory tract disorders.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges Kiv t'kbk Ac'iqRbiq uearq Arte`b br gAjy Kiv hiBtZ crti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges Kiv t'kbk Ac'iqRbiq uearq Arte`b br gAjy Kivi m'zvi k Kiv nBj
12.	Orion Laboratories Ltd.	<p><b>a) Idebenone 45 mg Capsule</b></p> <p>Idebenone INN 45 mg</p>	Stroke victims wishes to improve memory, emotional and speech disturbance.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kiv hiBtZ crti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kivi m'zvi k Kiv nBj
		<p><b>b) Idebenore 30 mg Capsule</b></p> <p>Idebenone INN 30 mg</p>	-do-	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kiv hiBtZ crti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq uearq Arte`b br gAjy Kivi m'zvi k Kiv nBj



bs	cġZKwiġKi big	Jl ħai big l ħRabwi K big	ibġ Rbr	ħUKiġK'ij me-Kuġiħi 50Zg mfi gZigZ	gZigZ
	Orion Laboratories Ltd.	<b>c) Metronidazole 400 mg + Diloxanide Furoate 500 mg Tablet</b>  Metronidazole BP 400 mg Diloxanide Furoate BP 500 mg	Anaerobic infection chronic amoebiasis	FDA Ges BNF-G AŠ-F <sup>®</sup> bq ħearq Aħte`b br gĀj Kiv ħiBtZ cħi	FDA Ges BNF-G AŠ-F <sup>®</sup> bq ħearq Aħte`b br gĀj Kwi evi mħwi k Kiv nBj
		<b>d) Desloratadine 5 mg + Pseudoephedrine Sulphate 240 mg Tablet</b>  Desloratadine INN 5 mg Pseudoephedrine Sulphate USP 240mg	Relief of Nasal & Non-nasal Symptoms and Seasonal allergic rhinitis	Abjgr`b Kiv ħiBtZ cħi	Abjgr`ħi mħwi k Kiv nBj
		<b>e) Zinc Sulphate 54.90 mg + Folic Acid 5 mg Tablet</b>  Zinc Sulphate Monohydrate USP 54.90 mg (eq. to 20 mg Elemental Zinc) + Folic Acid BP 5 mg	Zinc & Folic Acid is useful to avoid the risk of neural tube defects and also anemia	cħiqRb bħB ħearq Aħte`b br gĀj Kiv ħiBtZ cħi	Abjgr`ħi mħwi k Kiv nBj
		<b>f) Coenzyme Q10 1mg + Vitamine E 22 mg Tablet</b>  Coenzyme Q10 BP 10 mg Vitamin E BP 22 mg	Cardiovascular disease	cħiqRb bħB ħearq Aħte`b br gĀj Kiv ħiBtZ cħi	cħiqRb bħB ħearq Aħte`b br gĀj Kwi evi mħwi k Kiv nBj
		<b>g) Cefditoren 200 mg Tablet</b>  Cefditoren Pivoxil INN 245.075 mg (eq. to Cefditoren 200mg)	Mild to moderate infections.	Abjgr`b Kiv ħiBtZ cħi	Abjgr`ħi mħwi k Kiv nBj
		<b>h) Dicycloverine HCl 20 mg Tablet</b>  Dicycloverine HCl BP 20 mg	Symptomatic relief of Gastro intestinal disorders	Abjgr`b Kiv ħiBtZ cħi	Abjgr`ħi mħwi k Kiv nBj
		<b>i) Chlordiazepoxide HCl 5 mg + Clidinium Bromide 2.5 mg Capsule</b>  Chlordiazepoxide HCl USP 5 mg Clidinium Bromide USP 2.5 mg	Peptic Ulcer, irritable bowel syndrome	cħiqRb bħB ħearq Aħte`b br gĀj Kiv ħiBtZ cħi	cħiqRb bħB ħearq Aħte`b br gĀj Kiv nBj
		<b>j) Trandolapril 1 mg Tablet</b>  Trandolapril BP 1 mg	Used along in treating high blood pressure	Abjgr`b Kiv ħiBtZ cħi	Abjgr`ħi mħwi k Kiv nBj
		<b>k) Zinc + Vitamin B-Complex Tablet</b>  Zinc Sulphate Monohydrate USP 27.45 mg (eq. to 10 mg Elemental Zinc) Thiamine HCl BP 5 mg Riboflavin 5-Phosphate BP 2.75 mg Pyridoxine HCl BP 2 mg Nicotinamide BP 20 mg	Zinc and Vitamin B-Complex deficiency	Abjgr`b Kiv ħiBtZ cħi	Abjgr`ħi mħwi k Kiv nBj
		<b>l) Mecobalamin 0.5 mg + Betaine 500 mg + Folic Acid 1 mg + Pyridoxine HCl 10 mg Tablet</b>  Mecobalamin INN 0.5 mg Betaine INN 500 mg Folic Acid BP 1 mg Pyridoxine HCl BP 10 mg	Coronary artery disease, stroke, diabetes, rheumatoid arthritis, osteoporosis.	Kiħħkbk AcħiqRħiq Ges FDA Ges BNF-G AŠ-F <sup>®</sup> bq ħearq Aħte`b br gĀj Kiv ħiBtZ cħi	Kiħħkbk AcħiqRħiq Ges FDA Ges BNF-G AŠ-F <sup>®</sup> bq ħearq Aħte`b br gĀj Kwi evi mħwi k Kiv nBj

bs	cf'ZKvi tKi big	Jl tai big l tRabwi K big	ibit`Rbr	tUKibK'ij me-Kog'wi 50Zg m'fwi gZigZ	gZigZ
13.	Techno Drugs Narsingdi	<b>a) Imipenem 500 mg + Cilastatin 500 mg IM/IV Injection Vial</b>  Imipenem monohydrate USP 568.18 mg (eq. to 500 mg Imipenem) + Cilastatin Sodium USP 530 mg (eq. to 500mg Cilastatin)	Broad spectrum antibiotic used in various infections caused by Gram positive and Gram negative bacteria	Ki'rbkb Ac'q'Rbiq weariq Avte`b br g'Äy Kiv hvBtZ cvti	Abjgw` tbi m'zwni k Kiv nBj
14.	Aristopharma Ltd.	<b>a) Trimetazidine Dihydrochloride 25 mg Tablet</b>  Trimetazidine Dihydrochloride INN 35 mg	Angina Pectories	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>b) Ramipril 2.5 mg + Hydrochlorothiazine 12.50 mg Tablet</b>  Ramipril INN 2.5 mg Hydrochlorothiazide BP 12.50 mg	Hypertension, congestive heart failure prevention of Myocardial infraction, stroke.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>c) Cefditoren 400 mg Tablet</b>  Cefditoren Pivoxil INN 490.114 mg (eq. to Cefditoren 400mg)	Mild to moderate infections.	GB gr'iv FDA Abjgw' Z bq Ges BNF-G AŠ-f <sup>®</sup> biv weariq Avte`b br g'Äy Kiv hvBtZ cvti	GB gr'iv FDA Abjgw' Z bq Ges BNF-G AŠ-f <sup>®</sup> biv weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>d) Ramelteon 8 mg Tablet</b>  Ramelteon INN 8 mg	Insomnia Characterized by difficulty with sleep onset	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>e) Domperidone SR 30 mg + Omeprazole 20 mg Capsule</b>  Blended Pellets 355 mg (Domperidone SR 30mg and Omeprazole 20 mg)	Fixed dose combination of proton pump inhibitor and gastroprokinetic agent	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>f) Cefonicid 500 mg/vial</b>  Cefonicid Sodium USP 520.40 mg (eq. to Cefonicid 500 mg)/Vial	Infection caused by Gram Positive and Gram Negative bacteria.	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> biv weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>g) Cefonicid 1 gm Vial</b>  Cefonicid Sodium USP 1.0408 gm (eq. to Cefonicid 1 gm) vial	-do-	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> biv weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>h) Tigecycline 50 mg IV Inj</b>  Tigecycline INN 50 mg/Vial	Complicated Skin and skin structure and intra-abdominal infections	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> biv weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj
		<b>i) Bromfenac 0.9mg/ml Eye Drops</b>  Bromfenac Sodium INN 0.1035 gm (eq. to Bromfenac 0.09gm/100ml)	Post-operative inflammation in patients who have undergone cataract extraction.	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> biv weariq Avte`b br g'Äy Kiv hvBtZ cvti	FDA Abjgw' Z Zte BNF-G AŠ-f <sup>®</sup> bq weariq Avte`b br g'Äy Kivi m'zwni k Kiv nBj

bs	c'ZKvi tKi big	Jl tai big l iRabii K big	ib: Rbr	tUKibK'ij me-Kog'li 50Zg m'vi gZigZ	gZigZ
	Aristopharma Ltd.	<p><b>j) Vitamin B<sub>1</sub> 100mg Vitamin B<sub>2</sub> 200 mg Vitamin<sub>12</sub> 0.2 mg Vitamin D<sub>3</sub> 200 IU Calcium 500 mg Tablet</b></p> <p>Thiamin Nitrate BP 100 mg Pyridoxine HCl BP 200 mg Cyanocobalamin BP 0.200 mg Vitamin D<sub>3</sub> BP 200 IU Calcium Carbonate USP 1250 mg (eq. to Elemental Calcium 500 mg)</p>	Deficiency of the relevant vitamin & Calcium e.g. mononeuropathies and poly neuropathies and polyneuropathies peripheral facial muscular disorder	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kivi m'zvi k Kiv nBj
		<p><b>k) Chromium 600 mcg + Biotin BP 2 mg Capsule</b></p> <p>Chromium (as Picolinate) USP 600 mcg Biotin BP 2 mg</p>	Nutritional adjuvant therapy linked to insulin resistance including diabetes.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kivi m'zvi k Kiv nBj
		<p><b>l) Amtolmetin Guacil Tablet</b></p> <p>Amtolmetin Guacil INN 600 mg</p>	Relief of acute pain and inflammation in musculoskeletal and joint disorder.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kivi m'zvi k Kiv nBj
		<p><b>m) Rimexolone 10 mg/ml Suspension</b></p> <p>Remexolone USP 10mg/ml</p>	Treatment of post operative inflammation following ocular surgery and corticosteroid responsive inflammation	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kivi m'zvi k Kiv nBj
		<p><b>n) Paracetamol 500 mg + Pseudoephedrine HCl 30 mg Tablet</b></p> <p>Paracetamol BP 500 mg Pseudoephedrine HCl BP 30 mg</p>	Relieves of Symptoms of colds & flu including aches, pain, fever, nasal & sinus congestion.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weaq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weaq Arte`b br gÄy Kivi m'zvi k Kiv nBj
		<p><b>o) Paracetamol 160 mg + Pseudoephedrine HCl 15 mg/5ml Suspension</b></p> <p>Paracetamol BP 160 mg Pseudoephedrine HCl BP 15 mg/5ml</p>	-do-	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weaq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weaq Arte`b br gÄy Kivi m'zvi k Kiv nBj
15.	Opsonin Pharma Ltd.	<p><b>a) Omega-3 polyunsaturated fatty acids (PUFAs) (EPA (Eicosapentaenoic Acid) 18% &amp; DHA (Docosahexaenoic Acid) 12%) 1000 mg + di-Plha Tocopheryl Acetate (Vitamin E) (Oily Form). 5 mg Soft Gelatin Capsule</b></p> <p>Omega-3 polyunsaturated fatty acids (PUFAs) (EPA (Eicosapentaenoic Acid) 18% &amp; DHA (Docosahexaenoic Acid) 12%) Ph. Gr. 1000 mg di-Plha Tocopheryl Acetate (Vitamin E) (Oily Form) USP 5 mg</p>	Coronary heart disease, Arteriosclerosis, Hyperlipidaemia, Depression, Bipolar disorder, Schizophrenia.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kiv hvBtZ c'iti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq weaq Arte`b br gÄy Kivi m'zvi k Kiv nBj

bs	cd'ZKvi tKi big	Jl tai big l iRubni K big	ibi`Rbr	tUKibK'ij me-Kog'li 50Zg m'vi gZigZ	gZigZ
16.	Popular Pharmaceuticals Ltd.	<b>(a) Bosentan 62.5 mg Tablet Bosentan Monohydrate INN 64.54mg eq. to 62.5 mg Bosentan.</b>	Treatment of pulmonary arterial hypertension	Abjgr`b Kiv h'itZ c'it i	Abjgr`tbi m'zmi k Kiv nBj
		<b>(b) Eletriptan 40mg Tablet</b> Eletriptan Hydrobromide INN 48.5mg eq. to 40mg Eletriptan.	Treatment of acute migraine with or without aura in adults.	Abjgr`b Kiv h'itZ c'it i	Abjgr`tbi m'zmi k Kiv nBj
		<b>(c) Tazarotene 0.1% Cream</b> Tazarotene INN 0.1g/100g	Treatment of plaque psoriasis and acne vulgaris. Also indicated as an adjunctive agent for use in the mitigation of facial fine wrinkling, facial mottled hyper and hypopigmentation and benign facial lentiginos in patients who use comprehensive skin care and sunlight avoidance programs.	Abjgr`b Kiv h'itZ c'it i	Abjgr`tbi m'zmi k Kiv nBj
		<b>(d) Multivitamin Syrup</b> Vitamin A 13332 IU Vitamin D 2800 IU Vitamin E Acetate 40 IU Ascorbic Acid 250mg Sodium Ascorbate 280mg Thiamine Hydrochloride 6mg Riboflavin 8mg Nicotinamide 100mg Pyridoxine Hydrochloride 7mg Dexpanthenol 24.906mg/100ml	Indicated for the treatment and prevention of vitamins deficiencies for children.	Abjgr`b Kiv h'itZ c'it i	Abjgr`tbi m'zmi k Kiv nBj
		<b>(e) Glucosamine Sulphate 500mg + Chondroitin Sulphate 400mg + Methyl Sulfonyl Methane 166.7mg Tablet</b> Glucosamine Sulphate INN 500mg + Chondroitin Sulphate INN 400mg + Methyl Sulfonyl Methane INN 166.7mg	Indicated for the improvement of viscosity of synovial fluid. It relieve chronic pain and swelling within the joint. It improves joint flexibility and reducing stiffness.	FDA Ges BNF -G AŠ- f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weariq Arte`b bi gAjy Kiv h'itZ c'it i	FDA Ges BNF -G AŠ- f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weariq Arte`b bi gAjy Kiv eri m'zmi k Kiv nBj
		<b>(f) Paracetamol 500mg + Domperidone 10mg tablet</b> Paracetamol BP 500mg + Domperidone Maleate BP 12.73mg eq. to 10mg Domperidone	Symptomatic treatment of migraine, any medical condition with concomitant nausea, vomiting, pain and fever.	FDA Ges BNF -G AŠ- f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weariq Arte`b bi gAjy Kiv h'itZ c'it i	FDA Ges BNF -G AŠ- f <sup>®</sup> bq Ges Kiv t'bk b Ac'iqi Rbiq weariq Arte`b bi gAjy Kiv eri m'zmi k Kiv nBj
		<b>(g) Olmesartan Medoxomil 20mg tablet</b> Olmesartan Medoxomil 20mg INN	Indicated for the treatment of hypertension	Abjgr`b Kiv h'itZ c'it i	Abjgr`tbi m'zmi k Kiv nBj
		<b>(h) Olmesartan Medoxomil 40mg tablet</b> Olmesartan Medoxomil 40mg INN	Indicated for the treatment of hypertension	Abjgr`b Kiv h'itZ c'it i	Abjgr`tbi m'zmi k Kiv nBj

bs	cfZKvi tKi big	Jl tai big l tRabii K big	ib t` Rbr	tUKibK'ij me-KagWii 50Zg m'fvi gZigZ	gZigZ
	Popular Pharma Ltd.	<b>(i) Adenosine 6mg/2ml injection</b>  Adenosine BP 6mg/2ml	Indicated for the treatment of paroxysmal supraventricular tachycardia (PSVT), including that associated with accessory bypass tracts.	Abjgr` b Kiv hvBtZ cvti	Abjgr` tbi m'zumi k Kiv nBj
		<b>(j) Adenosine 12mg/4ml injection</b>  Adenosine BP 12mg/4ml	Indicated for the treatment of paroxysmal supraventricular tachycardia (PSVT), including that associated with accessory bypass tracts.	Abjgr` b Kiv hvBtZ cvti	Abjgr` tbi m'zumi k Kiv nBj
		<b>(k) Telmisartan 40mg + Hydrochlorothiazide 12.5mg tablet</b>  Telmisartan INN 40mg + Hydrochlorothiazide BP 12.5mg	Indicated for the treatment of hypertension	Abjgr` b Kiv hvBtZ cvti	Abjgr` tbi m'zumi k Kiv nBj
		<b>(l) Ezetimibe 10mg + Atorvastatin 10mg tablet</b>  Ezetimibe INN 10mg + Atorvastatin Calcium INN 10.825 mg eq. to 10mg Atorvastatin	Indicated for the treatment of patients with primary hypercholesterolemia	FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zumi k Kiv nBj
		<b>(m) Ezetimibe 10mg + Atorvastatin 20mg tablet</b>  Ezetimibe INN 10mg + Atorvastatin Calcium INN 21.65 mg eq. to 20mg Atorvastatin	Indicated for the treatment of patients with primary hypercholesterolemia.	FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zumi k Kiv nBj
		<b>(n) Etodolac 400mg tablet</b>  Etodolac BP 400mg	Indicated for acute and long term use in the management of signs and symptoms of osteoarthritis and rheumatoid arthritis.	GB giv FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zumi k Kiv nBj
		<b>(o) Phenytoin Sodium 50mg/ml injection</b>  Fosphenytoin Sodium USP 75mg eq. to 50mg Phenytoin Sodium/ml	Indicated for the treatment of generalized convulsive status epilepticus and prevention and treatment of seizures occurring during neurosurgery.	Abjgr` b Kiv hvBtZ cvti	Abjgr` tbi m'zumi k Kiv nBj
		<b>(p) Amlodipine 10mg + Atorvastatin 10mg tablet.</b>  Amlodipine Besilate BP 13.86mg eq. to 10mg Amlodipine + Atorvastatin Calcium INN 10.825mg eq. to 10mg Atorvastatin	Indicated for the treatment of hypertension, chronic stable angina, vasospastic angina, to reduce elevated total-C, LDL-C, apo B, TG levels and to increase HDL-C in patients with primary hypercholesterolemia and mixed dyslipidemia.	FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G Aš- f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zumi k Kiv nBj
		<b>(q) Lorazepam BP 4mg/ml injection</b>  Lorazepam BP 4mg/ml	Indicated in adult patients for preanesthetic medication, producing sedation and relief of anxiety.	Abjgr` b Kiv hvBtZ cvti	Abjgr` tbi m'zumi k Kiv nBj

bs	cfZKvi tKi big	Jl tai big l tRabii K big	ib t Rbr	tUKibK'ij me-KogWii 50Zg m'vi gZigZ	gZigZ
17.	Beximco Pharmaceuticals Limited	<p><b>a) Indinavir 400 mg Capsule</b></p> <p>Indinavir Sulphate INN 500 mg equivalent to Indinavir 400 mg.</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>b) Lopinavir 400mg+Ritonavir 100mg/5 ml Oral Solution</b></p> <p>Lopinavir INN 400 mg + Ritonavir INN 100 mg /5 ml.</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>c) Diclofenac Sodium 1 gm + Oleum Lini 3 gm+ Methyl Salicylate 3 gm + Menthol 2 gm/100 gm Cream</b></p> <p>Diclofenac Diethylamine BP1.16 gm(eqv. to Diclofenac Sodium 1 gm)+Oleum Lini BP 3 gm+ Methyl Salicylate BP 3 gm + Menthol USP 2 gm/100 gm</p>	For the treatment of sprains, strains, tendonitis, bursitis ,hand neck and shoulder pain, muscle stiffness, joint pain, backache.	FDA Ges BNF -G Aš- f <sup>®</sup> bq weavq Arte` b br gAjy Kiv hvBtZ c'fi	FDA Ges BNF -G Aš- f <sup>®</sup> bq weavq Arte` b br gAjy Kivi evi m'zmi k Kiv nBj
		<p><b>d) Rifaximin 200 mg Tablet</b></p> <p>Rifaximin INN 200 mg</p>	Travelers' diarrhea	FDA Abjgrw` Z Zte BNF -G Aš- f <sup>®</sup> bq Ges Ac@qvRbxq weavq Arte` b br gAjy Kiv hvBtZ c'fi	FDA Abjgrw` Z Zte BNF -G Aš- f <sup>®</sup> bq Ges Ac@qvRbxq weavq Arte` b br gAjy Kivi evi m'zmi k Kiv nBj
		<p><b>e) Lamivudine 150 mg +Satvudine 30 mg Tablet</b></p> <p>Lamivudine USP 150 mg + Satvudine USP 30 mg</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>f) Lamivudine 150 mg + Satvudine 40 mg Tablet</b></p> <p>Lamivudine USP 150 mg + Satvudine USP 40 mg.</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>g) Emtricitabine 200 mg Capsule</b></p> <p>Emtricitabine INN 200 mg.</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>h) Indinavir 200 mg Capsule</b></p> <p>Indinavir Sulphate INN 250 mg equivalent to Indinavir 200 mg</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>i) Emtricitabine 10 mg/ml Oral Solution</b></p> <p>Emtricitabine INN 10 mg/ml</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>j) Emtricitabine 200 mg + Tenofovir Disoproxil 245 mg Tablet</b></p> <p>Emtricitabine INN 200 mg + Tenofovir Disoproxil Fumerate INN 300 mg eqv. to Tenofovir Disoproxil 245 mg</p>	HIV	Abjgr` b Kiv hvBtZ c'fi	Abjgr` tbi m'zmi k Kiv nBj

bs	cfZKvi tKi big	Jl tai big l tRabii K big	ib t Rbr	tUKibK'ij me-Kog'li 50Zg m'vi gZigZ	gZigZ
	Beximco Pharmaceuticals Limited	<b>k) Tenofovir disoproxil 245 mg film coated Tablet</b>  Tenofovir disoproxil fumerate INN 300 mg equivalent to 245 mg of Tenofovir Disoproxil.	HIV	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>l) Lamivudine 150 mg + Stavudine 30 mg + Nevirapine 200 mg Tablet</b>  Lamivudine USP 150 mg + Stavudine INN 30 mg + Nevirapine USP 200 mg	HIV / AIDS	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>m) Lamivudine 150 mg + Stavudine 40 mg +Nevirapine 200 mg Tablet</b>  Lamivudine USP 150 mg + Stavudine INN 40 mg +Nevirapine USP 200 mg	HIV / AIDS	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>n) Zidovudine 250 mg Capsule</b>  Zidovudine USP 250 mg	HIV	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>o) Zidovudine 100mg Capsule</b>  Zidovudine USP 100 mg	HIV	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>p) Abacavir 300 mg + Lamivudine 150 mg + Zidovudine 300 mg Film coated Tablet</b>  Abacavir Sulphate INN eqv. to 300 mg Abacavir + Lamivudine USP 150 mg + Zidovudine USP 300 mg	HIV	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>q) Nicotine 2 mg Gum</b>  Nicotine USP 2 mg	Withdrawal symptoms of smoking cessation.	Abjgr`b Kiv hvBtZ c'f'i	c'f'qrRb biB neavq Avte`b br gAjy Kii evi m'zmi k Kiv nBj
		<b>r) Nicotine 4 mg Gum</b>  Nicotine USP 4 mg	Withdrawal symptoms of Smoking cessation.	Abjgr`b Kiv hvBtZ c'f'i	c'f'qrRb biB neavq Avte`b br gAjy Kii evi m'zmi k Kiv nBj
		<b>s) Atovaquone 250 mg + Proguanil HCl 100 mg Tablet</b>  Atovaquone INN 250 mg + Proguanil HCl INN 100 mg	Malaria.	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>t) Atovaquone 62.5 mg + Proguanil HCl 25 mg Tablet</b>  Atovaquone INN 62.5 mg + Proguanil HCl INN 25 mg	Malaria	Abjgr`b Kiv hvBtZ c'f'i	Abjgr`tbi m'zmi k Kiv nBj
		<b>u) Pitavastatin 1 mg Tablet</b>  Pitavastatin INN 1 mg.	For the reduction of elevated total cholesterol, LDL-cholesterol, apolipoprotein B and Triglycerides. Primary hypercholesterolemia, heterogeneous familial hypercholesterolemia or mixed dyslipidaemia.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Avte`b br gAjy Kiv hvBtZ c'f'i	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Avte`b br gAjy Kii evi m'zmi k Kiv nBj
		<b>v) Pitavastatin 2 mg Tablet</b>  Pitavastatin INN 2 mg	-do-	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Avte`b br gAjy Kiv hvBtZ c'f'i	FDA Ges BNF -G AŠ-f <sup>®</sup> bq neavq Avte`b br gAjy Kii evi m'zmi k Kiv nBj

bs	cfZKvi tKi big	Jl tai big l iRabwi K big	ib: Rbr	tUKibK'ij me-KogWi 50Zg m'vi gZigZ	gZigZ
	Beximco Pharmaceuticals Limited	<b>w) Betamethasone dipropionate 0.05% + Clotrimazole 1% Cream</b>  Betamethasone dipropionate USP 0.05% + Clotrimazole 1% USP	Athlete's foot (ringworm of the foot; tinea pedis.) Jock Itch(ring worm of groin; tinea cruris)	Abjgr` b Kiv hvBtZ cvti	Abjgr` tbi m'zmi k Kiv nBj
		<b>x) Ezetimibe 10 mg + Atorvasatin 10 mg Tablet</b>  Ezetimibe INN 10 mg + Atorvastatin Calcium Trihydrate INN eq. to Atorvastatin 10 mg	For the reduction of elevated total-C and LDL-C levels in patients with Primary hypercholesterolemia or mixed hyperlipidemia.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zmi k Kiv nBj
		<b>y) Ezetimibe 10 mg + Atorvasatin 40 mg Tablet</b>  Ezetimibe INN 10 mg + Atorvastatin Calcium Trihydrate INN 43.280 mg eq. to 40 mg Atorvastatin	For the reduction of elevated total-C and LDL-C levels in patients with Primary hypercholesterolemia or mixed hyperlipidemia.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zmi k Kiv nBj
		<b>z) Ramipril 2.5 mg + Felodipine 2.5 mg Extended Release tablet</b>  Ramipril BP 2.5 mg + Felodipine USP 2.5 mg.	Heart failure, Hypertension.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zmi k Kiv nBj
		<b>aa) Ramipril 5 mg + Felodipine 5 mg Extended Release tablet</b>  Ramipril BP5 mg + Felodipine USP 5 mg	Heart failure, Hypertension.	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Ges BNF -G AŠ-f <sup>®</sup> bq wearq Avte` b br gAjy Kivi m'zmi k Kiv nBj
		<b>bb) Sildenafil 20 mg Tablet</b>  Sildenafil Citrate INN 20.089 eqv. to mg Sildenafil 20 mg	Pulmonary arterial hypertension to improve exercise ability.	Ace`enitii m'lebr_vKiq Buzcfe <sup>®</sup> 50 ng/mlt U'vet ewZj Kiv nBqitQ GKB Kivi tY Avte` b br gAjy Kiv hvBtZ cvti	Ace`enitii m'lebr_vKiq Avte` b br gAjy Kivi m'zmi k Kiv nBj
		<b>cc) Hydroxychloroquine 155 mg Tablet</b>  Hydroxychloroquine Sulfate USP 200 mg eq. to 155 mg Hydroxychloroquine	Malaria	Abjgr` b Kiv hvBtZ cvti	Abjgr` tbi m'zmi k Kiv nBj
		<b>dd) Metoprolol Tartrate 50 mg Hydrochlorothiazide 25 mg Tablet</b>  Metoprolol Tartrate USP 50 mg Hydrochlorothiazide USP 25 mg	Hypertension	FDA Abjgwi` Z Zte BNF-G GB giv Abjgwi` Z bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Abjgwi` Z Zte BNF-G GB giv Abjgwi` Z bq wearq Avte` b br gAjy Kivi m'zmi k Kiv nBj
		<b>ee) Metoprolol Tartrate 100 mg Hydrochlorothiazide 25 mg Tablet</b>  Metoprolol Tartrate USP 100 mg Hydrochlorothiazide USP 25 mg	Hypertension	FDA Abjgwi` Z Zte BNF-G GB giv Abjgwi` Z bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Abjgwi` Z Zte BNF-G GB giv Abjgwi` Z bq wearq Avte` b br gAjy Kivi m'zmi k Kiv nBj
		<b>ff) Metoprolol Tartrate 100 mg Hydrochlorothiazide 50 mg Tablet</b>  Metoprolol Tartrate USP 100 mg Hydrochlorothiazide USP 50 mg	Hypertension	FDA Abjgwi` Z Zte BNF-G GB giv Abjgwi` Z bq wearq Avte` b br gAjy Kiv hvBtZ cvti	FDA Abjgwi` Z Zte BNF-G GB giv Abjgwi` Z bq wearq Avte` b br gAjy Kivi m'zmi k Kiv nBj



bs	<i>cŕZKvi tKi big</i>	<i>Jl tai big l tRabii K big</i>	<i>ibí`Rbr</i>	<i>tUKibK'ij me-Kigŭi 50Zg mfi gZigZ</i>	<i>gZigZ</i>
	Beximco Pharmaceuticals Limited	<p><b>gg) Alginate Acid 500 mg, Dried aluminium Hydroxide 100 mg, Magnesium trisilicate 25 mg, Sodium bicarbonate 170 mg Tablet</b></p> <p>Alginate Acid BP 500 mg, Dried aluminium Hydroxide BP 100 mg, Magnesium trisilicate BP 25 mg, Sodium bicarbonate BP 170 mg</p>	Acid regurgitation, heartburn, and indigestion.	<i>cŕqŕRb biv űearq Avte`b br gÁy Kiv hŕBtZ cŕti  </i>	<i>cŕqŕRb biv űearq Avte`b br gÁy Kii evi mŕzi k Kiv nBj  </i>
		<p><b>hh) Sodium alginate 500 mg + Potassium Bicarbonate 100 mg/ 5 ml Suspension</b></p> <p>Sodium alginate USP 500 mg, Potassium Bicarbonate USP 100 mg/ 5 ml</p>	Acid regurgitation, heartburn, and indigestion.	<i>cŕqŕRb biv űearq Avte`b br gÁy Kiv hŕBtZ cŕti  </i>	<i>cŕqŕRb biv űearq Avte`b br gÁy Kii evi mŕzi k Kiv nBj  </i>
		<p><b>ii) Lornoxicam 4mg Tablet</b></p> <p>Lornoxicam INN 4mg</p>	Osteoarthritis, Pain following surgery, Inflammatory disease of the joints, sciatica,	<i>FDA Ges BNF-G AS-f<sup>ŕ</sup> biv űearq Avte`b br gÁy Kiv hŕBtZ cŕti  </i>	<i>FDA Ges BNF-G AS-f<sup>ŕ</sup> biv űearq Avte`b br gÁy Kii evi mŕzi k Kiv nBj  </i>
		<p><b>jj) Lornoxicam 8mg Tablet</b></p> <p>Lornoxicam INN 8mg</p>	Osteoarthritis, Pain following surgery, Inflammatory disease of the joints, sciatica,	<i>FDA Ges BNF-G AS-f<sup>ŕ</sup> biv űearq Avte`b br gÁy Kiv hŕBtZ cŕti  </i>	<i>FDA Ges BNF-G AS-f<sup>ŕ</sup> biv űearq Avte`b br gÁy Kii evi mŕzi k Kiv nBj  </i>
		<p><b>kk) N-Acetylcysteine 500mg Tablet</b></p> <p>N-Acetylcysteine USP 500mg</p>	Chronic emphysema, emphysema with bronchitis, chronic asthmatic bronchitis, Tuberculosis, Bronchiectasis, Pneumonia, bronchitis	<i>GB grŕŕq FDA Ges BNF-G AS-f<sup>ŕ</sup> bq űearq Avte`b br gÁy Kiv hŕBtZ cŕti  </i>	<i>GB grŕŕq FDA Ges BNF-G AS-f<sup>ŕ</sup> biv űearq Avte`b br gÁy Kii evi mŕzi k Kiv nBj  </i>
18.	Incepta Pharmaceuticals Ltd.	<p><b>a) Teicoplanin 200mg/Vial Injection</b></p> <p>Teicoplanin INN 200mg/Vial</p>	-In the treatment of serious infections due to micro organisms sensitive to this antibiotic, including staphylococci resistant to other agents. -As antimicrobial prophylaxis in orthopedic and vascular surgery at risk of gram-positive infection.	<i>Abŕgr`b Kiv hŕBtZ cŕti  </i>	<i>Abŕgr`tbi mŕzi k Kiv nBj  </i>
		<p><b>b) Trihexyphenidyl HCl 0.1gm/100ml Solution</b></p> <p>Trihexyphenidyl HCl BP 1gm/100ml</p>	In the treatment of Parkinsonism and drug induced extra pyramidal syndrome.	<i>Abŕgr`b Kiv hŕBtZ cŕti  </i>	<i>Abŕgr`tbi mŕzi k Kiv nBj  </i>
		<p><b>c) Brimonidine Tartrate 0.2gm/100ml Eye Drops</b></p> <p>Brimonidine Tartrate INN 0.2gm/100ml</p>	It is indicated in Reduction of elevated intraocular pressure (IOP) in patients with open angle glaucoma or ocular hypertension. As monotherapy in patients in whom topical beta-blocker therapy is contraindicated. As adjunctive therapy to other intraocular pressure lowering medications when the target IOP is not achieved with a single agent	<i>Abŕgr`b Kiv hŕBtZ cŕti  </i>	<i>Abŕgr`tbi mŕzi k Kiv nBj  </i>

bs	cfZKvi tKi big	Jl tai big l tRabii K big	ib t Rbr	tUKibK'ij me-Kag'li 50Zg m'vi gZigZ	gZigZ
	Incepta Pharmaceuticals Ltd.	<p><b>d) Levobunolol HCl 0.5gm/100ml Eye Drops</b></p> <p>Levobunolol HCl BP 0.5gm/100ml</p>	<p>It is indicated in</p> <ul style="list-style-type: none"> <li>Control of intraocular pressure in patients with open angle glaucoma.</li> <li>Control of ocular hypertension.</li> <li>Treatment of acute increased intraocular pressure.</li> </ul>	Abjgr` b Kiv hvBtZ c'iti	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>e) Phenobarbital 0.4gm/100ml Elixir</b></p> <p>Phenobarbital BP 0.4gm/100ml</p>	<p>Long-term anticonvulsants for the <a href="#">treatment of generalized tonic-clonic and cortical local seizures.</a></p>	Abjgr` b Kiv hvBtZ c'iti	Abjgr` tbi m'zmi k Kiv nBj
19.	Square Pharma Ltd.	<p><b>a) Hydrocortisone Acetate 2.5 mg + Pramoxine HCl 1 mg/100ml Lotion</b></p> <p>Hydrocortisone Acetate Bp 2.5 gm Pramoxine HCl USP 1 gm/100gm</p>	<p>Relief of the inflammatory and pruritic manifestations of corticosteroid, exfoliative dermatoses</p>	Abjgr` b Kiv hvBtZ c'iti	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>b) Hydrocortisone Acetate 2.5 mg + Pramoxine HCl 1 mg/100ml Ointment</b></p> <p>Hydrocortisone Acetate Bp 2.5 gm Pramoxine HCl USP 1 gm/100gm</p>	-do-	Abjgr` b Kiv hvBtZ c'iti	Abjgr` tbi m'zmi k Kiv nBj
		<p><b>c) Paracetamol 500mg, Domperidone 10mg Tablet</b></p> <p>Paracetamol BP 500mg Domperidone Maleate BP 12.726mg eq. to. 10mg Domperidone</p>	<p>Relieving symptoms of Migraine</p>	<p>Kiv`fbkb Ac'iq'Rbiq' ueavq i'Wmm-Gi 230 Zg m'fiq emZtj i m'vS-enj i vLv hvBtZ c'iti  </p>	<p>Kiv`fbkb Ac'iq'Rbiq' ueavq i'Wmm-Gi 230 Zg m'fiq emZtj i m'vS-enj i m'Levi m'zmi k Kiv nBj  </p>
		<p><b>d) Amlodipine 5mg + Atorvastatine 20mg Tablet</b></p> <p>Amlodipine Besylate BP 7mg (eq. to 5mg Amlodipine) Atorvastatin Calcium INN 20.720mg (eq. to 20mg Atorvastatin)</p>	<p>Hyperlipidemia with hypertension or angina</p>	<p>FDA Ges BNF-G AŠ-f<sup>®</sup> bq ueavq Avte` b br gAjy Kiv hvBtZ c'iti  </p>	<p>FDA Ges BNF-G AŠ-f<sup>®</sup> bq ueavq Avte` b br gAjy Kivi m'zmi k Kiv nBj  </p>
		<p><b>e) Amlodipine 10mg + Atorvastatine 10mg Tablet</b></p> <p>Amlodipine Besylate BP 14mg (eq. to 10mg Amlodipine) Atorvastatin Calcium INN 10.360mg (eq. to 10mg Atorvastatin)</p>	<p>Hyperlipidemia with hypertension or angina</p>	<p>FDA Ges BNF-G AŠ-f<sup>®</sup> bq ueavq Avte` b br gAjy Kiv hvBtZ c'iti  </p>	<p>FDA Ges BNF-G AŠ-f<sup>®</sup> bq ueavq Avte` b br gAjy Kivi m'zmi k Kiv nBj  </p>

bs	cfZKvi tKi big	Jl tai big l tRabii K big	ibit` Rbr	tUKibK`ij me-KagWii 50Zg m fwi gZigZ	gZigZ
	Square Pharma Ltd.	<b>f) Amlodipine 10mg + Atorvastatin 20mg Tablet</b>  Amlodipine Besylate BP 14mg (eq. to 10mg Amlodipine) Atorvastatin Calcium INN 20.720mg (eq. to 20mg Atorvastatin)	Hyperlipidemia with hypertension or angina	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti
		<b>g) Aceclofenac 100mg + Paracetamol 500mg Tablet</b>  Aceclofenac BP 100mg Paracetamol BP 500mg Tablet	Severe pain and inflammation in Osteoarthritis, Rheumatoid arthritis, Dental pain and inflammatory conditions of ear, nose and throat	Kir`tbkb AcÄqRbix wearq Avte`b br gÄj Kiv hvBtZ cti	Kir`tbkb AcÄqRbix wearq Avte`b br gÄj Kiv hvBtZ cti
		<b>h) Dex-Ketoprofen 25 mg Tablet</b>  Dex-Ketoprofen trometamol INN 36.90 mg (eq. to Dex-Ketoprofen 25 mg)	Pain of mild or moderate intensity such as musculoskeletal pain, menstrual pain, toothache.	Abjgr`b Kiv hvBtZ cti	Abjgr`tbi mzwik Kiv nBj
		<b>i) Nevirapine 200 mg Extended Release Tablet</b>  Nevirapine INN 200 mg	HIV	Abjgr`b Kiv hvBtZ cti	Abjgr`tbi mzwik Kiv nBj
		<b>j) Tacrolimus 1 mg Tablet</b>  Tacrolimus INN 1mg	Rheumatoid arthritis	Abjgr`b Kiv hvBtZ cti	Abjgr`tbi mzwik Kiv nBj
		<b>k) Zinc Sulphate 54.90 mg + Folic Acid 5 mg Tablet</b>  Zinc Sulphate Monohydrate USP 54.90 mg (eq. to 20 mg Elemental Zinc) + Folic Acid Bp 5 mg	Zinc & Folic Acid is useful to avoid the risk of neural tube defects and also anemia	Abjgr`b Kiv hvBtZ cti	Abjgr`tbi mzwik Kiv nBj
		<b>l) Coenzyme Q10 1mg + Vitamine E 22 mg Tablet</b>  Coenzyme Q10 BP 10 mg Vitamin E BP 22 mg	Cardiovascular disease	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti
		<b>m) Doxylamine Succinate 10 mg + Pyridoxine HCl 10 mg Tablet</b>  Doxylamine Succinate USP 10 mg Pyridoxine HCl BP 10 mg	For the Cases of nausea and vomiting of pregnancy	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti
		<b>n) Diclofenac Sodium 1 gm + Oleum Lini 3 gm+ Methyl Salicylate 3 gm + Menthol 2 gm/100 gm Cream</b>  Diclofenac Diethylamine BP1.16 gm (eqv. to Diclofenac Sodium 1 gm)+Oleum Lini BP 3 gm+ Methyl Salicylate BP 3 gm + Menthol USP 2 gm/100 gm.	For the treatment of sprains, strains, tendonitis, bursitis ,hand neck and shoulder pain, muscle stiffness, joint pain, backache.	Kir`tbkb AcÄqRbix wearq Avte`b br gÄj Kiv hvBtZ cti	Kir`tbkb AcÄqRbix wearq Avte`b br gÄj Kiv hvBtZ cti
		<b>o) Lornoxicam 4mg Tablet</b>  Lornoxicam INN 4mg	Osteoarthritis, Pain following surgery, Inflammatory disease of the joints, sciatica,	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti
		<b>p) Lornoxicam 8mg Tablet</b>  Lornoxicam INN 8mg	Osteoarthritis, Pain following surgery, Inflammatory disease of the joints, sciatica,	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Avte`b br gÄj Kiv hvBtZ cti

bs	cfZKvi tKi big	Jl tai big l tRubi K big	ibi` Rbr	tUKibK'ij me-KogWi 50Zg m'vi gZigZ	gZigZ
20.	Delta Pharma Ltd.	<b>a) Desloratadine 2.5 mg + Pseudoephedrine HCl 120 mg Extended Release Tablet</b>  Desloratadine 2.5 mg Pseudoephedrine 120 mg	Relief of the nasal and non nasal symptoms of seasonal allergic rhinitis	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi mzwik Kiv nBj
		<b>b) Desloratadine 5 mg + Pseudoephedrine HCl 240 mg Extended Release Tablet</b>  Desloratadine 2.5 mg Pseudoephedrine 120 mg	Relief of the nasal and non nasal symptoms of seasonal allergic rhinitis	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi mzwik Kiv nBj
21.	ACI Ltd. Orion Lab. Ltd. Apex Pharma Ltd. Square Pharma Ltd. Beximco Pharma Ltd.	<b>a) Itopride HCl 50 mg Tablet</b>  Itopride HCl INN 50 mg	Treatment of gastrointestinal symptoms caused by reduced gastrointestinal motility like feeling of gastric fullness upper abdominal pain, anorexia heart burn nausea and vomiting.	FDA Ges BNF-G Aš-f <sup>®</sup> bq weariq Avte` b br gAjy Kiv hvBtZ cfti	FDA Ges BNF-G Aš-f <sup>®</sup> bq weariq Avte` b br gAjy Kivi mzwik Kiv nBj
22.	Orion Lab. Ltd. Apex Pharma Ltd.	<b>a) Loperamide HCl 2 mg + Simethicone 125 mg Tablet</b>  Loperamide HCl USP 2 mg Simethicone USP 125 mg	Used to treat diarrhea & Symptoms of gas (eg. Cramps, Bloating, Pressure)	FDA Ges BNF-G Aš-f <sup>®</sup> bq Ges AcqRbxq weariq Avte` b br gAjy Kiv hvBtZ cfti	FDA Ges BNF-G Aš-f <sup>®</sup> bq Ges cRqRb bvb weariq Avte` b br gAjy Kivi mzwik Kiv nBj
23.	Popular Pharma Ltd. Apex Pharma Ltd. Square Pharma Ltd.	<b>(a) Amlodipine 5mg + Atorvastatin 10mg tablet.</b>  Amlodipine Besilate BP 6.93mg eq. to 5mg Amlodipine + Atorvastatin Calcium INN 10.825mg eq. to 10mg Atorvastatin	Indicated for the treatment of hypertension, chronic stable angina, vasospastic angina, to reduce elevated total-C, LDL-C, apo B, TG levels and to increase HDL-C in patients with primary hypercholesterolemia and mixed dyslipidemia.	FDA Ges BNF-G Aš-f <sup>®</sup> bq weariq Avte` b br gAjy Kiv hvBtZ cfti	FDA Ges BNF-G Aš-f <sup>®</sup> bq weariq Avte` b br gAjy Kivi mzwik Kiv nBj
24.	Eskayef Bd. Ltd. Beximco Pharma Ltd. Apex Pharma Ltd.	<b>a) Eszopiclone 3 mg Tablet</b>  Eszopiclone INN 3 mg	-do-	Over Dose weariq Avte` b br gAjy Kiv hvBtZ cfti	GB giv`v cRqRb bvb weariq Avte` b br gAjy Kivi mzwik Kiv nBj
25.	Eskayef Bd. Ltd. Beximco Pharma Ltd. Apex Pharma Ltd. Acme Lab. Ltd.	<b>d) Eszopiclone 1 mg Tablet</b>  Eszopiclone INN 1 mg	Treatment of insomnia	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi mzwik Kiv nBj
26.	Eskayef Bd. Ltd. Beximco Pharma Ltd. Apex Pharma Ltd. Acme Lab. Ltd. Incepta Pharma Ltd.	<b>a) Eszopiclone 2mg Tablet</b>  Eszopiclone INN 2mg	It is indicated for the treatment of insomnia in adult patient's (over 18 years).	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi mzwik Kiv nBj
27.	Orion Lab. Ltd. Apex Pharma Ltd. Square Pharma Ltd. Beximco Pharma Ltd.	<b>a) Levosalbutamol Suphate 1 mg Tablet</b>  Levosaltbutamol Sulphate INN 1 mg	Prevention of bronchospasm	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi mzwik Kiv nBj
		<b>b) Levosalbutamol Sulphate 2 mg Tablet</b>  Levosaltbutamol Sulphate 2 mg	-do-	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi mzwik Kiv nBj
		<b>c) Levosalbutamol Sulphate 1mg/5ml Syrup</b> Levosaltbutamol INN 0.02gm/100ml	-do-	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi mzwik Kiv nBj

bs	cfZKvi tKi big	Jl tai big l tRabii K big	ibit Rbr	tUKibK'ij me-Kog'li 50Zg m'vi gZigZ	gZigZ
28.	Orion Lab. Ltd. Beximco Pharma Ltd.	<b>a) Rebamipide 100 mg Tablet</b>  Rabamipide INN 100 mg	Gastric Ulcer	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kivi m'zvi k Kiv nBj
29.	Eskayef Bd. Ltd. Beximco Pharma Ltd.	<b>a) Paracetamol 500 mg + Guaifenesin 200 mg + Phenylephrine HCl 10mg/20ml Syrup</b>  Paracetamol USP 2.5 gm Guaifenesin USP 1 gm Phenylephrine HCl 0.05gm/100ml	Relieving Colds, Chills and influenza including chesty coughs.	Kivtbkb AcÄqirBiq Ges FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kiv hvBtZ cti	Kivtbkb AcÄqirBiq Ges FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kivi m'zvi k Kiv nBj
		<b>b) Racecadotril 200mg Capsule</b>  Racecadotril INN 200mg	-do-	ICDDR-B-Gi gZigZ MhY Kiv hvBtZ cti	cÄqirB biv wearq Arte`b br gÄy Kivi m'zvi k Kiv nBj
30.	Eskayef Bd. Ltd. Beximco Pharma Ltd. Square Pharma Ltd.	<b>a) Racecadotril 100mg Capsule</b>  Racecadotril INN 100mg	-do-	ICDDR-B-Gi gZigZ MhY Kiv hvBtZ cti	cÄqirB biv wearq Arte`b br gÄy Kivi m'zvi k Kiv nBj
31.	Acme Lab. Ltd. Beximco Pharma Ltd.	<b>a) Ciprofloxacin 500 mg + Tinidazole 600 mg Tablet</b>  Ciprofloxacin HCl BP 582.20mg (eq. to 500 mg Ciprofloxacin) Tinidazole BP 600 mg	Treatment of a wide variety of infections caused by susceptible gram positive and gram negative organisms.	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kivi m'zvi k Kiv nBj
32.	Acme Lab. Ltd. Beximco Pharma Ltd. Orion Lab. Ltd.	<b>a) Doxylamine Succinate 10 mg + Pyridoxine HCl 10 mg Tablet</b>  Doxylamine Succinate USP 10 mg Pyridoxine HCl BP 10 mg	For the Cases of nausea and vomiting of pregnancy	FDA G Abjgwi Z iKŠ' BNF-G GB Kivtbkb Abjgwi Z bq wearq Arte`b br gÄy Kiv hvBtZ cti	FDA G Abjgwi Z iKŠ' BNF-G GB Kivtbkb Abjgwi Z bq wearq Arte`b br gÄy Kivi m'zvi k Kiv nBj
33.	Aristopharma Ltd. Beximco Pharma Ltd. Square Pharma Ltd.	<b>a) Metformin HCl 500 mg + Pioglitazone 15 mg Tablet</b>  Metformin HCl BP 500 mg Pioglitazone HCl INN 16.53 mg (eq. to Pioglitazone 15 mg)	Anti-diabetic drugs	Abjgr`b Kiv hvBtZ cti	Abjgr`bi m'zvi k Kiv nBj
		<b>b) Metformin HCl 850 mg + Pioglitazone 15 mg Tablet</b>  Metformin HCl BP 850 mg Pioglitazone HCl IN 16.53 mg (eq. to Pioglitazone 15 mg)	-do-	Abjgr`b Kiv hvBtZ cti	Abjgr`bi m'zvi k Kiv nBj
34.	Aristopharma Ltd. Beximco Pahrma Ltd.	<b>c) Pantoprazole 40 mg + Domperidone SR 30 mg Capsule</b>  Blended Pellets of Ph. Gr. 380 mg (Pantoprazole Sodium Sesquihydrate eq. to Pantoprazole INN 40 mg Domperidone BP 30 mg in SR form)	Fixed dose combination of proton pump inhibitor and gastroprokinetic agent	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kiv hvBtZ cti	FDA Ges BNF-G AŠ-f <sup>®</sup> bq wearq Arte`b br gÄy Kivi m'zvi k Kiv nBj

bs	cfZKvi tKi big	Jl tai big l iRubni K big	ibit` Rbr	tUKibK'ij me-KogWii 50Zg m'fvi gZigZ	gZigZ
35.	Square Pharma Ltd. Beximco Pharma Ltd.	<b>a) Rosiglitazone 4 mg + Glimepride 1 mg Tablet</b>  Rosiglitazone Maleate INN 5.296 mg (eq. to Rosiglitazone 4 mg) + Glimepride INN 1mg	Adjunct to diet and exercise to improve glycerin control in patients with type 2 diabetes	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi m'zmi k Kiv nBj
		<b>b) Rosiglitazone 4 mg + Glimepride 2 mg Tablet</b>  Rosiglitazone Maleate INN 5.296 mg (eq. to Rosiglitazone 4 mg + Glimepride INN 2 mg)	-do-	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi m'zmi k Kiv nBj
		<b>c) Ezetimibe 10 mg + Simvastatin 40 mg Tablet</b>  Ezetimibe INN 10 mg Simvastatin USP 40 mg	Primary hyper cholesterolemia or mixed hyperlipidemia	chfB Z`" br`uKiq Arfe` b br gAjy Kiv hvBtZ cfti	Arfe` b br gAjy Kiv hvBtZ cfti
		<b>d) Ezetimibe 10 mg + Simvastatin 10 mg Tablet</b>  Ezetimibe INN 10 mg Simvastatin USP 10 mg	Primary hyper cholesterolemia or mixed hyperlipidemia	chfB Z`" br`uKiq Arfe` b br gAjy Kiv hvBtZ cfti	Arfe` b br gAjy Kiv hvBtZ cfti
		<b>e) Ezetimibe 10mg, Simvastatin 20mg Tablet</b>  Ezetimibe INN 10mg & Simvastatin USP 20mg	Hypercholesterolemia, mixed hyper lipidimia.	chfB Z`" br`uKiq Arfe` b br gAjy Kiv hvBtZ cfti	Arfe` b br gAjy Kiv hvBtZ cfti
		<b>f) Ciclesonide 160 mcg inhaler/puff.</b>  Ciclesonide INN 160 mcg (Micronized)	Control persistent asthma	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi m'zmi k Kiv nBj
		<b>g) Ciclesonide 80 mcg inhaler/puff.</b>  Ciclesonide INN 80 mcg (Micronized)	Control persistent asthma	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi m'zmi k Kiv nBj
		<b>h) Ibuprofen 100mg + Pseudoephedrine HCl 15mg/5ml Suspension</b>  Ibuprofen BP 2.0gm and Pseudoephedrine HCl BP 0.3mg/100ml	Sinusitis, the common cold or the nasal congestion, headache, minor body aches pains and fever.	Kir`tbkb ActqirRbiq weavq Wvmm-Gi 230 Zg m'fvi emZtj i m'xvS- emij i vLv hvBtZ cfti	Kir`tbkb ActqirRbiq weavq Wvmm-Gi 230 Zg m'fvi emZtj i m'xvS- emij i vLv hvBtZ cfti
		<b>i) Ibuprofen 200mg + Pseudoephedrine HCl 30mg Tablet</b>  Ibuprofen BP 200mg & Pseudoephedrine HCl BP 30mg	Sinusitis, the common cold or the nasal congestion, headache, minor body aches pains and fever.	Kir`tbkb ActqirRbiq weavq Wvmm-Gi 230 Zg m'fvi emZtj i m'xvS- emij i vLv hvBtZ cfti	Kir`tbkb ActqirRbiq weavq Wvmm-Gi 230 Zg m'fvi emZtj i m'xvS- emij i vLv hvBtZ cfti
<b>j) Levosalbutamol 50 mcg inhaler/Puff</b>  Levosalbutamol Sulphate INN 60.25 mcg (eq. to 50 mcg of Levo Salbutamol)	Prevention of Bronchospasm	Abjgr` b Kiv hvBtZ cfti	Abjgr` tbi m'zmi k Kiv nBj		

bs	cŹZKvi tKi big	Jl tai big l tRbwi K big	ib t Rbv	tUKibK'j me-KugŹi 50Zg mfv gZigZ	gZigZ
	Square Pharma Ltd. Beximco Pharma Ltd.	<b>k) Ambroxol HCl 150mg + Guaifenesin 500mg + Salbutamol 10mg Cough Syrup</b>  Ambroxol HCl BP 150 mg Guaifenesin BP 500 mg Salbutamol Sulphate BP 12.050 mg (eq. to 10 mg of Salbutamol)/50ml	Cough Expectorant	Ki t b k b Acl qv Rb iq űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i	Ki t b k b Acl qv Rb iq űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i
		<b>l) Alosetron 1 mg Tablet</b>  Alosetron HCl INN 1.124 mg (eq. to 1 mg of Alosetron)	Women with severe diarrhea predominant bowel syndrome	A b j g r ` b K i v h v B t Z c i t i	c l q v R b b i B űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i
36.	Orion Lab. Ltd. Beximco Pharma Ltd. Square Pharma Ltd.	<b>a) Modafinil 200 mg Tablet</b>  Modafinil INN 200 mg	Improve wakefulness in patients with excessive day time sleepiness associated with chronic pathological condition	FDA Ges BNF -G A Š- f Z te ű u Z K i পাৰ্শ্বপ্রতিক্রিয়ার কারণে A v t e ` b b r g Ā y K i v h v B t Z c i t i	FDA Ges BNF -G A Š- f Z te ক্ষতিকর পার্শ্বপ্রতিক্রিয়ার কারণে A v t e ` b b r g Ā y K i v h v B t Z c i t i
37.	Beximco Pharma Ltd. Square Pharma Ltd.	<b>a) Modafinil 100 mg tablet</b>  Modafinil INN 100 mg	To improve wakefulness in patients with excessive sleepiness associated with narcolepsy, obstructive sleep apnea/hypopnea, shift work sleep disorder.	FDA Ges BNF -G A Š- f Z te ű u Z K i পাৰ্শ্বপ্রতিক্রিয়ার কারণে A v t e ` b b r g Ā y K i v h v B t Z c i t i	FDA Ges BNF -G A Š- f Z te ক্ষতিকর পার্শ্বপ্রতিক্রিয়ার কারণে A v t e ` b b r g Ā y K i v h v B t Z c i t i

1. L) Local (New Strength & New Dosage Forms

bs	cŹZKvi tKi big	Jl tai big l tRbwi K big	ib t Rbv	Existing	tUKibK'j me-KugŹi 50Zg mfv gZigZ	gZigZ
1.	Eskayef Bangladesh Ltd., Tongi, Gazipur	<b>a) Mecobalamin OD 1.5 mg Tablet</b>  Mecobalamin INN 1.5 mg	Peripheral neuropathies, Diabetic, neuropathies	Mecobalamin 0.5 mg Tablet	GB gvl v A b j g r ` t b i c l q v R b b i B űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i	GB gvl v A b j g r ` t b i c l q v R b b i B űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i
		<b>b) Mecobalamin Syrup</b>  Mecobalamin INN 10 mg/100ml	-do-	Mecobalamin 0.5 mg Tablet	GB gvl v A b j g r ` t b i c l q v R b b i B űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i	GB gvl v A b j g r ` t b i c l q v R b b i B űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i
		<b>c) Methylphenidate HCl 20 mg Tablet</b>  Methylphenidate Hydrochloride USP 20mg	Treatment of attention deficit hyper activity disorder (ADHD) and narcolepsy.	Methylphenidate 5 mg & 10mg Tab and 20mg Cap.	t K i v ű i b r ű b R ` ~ e ` e ` i c b i q ű P i K r m t K i e ` e ` i c T A b j y q x t i ű M t K m i m m i m i e i m K ű i t e G B k t Z A b j g r ` b K i v h v B t Z c i t i	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া I A c e ` e n t i i m = l e b r _ ű K i q e ` e n v i I ű e Z i Y S a K c b ® űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i
		<b>d) Methylphenidate HCl 20 mg SR Tablet</b>  Methylphenidate Hydrochloride USP 20mg	Treatment of attention deficit hyper activity disorder (ADHD) and narcolepsy.	Methylphenidate 5 mg & 10mg Tab and 20mg Cap.	t K i v ű i b r ű b R ` ~ e ` e ` i c b i q ű P i K r m t K i e ` e ` i c T A b j y q x t i ű M t K m i m m i m i e i m K ű i t e G B k t Z A b j g r ` b K i v h v B t Z c i t i	ক্ষতিকর পার্শ্বপ্রতিক্রিয়া I A c e ` e n t i i m = l e b r _ ű K i q e ` e n v i I ű e Z i Y S a K c b ® űe a iq A v t e ` b b r g Ā y K i v h v B t Z c i t i

<i>bs</i>	<i>cŪZKvī:Ki big</i>	<i>Jl'ai big I tRtbiwK big</i>	<i>ibī Rbv</i>	<b>Existing</b>	<i>tUKŏK vj me-Kvŏvī 50Zg m'vī gZŏZ</i>	<b>gZŏZ</b>
2.	General Pharma Ltd. Square Pharma Ltd.	<b>a) Ciprofloxacin XR 1000 mg Tablet</b>  Ciprofloxacin HCl 164.152 mg (eq. to 1000 mg Ciprofloxacin)	Respiratory tract Urinary tract infections,Gonorrhoea	Ciprofloxacin 250mg & 500 mg Tablet & 500 mg SR Tablet	<i>Abŏgv' b Kiv hvBtZ cŏti  </i>	<i>Abŏgv' tbi mŏvwi k Kiv nBj  </i>
3.	General Pharma Ltd.	<b>a) Multivitamin Syrup</b>  Vitamin A BP 40,000IU (as Vit. A Propionate) Vitamin D (as Colecalciferol) BP 4000IU Vitamin C (Ascorbic Acid) BP 0.35 gm Vitamin B1 (Thiamine HCl) BP 0.014 gm Vitamin B2 (Riboflavin Sodium Phosphate) BP 0.017 gm Vitamin B6 (Pyridoxine HCl) BP 0.007 gm Vitamin E (as Alpha Tocopherol) BP 0.030gm Nicotinamide BP 0.18gm Cod Liver Oil BP 2gm/100ml	Prevent vitamin deficiency	Vit-A 345 mg Vit-B1 167 mg Vit B2 167 mg Vit B6 167 mg Nicotinamide 1.02 gm Vit D3 83.3gm Sodium Ascorbic 8gm/100ml	<i>Abŏgv' b Kiv hvBtZ cŏti  </i>	<i>Abŏgv' tbi mŏvwi k Kiv nBj  </i>
3.	Jayson Pharmaceuticals Ltd.	<b>a) Povidone Iodine 5% Powder</b>  Povidone Iodine USP 5 gm/100gm	Antiseptic for topical Use	Povidone Iodine 0.72gm/5gm Powder	<i>Abŏgv' b Kiv hvBtZ cŏti  </i>	<i>Abŏgv' tbi mŏvwi k Kiv nBj  </i>
		<b>b) Ondansetron 2mg/ml Inj.</b>  Ondansetron HCl USP 2.5 mg (eq. to Ondansetron)	Management of nausea and vomiting induced by cytotoxic chemotherapy and radiotherapy	Ondansetron 8mg/ml Inj.	<i>Abŏgv' b Kiv hvBtZ cŏti  </i>	<i>Abŏgv' tbi mŏvwi k Kiv nBj  </i>
4.	The Acme Laboratories Ltd.	<b>a) Calcium 600mg + Vitamin D3 200IU +Magnesium 20 mg + Zinc 7.5 mg + Copper 1 mg + Manganese 1 mg + Boron 250 mcg + Vitamin E 15 IU &amp; Ascorbic Acid 60 mg Tablet</b>  Calcium Carbonate BP 1498.50 (eq. to 600 mg Calcium) Cholecalciferol (Vit. D3) (Dry Powder Potency 0.1 MIU/gm), BP 2 mg (eq. to 200 IU Vit D3) Magnesium Oxide, heavy BP 33.16 mg (eq. to 20 mg Magnesium) Zinc Oxide BP 9.34 mg (eq. to 7.5 mg Zinc) Copper Gluconate USP 7.14 mg (eq. to 1 mg Copper) Manganese Sulphate BP 2.75 mg (eq. to 1 mg Manganese) Sodium borate USP 1.16 mg (eq. to 250 mcg Boron) Vitamin E Acetate 50% BP 30 mg (eq. to 15 IU Vit. E) Ascorbic Acid BP 60 mg	Used as a dietary supplement where calcium intake may be inadequate	Calcium 600mg Vit D3 200IU Magnesium 40 mg Zinc 7 mg Copper 1 mg Manganise 1.8mg Boron 250 mg Chewable Tab.	<i>Abŏgv' b Kiv hvBtZ cŏti  </i>	<i>Abŏgv' tbi mŏvwi k Kiv nBj  </i>
5.	Sun Pharmaceutical (BD) Ltd.	<b>a) Alprazolam SR 1 mg Tablet</b>  Alprazolam USP 1 mg	Symptoms of depression painc disorder with or without agoraphobia	Alprazolam 0.25 mg & 1 mg Tablet	<i>cŏŏqv'Rb bŏvB ŏeavq ŏvŏvmm-Gi 230 Zg m'fiq ewZtj i ŏm×vŏŏ- enij i vLlv hvBtZ cŏti  </i>	<i>cŏŏqv'Rb bŏvB ŏeavq ŏvŏvmm-Gi 230 Zg m'fiq ewZtj i ŏm×vŏŏ- enij i vLlv mŏvwi k Kiv nBj  </i>
		<b>b) Propranolol HCl TR Capsule</b>  Propranolol HCl TR Pellets USP 105 mg (eq. to Propranolol 40mg)	Hypertension	Propranolol 10mg, 40mg & 80 mg Tablet	<i>cŏŏqv'Rb bŏvB ŏeavq ŏvŏvmm-Gi 230 Zg m'fiq ewZtj i ŏm×vŏŏ- enij i vLlv hvBtZ cŏti  </i>	<i>cŏŏqv'Rb bŏvB ŏeavq ŏvŏvmm-Gi 230 Zg m'fiq ewZtj i ŏm×vŏŏ- enij i vLlv mŏvwi k Kiv nBj  </i>



bs	cŪZKvi:Ki big	Jl tai big I fRtbiwK big	ib: Rbv	Existing	tUKibK vj me-Kigvli 50Zg mFvi gZigZ	gZigZ
06.	Renata Ltd.	<b>a) Cefprozil 250mg/5ml Oral Suspension</b>  Cefprozil Monohydrate USP 5231 mg (eq. to 5 gm Cefprozil/100ml)	Upper Respiratory and Lower Respiratory tract infection, Pharyngitis, tonsillitis	Cefprozil 250 mg Tab. and 500 mg Cap.	Abjgy`b Kiv hiBtZ cti	Abjgy`b i mgvwi k Kiv nBj
		<b>b) Cefprozil 125mg/5ml Oral Suspension</b>  Cefprozil Monohydrate USP 2615.50 mg (eq. to 2.5gm Cefrozil)/100ml	-do-	-do-	Abjgy`b Kiv hiBtZ cti	Abjgy`b i mgvwi k Kiv nBj
		<b>c) Clomiphene Citrate 100 mg Tablet</b>  Clomiphene Citrate BP 100 mg	Maintenance of normal sinus Rhythm	Clomephene Citrate 50 mg Tablet	Abjgy`b Kiv hiBtZ cti	Abjgy`b i mgvwi k Kiv nBj
		<b>d) Respidone 1mg/ml Oral Solution</b>  Respidone BP 100mg/100ml	Treatment of Schizophrenia	Respidone 2mg, 4 mg & 5 mg Tablet	Dosage Form AcŭqvRbiq iearq Avte`b br gAjy Kiv hiBtZ cti	Dosage Form AcŭqvRbiq iearq Avte`b br gAjy Kvi evi mgvwi k Kiv nBj
		<b>e) Gabapentin 250mg/5ml Oral Solution</b>  Gabapentin INN 5gm/100ml	Partial Seizures with or without secondary generalized tonic clonic seizures	Gabapentin 300mg & 600 mg Tablet	FDA Ges BNF-G Aš-fš bq iearq Avte`b br gAjy Kiv hiBtZ cti	FDA Ges BNF-G Aš-fš bq iearq Avte`b br gAjy Kvi evi mgvwi k Kiv nBj
		<b>f) Alprazolam 0.5 mg/5ml Solution</b>  Alprazolam BP 10mg/100ml	Anxiety States, Mixed anxiety depression, Neurotic or reactive depression	Alprazolam 0.25 mg & 0.5 mg Tab.	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kiv hiBtZ cti	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kvi evi mgvwi k Kiv nBj
		<b>g) Aripiprazole 1mg/ml Solution</b>  Aripiprazole INN 100mg/100ml	Schizophrenia	Aripiprazole 5mg, 10mg & 15 mg Tab.	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kiv hiBtZ cti	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kvi evi mgvwi k Kiv nBj
		<b>h) Oxcarbazepine 300mg/ml Suspension</b>  Oxcarbazepine INN 3000 mg/100ml	Monotherapy and adjunctive therapy of partial seizures with or without secondary generalized tonic-clonic seizures	Oxcarbazepine 150mg & 300 mg Cap. And 600 mg Tab.	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kiv hiBtZ cti	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kvi evi mgvwi k Kiv nBj
		<b>i) Paroxetine 10mg/5ml Suspn</b>  Paroxetine HCl INN 222mg (eq. tot 200 mg of Paroxetine)/100ml	Depressive illness, panic disorder, Post traumatic stress disorder.	Paroxetling 20mg Tab	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kiv hiBtZ cti	Dosage Form Ges Strength AcŭqvRbiq iearq Avte`b br gAjy Kvi evi mgvwi k Kiv nBj
07.	Aristopharma Ltd.	<b>a) Domperidone 30 mg Sustained Release Capsule</b>  Domperidone Sustained Release Pellets BP 260 mg (eq. to Domperidone 30mg)	Antagonist with antiemetic properties similar to those Metoclopramide HCl	Domperidone 100mg/100ml Syrup and 10 mg Tablet	cŭqvRb bvb iearq Avte`b br gAjy Kiv hiBtZ cti	cŭqvRb bvb iearq Avte`b br gAjy Kvi evi mgvwi k Kiv nBj
		<b>b) Cyclosporin 0.5mg/ml Ophthalmic Emulsion</b>  Cyclosporin USP 0.05gm/100ml	To increase tear production in patient whose tear production presumed to be suppressed by Ocular inflammation associated with Kerato conjunctivitis Sicca	Cyclosporine 25mg, 50mg & 100mg Capsule	National Institute of Ophthalmology Gi gZigZ MhY Kiv hiBtZ cti	Abjgy`b i mgvwi k Kiv nBj

bs	cŪZKvi:Ki big	Jl'ai big I fRtbiK big	ib: Rbv	Existing	tUKibK vj me-Kgwi 50Zg m'vi gZigZ	gZigZ
	Aristopharma Pharma Ltd.	<b>c) Vitamin + Multimeral Syrup</b>  Vitamin A (as Beta Carotene) BP 8500 IU Vitamin A (as Retinol Palmitate) BP 8500 IU Vitamin C (as Ascorbic Acid) BP 1350 mg Vitamin D3 (as Cholecalciferol) BP 2750 IU Vitamin E (as d-Alpha-tocopherol Acetate) BP 200 IU Vitamin B1 (as Thiamine HCl BP 20 mg Riboflavin Sodium 5-Phosphate) 20 mg Vitamin B12 (Cyanocobalamin) BP 0.06 mg Biotin BP 0.65 mg Pantothenic Acid (d-pantothenol) BP 70 mg Calcium (as Calcium Lactate) BP 550 mg Iodine (as Potassium Iodide) BP 0.50 mg Magnesium (as Magnesium Lactate) Ph. Gr. 150 mg Zinc (as Zinc Gluconate) USP 50 mg Selenium (as Selenomethionine) USP 0.35 mg Manganese (as Manganese Gluconate) USP 15 mg Chromium (as Chromium Polynicotinate) Ph. Gr. 0.07 mg Potassium (as Potassium Citrate) USP 140 mg PABA (Para-Amino-Benzoic Acid) Ph. Gr. 10 mg Inositol Ph. Gr. 200 mg Choline Bitartrate USP 200 mg	Prevent vitamin deficiency	Vit-A 345 mg Vit-B1 167 mg Vit B2 167 mg Vit B6 167 mg Nicotinamide 1.02 gm Vit D3 83.3gm Sodium Ascorbic 8gm/100ml	Abjgv`b Kiv hvBtZ cti	Abjgv`b Kiv hvBtZ cti
08.	Orion Laboratories Ltd.	<b>a) Mecobalamin OD 1.5 mg Tablet</b>  Mecobalamin INN 1.5 mg	Peripheral neuropathies, Diabetic, neuropathies	Mecobalamin 0.5 mg Tablet	GB gvl`v AcŋqvRbiq űeavq Avte`b br gAjy Kiv hvBtZ cti	GB gvl`v AcŋqvRbiq űeavq Avte`b br gAjy Kiv hvBtZ cti
		<b>b) Dicycloverine HCl 20 mg/5ml</b>  Dicycloverine HCl BP 400mg/100ml	Symptomatic relief of Gastro-intestinal disorders	Dicycloverin 10gm/5ml Syrup	Abjgv`b Kiv hvBtZ cti	Abjgv`b Kiv hvBtZ cti
09.	Oponin Pharma Ltd.	<b>a) Batamethasone 0.1gm/100ml Lotion</b>  Batamethasone Valerate BP 0.120 gm (eq. to Batamethasone 0.1gm)/100ml	Treatment for inflamed skin conditions such as eczema, psoriasis and dermatitis.	Betamethasone 1% Ointment & Cream	Abjgv`b Kiv hvBtZ cti	Abjgv`b Kiv hvBtZ cti
		<b>b) Furosemide 800 mg/100ml Oral Solution (40 mg/5ml)</b>  Furosemide USP 800mg/100ml	Treatment of Edema associated with congestive heart failure, cirrhosis of the liver, and renal disease.	Furosemide 40 mg tab. & 20mg/2ml Inj.	FDA Ges BNF-G Aš-f <sup>®</sup> bq űeavq Avte`b br gAjy Kiv hvBtZ cti	FDA Ges BNF-G Aš-f <sup>®</sup> bq űeavq Avte`b br gAjy Kiv hvBtZ cti
10.	ACI Ltd., Narayananj	<b>a) Naproxen Sodium SR 750 mg Tablet</b>  Naproxen Sodium USP 750 mg	Anti inflammatory and analgesic	Naproxen 250mg & 500 mg Tablet	cŋqvRb bvb űeavq Avte`b br gAjy Kiv hvBtZ cti	cŋqvRb bvb űeavq Avte`b br gAjy Kiv hvBtZ cti

<i>bs</i>	<i>cŪZKvi:Ki big</i>	<i>Jl tai big I tRtbiK big</i>	<i>ib: Rbv</i>	<b>Existing</b>	<b>tkŪkK vj me-KgŪli 50Zg mfv gZŪZ</b>	<b>gZŪZ</b>
11.	Beximco Pharmaceuticals Limited	<b>a) Duloxetine 20 mg Capsule</b>  Duloxetine INN 20 mg	Major depressive disorder(MDD),moderate to severe stress urinary incontinence in women, diabetic peripheral naturopathic pain.	Duloxetine INN 20 mg Tablet	<i>Abjgv`b Kiv hvBtZ cti  </i>	<i>Abjgv`ibi mgwi k Kiv nBj  </i>
		<b>b) Duloxetine 30mg Capsule</b>  Duloxetine INN 30 mg.	Major depressive disorder (MDD),moderate to severe stress urinary incontinence in women, diabetic peripheral naturopathic pain.	Duloxetine INN 30 mg Tablet	<i>Abjgv`b Kiv hvBtZ cti  </i>	<i>Abjgv`ibi mgwi k Kiv nBj  </i>
		<b>c) Duloxetine 40 mg Capsule</b>  Duloxetine INN 40 mg	Major depressive disorder(MDD),moderate to severe stress urinary incontinence in women, diabetic peripheral naturopathic pain.	Duloxetine INN 40 mg Tablet	<i>Abjgv`b Kiv hvBtZ cti  </i>	<i>Abjgv`ibi mgwi k Kiv nBj  </i>
		<b>d) Stavudine INN 15 mg Capsule</b>  Stavudine INN 15 mg	HIV / AIDS	Stavudine INN 40 mg Tablet.	<i>Abjgv`b Kiv hvBtZ cti  </i>	<i>Abjgv`ibi mgwi k Kiv nBj  </i>
		<b>e) Stavudine INN 20 mg Capsule</b>  Stavudine INN 20 mg Capsule	HIV / AIDS	Stavudine INN 40 mg Tablet.	<i>Abjgv`b Kiv hvBtZ cti  </i>	<i>Abjgv`ibi mgwi k Kiv nBj  </i>
		<b>f) Stavudine INN 30 mg Capsule</b>  Stavudine INN 30 mg Capsule	HIV / AIDS	Stavudine INN 40 mg Tablet.	<i>Abjgv`b Kiv hvBtZ cti  </i>	<i>Abjgv`ibi mgwi k Kiv nBj  </i>
		<b>g) Vitamin C (Ascorbic acid) 125 mg Pharmagum</b>  Sodium Ascorbate USP 100.12mg. equivalent to 89mg Ascorbic Acid, and Ascorbic Acid (97% DC Grade)USP 37.11mg	Vitamin C deficiency disease, pregnancy, lactation, post operative or other wound healing state, infection, trauma, burns, cold exposure	Vitamin C Tablet.	<i>Abjgv`b Kiv hvBtZ cti  </i>	<i>Abjgv`ibi mgwi k Kiv nBj  </i>
		<b>j) Paracetamol 665 mg tablet</b>  Paracetamol BP 665 mg	Pain and fever.	Paracetamol 500 mg tablet	<i>GB gvl v AclqirBiq űavq Aite`b br gAjy Kiv hvBtZ cti  </i>	<i>GB gvl v AclqirBiq űavq Aite`b br gAjy Kni evi mgwi k Kiv nBj  </i>
<b>k) Vitamin (As Vitamin E Acetate) 50 IU, Vitamin K 75 mcg, Vitamin C (As Ascorbic Acid) 200 mg, Zinc(As Zinc oxide) 15 mg, Copper (As Cupric Oxide) 1 mg, Manganese(As Manganese Sulfate), 3 mg, Selenium(As Sodium Selenate) 70 mcg Tablet</b>  Vitamin E (As Vitamin E Acetate)USP 50 IU, Vitamin K(As Dry Vitamin K1 5%) USP 75 mcg, Vitamin C (As Ascorbic Acid)USP 200 mg, Zinc(As Zinc oxide)USP 15 mg, Copper(As Cupric Oxide)Ph. grade 1 mg, Manganese(As Manganese Sulfate), USP 3 mg,Selenium(As Sodium Selenate)Ph.grade 70 mcg	Prevent vitamin deficiency	Vitamin D3 (as Dry Vit D3, Colecalciferol 85000IU/g) USP 200IU, Calcium (as Dibasic Calcium Phosphate Anhydrous & Calcium Carbonate Heavy) USP 600mg Copper (as Cupric Oxide Pharma Grade 1mg Magnesium (as Magnesium Oxide Heavy) USP 40mg Manganese (as Manganese Sulphate) USP 1.8mg Zinc (as Zinc Oxide) USP 7mg Boron (as Sodium Borate) USP 250mcg	<i>cŪqirB biv űavq Aite`b br gAjy Kiv hvBtZ cti  </i>	<i>cŪqirB biv űavq Aite`b br gAjy Kni evi mgwi k Kiv nBj  </i>		

bs	cŪZKvī:Ki big	Jltaī big I tRtīwīK big	ibī Rbv	Existing	tUKībK vj me-Kvīwī 50Zg mfvī gZvZ	gZvZ
	Beximco Pharma Ltd.	<p><b>D) Adult Multivitamin and Multimineral A-Z Tablet (Without beta-carotene)</b></p> <p>Vitamin C (As ascorbic Acid 97% DC grade) USP 60 mg, Vitamin D (As Calciferol 850000 IU/g) USP 400 IU, Vitamin E (As Vitamin E Acetate 50%) USP 30 IU, Vitamin K USP (As Dry Vitamin K<sub>1</sub> 5%) 25 mcg , Vitamin B<sub>1</sub> (As Thiamine Mononitrate) USP 1.50 mg , Vitamin B<sub>2</sub> (As Riboflavin) USP 1.70 mg, Niacin USP 20mg, Vitamin B<sub>6</sub> (As Pyridoxine Hydrochloride) USP 2mg, Folic Acid USP 400 mcg , Vitamin B<sub>12</sub> (As Cyanocobalamin 0.1%) USP 6 mcg, Biotin (As D-Biotin) BP 30 mcg, Pantothenic acid USP (As Calcium Pantothenate) 10 mg, Calcium Carbonate(Heavy) USP 52.490 mg eq. 20.975 mg Calcium, Dibasic Calcium Phosphate Anhydrous USP 478.695 mg eq. to 141.025 mg Calcium &amp; 109 mg Phosphorous, Iron BP (Dried Ferrous Sulphate ) 18 mg, Iodine USP (As Potassium Iodide) 150 mcg, Magnesium USP(As Magnesium Oxide)100 mg , Zinc (As Zinc Oxide) USP 15 mg, Selenium Ph. grade (As Sodium Selenate Anhydrous) 20 mcg, Copper Ph. grade (As Cupric Oxide) 2 mg, Manganese USP(As manganese Sulphate Monohydrate)2 mg, Chromium USP 120 mcg (As Chromic Chloride Hexahydrate ) , Molybdenum BP(As Sodium Molybdate Dihydrate)75 mcg, Potassium Chloride USP 152.52 mg eq. to 80 mg Potassium &amp; 72 mg Chloride, Boron Ph .grade (As Boron Citrate Blend 5%)150 mcg, Nickel Ph. grade (As Nickel Sulphate) 5 mcg, Silicon Ph. grade (As Sodium Metasilicate Nonahydrate ) 2 mg, Tin BP (As Stannous Chloride) 10 mcg, Vanadium Ph. grade (As Sodium Metavanadate Tetrahydrate ) 10 mcg, Lutein(As Lutein 5%) USP 250 mcg.</p>	Improve nutritional status of women throughout pregnancy and in the postnatal period for both lactating and non-lactating mothers.	Multi-vitamin and multimineral A-Z Tablet	Abjgv`b Kiv hīBīZ cīti	Abjgv`bī msvī k Kiv nBj
12	Radiant Pharmaceuticals Ltd.	<p><b>a) Bromazepam 1.5 mg Tablet</b></p> <p>Bromazepam USP 1.50 mg</p>	Anxiolytic	Bromazepam 3 mg Tablet	GB gvl v cīqīRb bīB vavq Avte`b br gĀj Kiv hīBīZ cīti	GB gvl v cīqīRb bīB vavq Avte`b br gĀj Kiv evī msvī k Kiv nBj
13.	Incepta Pharmaceuticals Ltd.	<p><b>a) Omeprazole 40 Tablet</b></p> <p>Omeprazole BP 40mg (as Omeprazole Magnesium 40.12mg)</p>	<p>-Treatment of duodenal and benign gastric ulcers. -Treatment and prophylaxis of NSAID-associated benign gastric ulcers, duodenal ulcers and gastroduodenal erosions. -<i>Helicobacter pylori</i> eradication. -Zollinger-Ellison syndrome.</p>	Omeprazole 20mg tablet	Abjgv`b Kiv hīBīZ cīti	Abjgv`bī msvī k Kiv nBj
		<p><b>b) Nitazoxanide 500mg Tablet</b></p> <p>Nitazoxanide INN 500mg</p>	Indicated for the treatment of <a href="#">diarrhea</a> caused by <i>Giardia lamblia</i> .	Nitazoxanide 2gm/100ml	Abjgv`b Kiv hīBīZ cīti	Abjgv`bī msvī k Kiv nBj

bs	cŪZKvī:Ki big	Jltaī big I tRtbiK big	ibī Rbv	Existing	tUKbK vj me-Kvūli 50Zg mfvī gZvZ	gZvZ
	Incepta Pharma Ltd.	<b>c) Clonazepam 0.25gm/100ml Drops</b>  Clonazepam BP 0.25gm/100ml	In most clinical forms of epilepsy in infants and children.	Clonazepam 2mg & 0.5mg tablet	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
		<b>e) Cyclobenzaprine HCl 5mg Tablet</b>  Cyclobenzaprine HCl USP 5mg	Indicated as an adjunct to rest and physical therapy for relief of muscle spasm.	Cyclobenzaprine HCl 10mg tablet	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
		<b>f) Ciprofloxacin 2.5gm/100ml Suspension</b>  Ciprofloxacin HCl USP 2.911gm (eq. to Ciprofloxacin 2.5gm) /100ml	Respiratory tract Urinary tract infections,Gonorrhoea	Ciprofloxacin 250mg/5ml Suspension	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
		<b>g) Cefadroxil 250mg/5ml suspension (after reconstitution)</b>  Cefadroxil Monohydrate BP 5.23 gm (eq. to Cefadroxil 5gm)/100ml	Indicated in: -Urinary tract infections. -Skin and skin structure infections. -Pharyngitis and/or tonsillitis.	Cefadroxil 500mg tablet, 125mg/5ml Suspension	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
14.	Square Pharmaceuticals Ltd.	<b>a) Duloxetine 20 mg Capsule</b>  Duloxetine INN 20 mg	Major depressive disorder(MDD), moderate to severe stress urinary incontinence in women, diabetic peripheral neuropathic pain.	Duloxetine 20 mg, 30mg & 60 mg Tablet	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
		<b>b) Duloxetine 30mg Capsule</b>  Duloxetine INN 30 mg.	-do-	-do-	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
		<b>c) Duloxetine 60 mg Capsule</b>  Duloxetine INN 60 mg	-do-	-do-	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
		<b>d) Paracetamol 665 mg tablet</b>  Paracetamol BP 665 mg	Pain and fever.	Paracetamol 500 mg tablet	cŪqirb biv vearq Avte`b br gAvj Kiv hvBtZ cti	cŪqirb biv vearq Avte`b br gAvj Kiv evi msvi k Kiv nBj
		<b>e) Diclofenac Sodium 16mg/ml Solution</b>  Diclofenac Sodium BP 16mg/ml	Relief of pain, with osteoarthritis in superficial joints including the knee	Diclofenac 12.5, 25, 100 mg Supp. 50mg & 100 mg Tablet	GB gvl v AcŪqirbiv vearq Avte`b br gAvj Kiv hvBtZ cti	GB gvl v AcŪqirbiv vearq Avte`b br gAvj Kiv evi msvi k Kiv nBj
		<b>f) Lactulose 100 gm Oral Powder</b>  Lactulose BP 100 gm/100gm	Constipation, portal systemic encephalopathy	Lactulose 67gm/100gm	cŪqirb biv vearq Avte`b br gAvj Kiv hvBtZ cti	cŪqirb biv vearq Avte`b br gAvj Kiv evi msvi k Kiv nBj
		<b>h) Paracetamol 60mg Suppository</b>  Paracetamol BP 60 mg	Mild to moderate pain pyrexia in children	125mg & 250 mg Suppositories.	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
		<b>i) Ciprofloxacin XR 1000 mg Tablet</b>  Ciprofloxacin HCl 164.152 mg (eq. to 1000 mg Ciprofloxacin)	Respiratory tract Urinary tract infections,Gonorrhoea	Ciprofloxacin 250mg & 500 mg Tablet & 500 mg SR Tablet	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj
15.	Square Pharma Ltd. Beximco Pharma Ltd.	<b>g) Levofloxacin 2.5 gm/100ml Oral Solution</b>  Levofloxacin Hemihydrate INN 2.5625 gm (eq. to 2.5 gm Levofloxacin)	Mild, moderate and severe infection	250mg & 500mg & 750 mg Tablet	Abjgv`b Kiv hvBtZ cti	Abjgv`ibi msvi k Kiv nBj

## 1. M) Import (New Molecule)

bs	cŪZKwiŹKi big	JiŹai big I ŹRŹibiK big	ibi Rbv	udŹŹmj mulŹŹŹŹiKU (FSC & Others)	ŹŹKŹbK'ij me-KŹŹŹi 50Zg mŹŹi gZŹZ	gZŹZ
01.	F. Hoffmann La Roche Ltd., Switzerland (Roche Bangladesh Ltd., Dhaka)	<b>a) Bonviva Tablet 150 mg</b>  Ibandronate Monosodium Monohydrate 168.75 mg (eq. to Ibandronate Acid 150 mg)	Postmenopausal Osteoporosis to reduce the risk of fractures	European Union	AbŹŹŹ' b Kiv hŹBŹZ cŹŹi	AbŹŹŹ' Źbi mŹŹŹi k Kiv nBj
		<b>b) Tamiflu Oral Suspension 12 mg/ml</b>  Oseltamivir 30 mg inform of Oseltamivir Phosphate 39.4 mg/1gm filling mixture	Treatment of influenza in adults and children 12 years and older	-do-	AbŹŹŹ' b Kiv hŹBŹZ cŹŹi	AbŹŹŹ' Źbi mŹŹŹi k Kiv nBj
		<b>c) Aurorix Tablet 150 mg</b>  Moclobemide 150 mg	Major depression, treatment of social phobia	Switzerland	AbŹŹŹ' b Kiv hŹBŹZ cŹŹi	AbŹŹŹ' Źbi mŹŹŹi k Kiv nBj
02.	Novartis Pharma Ag, Switzerland (Novartis Bangladesh Ltd.)	<b>a) Aclasta 5 mg/100ml Solution for Infusion</b>  Zoledronic Acid monohydrate 5.33 mg (eq. to Zoledronic Acid 5mg/10ml)100ml	Treatment of paget's disease of bone	Switzerland	AbŹŹŹ' b Kiv hŹBŹZ cŹŹi	AbŹŹŹ' Źbi mŹŹŹi k Kiv nBj
03.	SBL Vaccine AG, Sweden (Alo Multipurpose Co. Ltd.)	<b>a) Dukoral Vaccine</b>  Vibra Cholerae 01 inaba classic strain heat inactivated $\geq 2.5 \times 10^{10}$ Vibrios Vibra Cholerae 01 Inaba El Tor Strain, tormalin inactivated .... $2.5 \times 10^{10}$ Vibrios Vibra Cholerae 01 orawa classic strain, heat inactivated ... $2.5 \times 10^{10}$ vibrios Vibria Cholerae 01 Ogawa classic strain tormalin inactivated $2.5 \times 10^{10}$ vibrios Recombinant Cholera toxin B-subunit (rCTB) 1 mg	Protection against cholera and ETEC diarrhoea	European Union	cŹŹŹRb bŹB ŹeavŹ AvŹe`b br gŹŹŹ Kiv hŹBŹZ cŹŹi	AbŹŹŹ' Źbi mŹŹŹi k Kiv nBj
04.	Mfg. Bristol Myers Squibb, USA Applicant Bristol Myers Squibb Pakistan Pvt. Ltd. Pakistan (Kapricon Enterprise)	<b>a) Baraclude 0.5 mg Tablet</b>  Entecavir 0.5 mg	Chronic hepatitis B-virus infection	USA	cŹŹŹRb bŹB ŹeavŹ AvŹe`b br gŹŹŹ Kiv hŹBŹZ cŹŹi	cŹŹŹRb bŹB ŹeavŹ AvŹe`b br gŹŹŹ Kiv nBj   KŹi evi mŹŹŹi k Kiv nBj
05.	OM Pharma, Switzerland (Swadesh 78/C Purana Platan Line, Dhaka)	<b>a) Bronchovaxom Adults 40 mg Capsule</b>  Standardized OM-85 Lyophilizate of bacterial lysates 40 mg	Imununotherapy, prevention of recurrent chronic bronchitis, Toncillities, Pharyngitis and bacterial registance to conventional therapy	Switzerland	cŹŹŹRb bŹB ŹeavŹ AvŹe`b br gŹŹŹ Kiv hŹBŹZ cŹŹi	cŹŹŹRb bŹB ŹeavŹ AvŹe`b br gŹŹŹ Kiv nBj   KŹi evi mŹŹŹi k Kiv nBj
		<b>b) Broncha Vaxom Children 20mg Capsule</b>  Standardized OM-85 Lyophilizate of bacterial lysates 20 mg	-do-	Switzerland	cŹŹŹRb bŹB ŹeavŹ AvŹe`b br gŹŹŹ Kiv hŹBŹZ cŹŹi	cŹŹŹRb bŹB ŹeavŹ AvŹe`b br gŹŹŹ Kiv nBj   KŹi evi mŹŹŹi k Kiv nBj

bs	cŕZKviŕKi big	Jlŕai big I ŕŕŕbiK big	ibŕ Rbv	uclŕmj muŕŕŕŕŕKU (FSC & Others)	ŕUKŕbK'ij me-Kŕgŕŕi 50Zg mŕvi gZŕgZ	gZŕgZ
06.	Aventis Pasteur SA, France (Aventis Bd. Ltd.)	<b>a) Tetract-HIB Powder and Suspension for Injection</b>  <u>Powder Compartment:</u> Haemophilus influenzae type Polysaccharide Conjugated to Tetanus protein 10 mcg <u>Suspension compartment:</u> Purified diphtheria toxoid ≥ 30IU Purified tetanus toxoid ≥ 60IU Bordetella Pertusis ≥ 40IU	Active immunization against diphtheria pertusis, tetanus and haemophilus influenzae type B.	France	cŕŕŕŕb bŕB ŕeavŕ Arŕe`b bŕ gAŕj Kŕv hvBŕZ cŕŕi	cŕŕŕŕb bŕB ŕeavŕ Arŕe`b bŕ gAŕj Kŕi evi mgŕŕi k Kŕv nBj

1. N) ci m=ú` Awa`Bŕi i cŕZŕŕŕa ŕUKŕbK'ij me-Kŕgŕŕi mŕŕŕ DcŕŕZ bŕ ŕKŕŕ ci ŕPŕKŕmŕi Rb` e`eŕZ Jl a mgŕŕi ŕelŕŕ ŕUKŕbK'ij me-Kŕgŕŕi ŕKŕb gZŕgZ cŕŕb Kŕi bŕB ŕeavŕ ŕbŕgŕŕ<sup>3</sup> Jl a, ŕj m=úŕK`gZŕgZ cŕŕŕbi Rb` cŕŕŕŕŕ ŕUKŕbK'ij me-Kŕgŕŕi mŕŕŕ gZŕgŕŕi Rb` ŕcŕŕY Kŕv nBj |

**N) Local (Veterinary)**

bs	cŕZKviŕŕKi big	Jlŕai big I ŕŕŕbiK big	ibŕ Rbv	gZŕgZ
01.	Eskayef Bd. Ltd. Tongi, Gazipur	<b>a) Neomycin Sulphate Powder 50% (Vet)</b>  Neomycin Sulphate BP 50gm/100gm <b>b) Erythromycin Powder 55% (Vet)</b>  Erythromycin BP 55gm/100gm	Broad spectrum antibiotic for many gram positive and gram negative Bacteria  Infection caused by Gram positive and Gram negative bacteria	
02.	Renata Ltd.	<b>a) Morantel Citrate Monohydrate 872 mg + Oxyclozanide 750 mg Bolus</b>  Morantel Citrate Monohydrate 51.18% INN 872 mg Oxyclozanide BP 750 mg	The morantel in indicated against Haemonchus Neoscaris, ostertagia, Nematodirus, Cicioeria and Oxyclozanide indicated for Fascioliasis, Paramphistomiasis	
03.	Opsonin Pharma Ltd.	<b>a) Cobalt Sulphate 100 mg + Dried Ferrous Sulphate 200 mg + Thiamine Mononitrate 50 mg + Cyanocobalamin 40 mcg + Choline Bitartrate 18.20 mg Bolus</b>  Cobalt Sulphate BP 100 mg Dried Ferrous Sulphate BP 200 mg Thiamine Mononitrate USP 50 mg Cyanocobalamin BP 40 mcg Choline Bitartrate USP 18.20 mg	Indigestion, ruminal impaction associated with anorexia syndrome	0

1.0) **IMPORT (Veterinary)**

bs	cŃZKwítKi bug	JlŃai bug l iRŃbwiK bug	ibŃ Rbv	uclŃmj muŃlŃŃtKU (FSC & Others)	gZigZ
01.	M/s. Cid Lines NV, Belgium (Imperial International Ltd. 66/4, East Hazipara, Khilgaon, Dhaka)	<b>a) CID 20</b>  Alkyldimethyl Benzyl Ammonium Chloride 61.5gm/Lit	Disinfectant	Belgium	
02.	Bayer AG, Germany (Danphar Healthcare 102, Kazi Nazrul Islam Avenue, Kawran Bazar, Dhaka)	<b>a) Bayticol Pour on 1% w/v Solution</b>  Flumethrin 1gm/100ml Solution	For the control of all ticks species including strains resistant to chlorinated hydrocarbonate, organophosphates carbamates and amidienes, biting and sucking lice, psoroptic choriopic	No FSC	
03.	Ceva Phylaxia Veterinary Biological Company, Hungary (ACI Ltd., Dhaka)	<b>a) Cevac Coryza-K (Inactivated Vaccine)</b>  Haemophilus Paragallinarum Serotype A ..... Min 7.5 x 10 <sup>6</sup> CFU, Haemophilus Paragallinarum Seroty R-C ..... Min 7.5 x 10 <sup>6</sup> CFU	Prevent infection coryza Disease of Poultry	Hungary	
04.	Mfg. ADE SUNG Micro Biological Lab, Seoul Korea (FMC Farm Products 3/10, Naya Paltan, Dhaka)	<b>a) Amivicom Inj.</b>  L-Arginine HCl 1.44 mg L-Cysteine HCl 3.2 mg L-Glutamine 3.20 mg Glycine 3.20 mg L-Histidine 1.32 mg L-Isoleucine 3.6 mg L-Leucine 4.28 mg L-Lysine HCl 5.44 mg L-Methionine 3.2 mg L-Phenylalanine 5 mg L-Threonine 3.20 mg L-Tryptophan 0.86 mg L-Valine 3.6 mg Vit B1 4 mg Vit B2 0.17 mg Vit B6 0.34 mg Vit C 4 mg Glucose 33 mcg Calcium Chloride (as Ca) 0.08 mg Potassium Chloride (as K) 0.21 mg Magnesium Sulfate (as Mg) 0.08 mg/ml	Prevention of hypoproteinemia & vitamin deficiencies	Korea	
		<b>b) Carasil Inj.</b>  Butafosfan 100 mg Nicotinamide 23 mg DL-Methionine 18.7 mg Taurine 37.3 mg Cyanocobalamin 50mcg/ml	Treatmetn of acute disease and acute metabolic disorder, Partical Paralysis, Anorexia, decrease in lactating	Hungary	
06.	M/s. SF Co. Ltd. Korea (Rafique Medicine)	<b>a) Vita One Powder</b>  Vita A 4,000,000 IU Vit. D <sub>3</sub> 1000,000IU Vit. E 15,00IU Vit K <sub>3</sub> 1000mg Vit B <sub>1</sub> 1000mg Vit B <sub>2</sub> 10,000mg Vit B <sub>6</sub> 750mg Vit B <sup>12</sup> 500mcg Vit. C 1,000mg Niacin 10,000mg Calcium Pantothenate 1000mg DI-Methyonine 5,000mg Folic Acid 50mg	Vitamin Deficiency	Korea	



bs	cŹKvi:Ki bg	JlŹai bg I lRŹbi:K bg	ibi`Rbv	ncŹmj mwŹŹŹt:KU (FSC & Others)	gZvgZ
07.	Komipharma International Co. Ltd., Korea formally Korea Microbiological Lab. Ltd., Korea (Rafique Medicine)	<b>a) Clomecin-C Inj.</b> Ivermectin 10 mg Clorsulon 100mg/ml	A parasiticide for the treatment and control of internal and external parasite in cattle.	Korea	
		<b>b) Thampyron Inj.</b> Methampyrone 100mg/ml	All condition which are accompanied with pain or fever and other condition of GI spasm or hypermotility in both small and large animals	Korea	
		<b>c) Komibiotril 100 Solution</b> Enrofloxacin USP 10 gm Vitamin A USP 600,000IU/Lit	Bacterial disease caused by susceptible gram-negative bacteria and mycoplasmas as well as gram positive bacteria	Korea	
		<b>d) Riveron Solution</b> Ofloxacin USP 50mg/Lit.	Treatment of Poultry against CRD & CERD by Mycoplasma Gallisepticum & E-Coli	Korea	
		<b>e) q-Rvac</b> Salmonella gallinarum 9 rough live strain at least 2x10 <sup>7</sup> CFU/dose	Prevention of and weaken the disease of Fowl typhoid in laying type chickens	Korea	
		<b>f) Carnisol-S Oral Solution</b> L-Carnitine HCl 61.3 gm (as a L-Carnitine 50gm) Magnesium Sulphate (KP VIII) 250 gm D-Sorbitol (KP-III) 250 gm/Litre	Height ening of appetite, Supplying of energy, diuretic effect	Korea	
12.	Univet Ltd. Ireland (Univet Ltd., Dhaka)	<b>a) Pentomycin Inj.</b> Procaine Penicillin G Ph. Eur eq. to 200,000IU + Dihydro streptomycin Sulphate Ph. Eur 250 mg/ml	Treatment of infections caused by bacteria sensitives to penicillin and dihydrostreptomycin		
13.	Antec International Ltd., UK (Advance Animal Science, Dhaka)	<b>a) Vinkon Aquatic Powder</b> Potassium Peroxomono sulphate tripe salt 49.75% Sodium chloride 1.4% Sulphamic Acid 4.6% Sodium alkyl benzene sulphonate 13.3% Malic Acid 9.3% Sodium hexameta phosphate 21.6% Dyacid Red 0.05%	Aerial, water system and surface disinfectant.		
15.	Biomune Co., USA (Univet Ltd., Dhaka)	<b>a) Vectormune FP-MG+AE Vaccine</b> Avian Encephalomyelitis Virus at $\geq 10^{2.7}$ EID <sub>50</sub> /Dose Fowl Pox Mycoplasma Gallisepticum Virus at $\geq 10^{2.7}$ TCID <sub>50</sub> /Dose	Live Vaccine wing web immunization against avian Encephalomyelitis Fowl Pox mycoplasma Gallisepticum	USA	
		<b>b) Reomune 3 Vaccine</b> Inactivated and concentrated Reovirus strain S1133 $\geq 10^{6.3}$ TCID <sub>50</sub> /Dose Inactivated and concentrated Reovirus Strain 2408 $\geq 10^{6.3}$ TCID <sub>50</sub> /Dose Inactivated and concentrated Reovirus Strain SS412 $\geq 10^{6.3}$ TCID <sub>50</sub> /Dose	Prevention of disease caused by Avian Reoviruses of the standard and variant strains in vaccinated hens and progeny of vaccinated hens	USA	
		<b>c) Vectormune FP-MG Vaccine</b> Fowl Pox Mycoplasma Gallisepticum Virus at $\geq 10^{2.7}$ TCID <sub>50</sub> /Dose	Live vaccine for wing web immunization against Fowl Pox and Mycoplasma Gallisepticum	USA	

bs	cŹKvi:Ki big	JlŹai big I 1RiŹwi K big	ibi`Rbv	ncŹmj mwŹRŹtKU (FSC & Others)	gZigZ
16.	Lohmann Animal Health GmbH & Co. Germany (Cedar Bangladesh Ltd.)	<b>a) TAD Salmonella Vac-E</b>  Min. 1x10 <sup>9</sup> CFU Attenuated Salmonella Enteritidis bacteria, strain SM-24/Rif-12/Ssq./Dose	Active immunization of chickens against salmonella infection	Germany	
		<b>b) TAD Salmonella Vac-T</b>  Salmonella Typhimurium Strain Na12/Rif 9/Rif ≥ 10 <sup>8</sup> CFU/Dose	-do-	Germany	
		<b>c) TAD IB/ND Vac</b>  IBV Strain Massachusetts H-120 A minimum of 10 <sup>3.0</sup> EID <sub>50</sub> /Dose NDV Strain La Sota a minimum of 10 <sup>6.0</sup> EID/Dose	Immunization of Poultry against Infections Bronchitis and Newcastle Disease	Germany	
		<b>d) Taluvac-107 EDS Vac</b>  Egg drop Syndrome Virus (127 strain) inactivated, at least ..... 1000 HAU	For active immunization of layers and breeders against Egg Drop Syndrome 76	Germany	
		<b>e) TAD Thymo Vac</b>  1 Dose Contains at least 10 <sup>4.5</sup> TCID <sub>50</sub> CAA Virus Strain Cux-1	Protective inoculation of breeder flocks to develop immunity against anemia pathogens	Germany	
17.	Lohmann Animal Health GmbH & Co. USA (Cedar Bangladesh Ltd.)	<b>a) Marek's Disease Vaccine Serotypes 1 &amp; 3 Live Virus</b>  HVT 3876 PFU/dose Rispens 1356 PFU/Dose	Prevention of very virulent Marek's Disease in healthy one day old chicks	USA	
		<b>b) Marek's Disease Vaccine Serotype 1 Live Virus</b>  Minimum antigenic content per dose of 2,646 PFU	-do-	USA	
		<b>c) Avi Pro 401 ND-IB-IBD-REO</b>  IBDV Baxendale 10 <sup>6.2</sup> TCID <sub>50</sub> NDV LaSota 10 <sup>7.7</sup> EID <sub>50</sub> IBV DG 10 <sup>6.9</sup> EID <sub>50</sub> Reovirus 173310 <sup>5.8</sup> RCID <sub>50</sub> Reovirus 51133 10 <sup>6.3</sup> TCID <sub>50</sub> /Dose	Vaccination of Breeder hens and replacement Pullets as an aid in the prevention of Newcastle disease and infection Bronchitis mass.	USA	
18.	Meril Selet Inc., USA (Advance Animal Science)	<b>a) Trovac-AIV H5</b>  Fowl Pox Vactoreal AI recombinant Virus at least 2.2 log 10 TCID <sub>50</sub> /Dose	To prevent Avian Influenza (H5) in poultry	USA	
19.	Meril Italia SpA, Italy (Advance Animal Science)	<b>a) Gallimune FLU H5N9</b>  Inactivated Avian influenza virus, H5N9 Strain, ≥ 10HI.U	To prevent avian influenza in poultry	Italy	
20.	Super's Diana S:L Spain (Wilts Marketing Co. Ltd., Dhaka)	<b>a) Dexiana Retard Injectable Suspension</b>  Dexamethasone Isonicotinate Pharma Eur. 100 mg Prednisolone Pharma Eur. 300mg/100ml	Anti-inflammatory and anti-allergic	Spain	
		<b>b) Vitaminas ADE Injectable Soln</b>  Vitamin A Eur. Pharma 10,000,000 IU Vitamin D3 Eur Pharma 5000,000IU Vitamin E Eur. Pharma 5gm/100ml	Retarded growth Bone Metabolism disorders like hypo calcaemia, rickets osteomalacia, ocular disorder's dermatosis eczemas	Spain	
		<b>c) Diaspen Injectable Solution</b>  Penicillin G Sodium Eur. Pharma 1 250000IU Penicillin G Procaine Eur. Pharma 3,750,000IU Dihydrostreptomycin Sulphate Eur. Pharma 3125gm Streptomycin Sulphate Eur. Ph. 3 125gm/25ml	Bacterial Infection, Post Operative and/or Secondary to viral infection due to sensitive Gram Positive and Gram Negative organism	Spain	

bs	cōZKviKi big	Jl̄tai big I tR̄t̄biK big	ib̄i R̄bv	ic̄l̄mj m̄w̄R̄t̄t̄KU (FSC & Others)	gZ̄vgZ
21.	Fort Dodge Animal Health, Fort Dodge Lab. Inc. USA (Novartis Bangladesh Ltd.)	a) Tri-Reo Vaccine  Virus Bearing Fluids Strain # 1133 (≥ 10 <sup>6.64</sup> TCID <sub>50</sub> /ml) INN 0.045ml Virus Bearing Fluids Strain # 2408 (≥ 10 <sup>6.74</sup> TCID <sub>50</sub> /ml) INN 0.045ml Virus Bearing Fluid Strain # 3005 ((≥ 10 <sup>5.54</sup> TCID <sub>50</sub> /ml) INN 0.045 ml	To vaccinate only healthy birds	USA	

3/ Jl̄tai c̄wieZ̄v̄ t̄W̄tmR dḡ(Dosage Form) Ges m̄ē dḡ(Salt Form) j̄v̄B̄tm̄Ȳs A\_w̄īū (W̄M̄m̄) KZ̄R̄. Ab̄j̄ḡw̄ Z̄ n̄l̄ qv̄ c̄h̄t̄t̄

Jl̄a ib̄q̄š̄ȳ K̄iḡū KZ̄R̄. Ab̄j̄ḡw̄ Z̄ Jl̄a GKB ḡv̄Īv̄q̄ c̄wieZ̄v̄ t̄W̄tmR dḡG Drc̄r̄ b̄ ev̄ Avḡ v̄bx̄ j̄v̄B̄tm̄Ȳs A\_w̄īū (W̄M̄m̄) KZ̄R̄. Ab̄j̄ḡw̄ Z̄ n̄B̄t̄Z̄ c̄v̄ī īK̄bv̄ t̄m̄ w̄el̄t̄q̄ Av̄t̄j̄v̄P̄v̄ Ī īm̄x̄v̄t̄š̄Z̄ī R̄b̄ K̄iḡūJī m̄m̄-m̄īPē w̄el̄q̄ū m̄q̄ub̄Z̄ m̄m̄t̄ī īw̄b̄KU Dc̄v̄cb̄ K̄t̄ib̄|

Dch̄ȳ বিষয়ে সদস্যগণ বিস্তারিত আলোচনাক্রমে মত প্রকাশ করেন যে, ইতিপূর্বে অনুমোদিত/প্রচলিত ঔষধের Dosage Form D̄n̄vī t̄K̄vb̄ t̄ḡš̄ȳ K̄ c̄wieZ̄v̄ b̄q̄| c̄wieZ̄v̄ t̄W̄tmR dḡGī Dc̄t̄h̄m̄Z̄v̄ī Jl̄a c̄k̄v̄mb̄ KZ̄R̄. Z̄\_v̄ j̄v̄B̄tm̄Ȳs A\_w̄īūB̄ h̄\_v̄v̄t̄ē ḡj̄v̄q̄Ȳ K̄v̄īt̄Z̄ c̄v̄īb̄| Ab̄j̄ḡw̄ Z̄ Jl̄taī GB̄ ḡv̄Īv̄q̄ t̄W̄tmR dḡc̄wieZ̄v̄ī Av̄t̄ē b̄ m̄ḡr̄ j̄v̄B̄tm̄Ȳs A\_w̄īū KZ̄R̄. īb̄ ū̄b̄an̄B̄t̄Z̄ c̄v̄īt̄ī| Z̄t̄ē Ḡ t̄q̄t̄Ī Dosage Form̄ ū US-FDĀ ev̄ BNF̄ Ab̄j̄ḡw̄ Z̄ īK̄ bv̄ Z̄v̄v̄ w̄et̄ēP̄v̄ī K̄iv̄ t̄h̄š̄r̄K̄ n̄B̄t̄ē|

Av̄t̄j̄v̄P̄v̄ m̄š̄ī R̄%̄b̄K̄ m̄q̄ub̄Z̄ m̄m̄ m̄f̄īt̄K̄ Āēv̄n̄Z̄ K̄t̄ib̄ t̄h̄, Product Stabilitȳ ev̄ Dosage Form̄ Dc̄t̄h̄m̄Z̄v̄ī R̄b̄ Āt̄b̄K̄ m̄ḡq̄ GKB̄ t̄R̄t̄bīK̄ Jl̄taī c̄wieZ̄v̄ Salt Form̄ ēenv̄īī c̄l̄q̄v̄R̄b̄ n̄q̄| īaḡv̄Ī Salt Form̄ c̄wieZ̄v̄ W̄M̄ K̄t̄ūj̄ K̄iḡūJī m̄f̄iv̄q̄ w̄et̄ēP̄Z̄ n̄l̄ qv̄ī c̄wieZ̄v̄ j̄v̄B̄tm̄Ȳs A\_w̄īū কর্তৃক বিবেচিত/অনুমোদিত হইতে পারে। সে ক্ষেত্রে এ বিষয়ে সিদ্ধান্ত গ্রহণ প্রক্রিয়া ̄ȳ Z̄ Ges̄ m̄n̄R̄ n̄B̄t̄ē| সদস্যগণ উল্লেখিত বিষয়ে বিস্তারিত আলোচনা পূর্বক এ প্রস্তাবকে m̄ḡb̄ K̄t̄ib̄|

īm̄x̄v̄š̄Z̄ t̄ Ab̄j̄ḡw̄ Z̄/c̄P̄ij̄ Z̄ Jl̄a GKB̄ ḡv̄Īv̄q̄ c̄wieZ̄v̄ t̄W̄tmR̄ d̄t̄ḡDrc̄r̄ b̄/Avḡ v̄bx̄ Av̄t̄ē b̄ j̄v̄B̄tm̄Ȳs A\_w̄īū (W̄M̄m̄) KZ̄R̄. w̄et̄ēP̄Z̄ n̄B̄t̄ē h̄v̄ D̄<sup>3</sup> t̄W̄tmR̄ dḡŪ US-FDĀ A\_w̄īū BNF̄ Ab̄j̄ḡw̄ Z̄ n̄q̄ Ges̄ GKB̄ f̄īt̄ē Jl̄taī c̄wieZ̄v̄ Salt Form̄ ēenv̄ī j̄v̄B̄tm̄Ȳs A\_w̄īū (W̄M̄m̄) w̄et̄ēP̄v̄ī/Ab̄j̄ḡv̄ b̄ K̄v̄ī t̄eb̄|

m̄f̄iv̄q̄ Av̄ī t̄K̄vb̄ Av̄t̄j̄v̄P̄ w̄el̄ q̄ bv̄ v̄K̄v̄q̄ m̄f̄iv̄c̄ūZ̄ ḡt̄n̄v̄ q̄ m̄K̄j̄t̄K̄ ab̄ev̄ Ā̄v̄cb̄ K̄v̄ī qv̄ m̄f̄iv̄ī m̄ḡv̄B̄ t̄N̄l̄Ȳv̄ K̄t̄ib̄|

**Aāv̄c̄K̄ W̄. t̄ḡv̄t̄ n̄w̄ēēj̄ īnḡub̄**  
c̄v̄ī P̄ij̄ K̄  
Jl̄a c̄k̄v̄mb̄ c̄v̄ī B̄ī  
Ī  
m̄m̄-m̄īPē  
Jl̄a ib̄q̄š̄ȳ K̄iḡūJī|

এ কে এম জাফর উলহা **Lub**  
m̄īPē  
t̄r̄ Ī c̄v̄ī ev̄ī K̄j̄ v̄Ȳ ḡš̄ȳv̄j̄ q̄  
Ī  
m̄f̄iv̄c̄ūZ̄  
Jl̄a ib̄q̄š̄ȳ K̄iḡūJī|