

ক। সংশ্লিষ্ট আমদানীকারকগণকে ৩ (তিন) মাসের মধ্যে উন্নত ৭ (সাত) টি দেশের অর্থ-সংক্রান্ত তথ্যাদি (GK) উদ্ভুক্ত
তথ্যাদি A-সংশ্লিষ্ট বিবরণীতে উপস্থাপন করা হবে।

L/ D³ বাণিজ্যিক 3 (নং) গুরুত্বপূর্ণ তথ্যাদি 7 (নং) উদ্ভুক্ত তথ্যাদি (GK) উদ্ভুক্ত তথ্যাদি
উদ্ভুক্তকর্তৃক উদ্ভুক্তকর্তৃক বিবরণীতে উপস্থাপন করা হবে।

M/ GB 3 (নং) গুরুত্বপূর্ণ তথ্যাদি D³ বিবরণীতে উপস্থাপন করা হবে। 07 (নং) উদ্ভুক্ত তথ্যাদি
তথ্যাদি A-সংশ্লিষ্ট তথ্যাদি (GK) উদ্ভুক্ত তথ্যাদি উদ্ভুক্তকর্তৃক উদ্ভুক্তকর্তৃক বিবরণীতে উপস্থাপন করা হবে।

D³ উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায় গুরুত্বপূর্ণ তথ্যাদি বিবরণীতে উপস্থাপন করা হবে।
তথ্যাদি D³ উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায় মাননীয় হাইকোর্টে রীট পিটিশন দায়ের করা হবে।
রীট পিটিশন সংক্রান্ত-মূল্যায়ন প্রক্রিয়ায় এ-সংশ্লিষ্ট তথ্যাদি বিবরণীতে উপস্থাপন করা হবে।

উদ্ভুক্তকর্তৃক-এর-একটি

K/ বিবরণীতে উপস্থাপন করা হবে। 9 বিবরণীতে উপস্থাপন করা হবে। 237 তথ্যাদি বিবরণীতে উপস্থাপন করা হবে।

L/ বিবরণীতে উপস্থাপন করা হবে। বিবরণীতে উপস্থাপন করা হবে। বিবরণীতে উপস্থাপন করা হবে।

M/ বিবরণীতে উপস্থাপন করা হবে। বিবরণীতে উপস্থাপন করা হবে।

N/ বিবরণীতে উপস্থাপন করা হবে। 5(N) বিবরণীতে উপস্থাপন করা হবে।
বিবরণীতে উপস্থাপন করা হবে। 237 তথ্যাদি উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায়
বিবরণীতে উপস্থাপন করা হবে।

2/ **উদ্ভুক্তকর্তৃক-এর-একটি** 12 অক্টোবর 2009 তারিখে বিবরণীতে উপস্থাপন করা হবে।

2.1/ বিবরণীতে উপস্থাপন করা হবে। 9B বিবরণীতে উপস্থাপন করা হবে। 237 তথ্যাদি উদ্ভুক্তকর্তৃক-এর-একটি
উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায় বিবরণীতে উপস্থাপন করা হবে।
Infusion বিবরণীতে উপস্থাপন করা হবে।

D³ উদ্ভুক্তকর্তৃক-এর-একটি

K) উদ্ভুক্তকর্তৃক-এর-একটি 0.45% NaCl IV Infusion বিবরণীতে উপস্থাপন করা হবে।
উদ্ভুক্তকর্তৃক-এর-একটি (Hyper Osmolar Coma) চিকিৎসায় ইহা ব্যবহার করা যাইতে পারে।
Infusion Hypotonic বিবরণীতে উপস্থাপন করা হবে।

L) বিবরণীতে উপস্থাপন করা হবে।
উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায় বিবরণীতে উপস্থাপন করা হবে।

উদ্ভুক্তকর্তৃক-এর-একটি বিবরণীতে উপস্থাপন করা হবে।
উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায় বিবরণীতে উপস্থাপন করা হবে।

উদ্ভুক্তকর্তৃক-এর-একটি বিবরণীতে উপস্থাপন করা হবে।
উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায় বিবরণীতে উপস্থাপন করা হবে।

2.2/ বিবরণীতে উপস্থাপন করা হবে। 9B বিবরণীতে উপস্থাপন করা হবে। 237 তথ্যাদি উদ্ভুক্তকর্তৃক-এর-একটি
উদ্ভুক্তকর্তৃক-এর-একটি মূল্যায়ন প্রক্রিয়ায় বিবরণীতে উপস্থাপন করা হবে।
Hydroquinone উপাদান বিশিষ্ট বহিঃত্বকে ব্যবহার্য ঔষধের ক্ষতিকর পার্শ্ব প্রতিক্রিয়া বিবেচনা পূর্বক D³ বিবরণীতে

tiwRt÷kb enij ivL Levi wēlq gZvgZ cōvṭbi Rb" MvZ 4 m`m` wēkó KigūUi cōZte`ṭbi Dci wē`-wi Z Avtj vPbv Kiv nq| cōZte`ṭbi Kic cwiwko-2|

D³ KigūUi gZvgZ wbgēc t

D³ Dcv`vb wēkó JI amgñ gvbeṭ`ṭni ewntZṭK `xNfṭqv`x e`envṭi KivYvi nI qvi tKvb bwi Ri GLṭbv cvl qv hvq bvB, Bnv ছাড়াও ঔষধগুলির মারাত্মক কোন পার্শ্বপ্রতিক্রিয়া সম্পর্কে এখনো জানা যায় নাই। যেহেতু এই সকল ঔষধ বিশেষÁ PwKrmṭKi পরামর্শে ব্যবহৃত হয় এবং সংশ্লিষ্ট চিকিৎসকগণ উ³ ঔষধের পার্শ্বপ্রতিক্রিয়া সম্পর্কে ওয়াকিবহাল সেহেতু এই কমিটি মনে করে D³ Dcv`vb wēkó JI a mgñni tiwRt÷kb enij ivLv hvBṭZ cvṭi |

ṭUKwK`ij mve-KigūUi wvṣṭ t KigūUi gZvgZ Ablyvqx Tacrolimus, Pimecrolimus & Hydroquinone Dcv`vb wēkó ewntZṭK e`envṭi JI amgñni tiwRt÷kb enij ivLv hvBṭZ cvṭi |

KigūUi wvṣṭ- t Tacrolimus, Pimecrolimus & Hydroquinone Dcv`vb wēkó ewntZṭK e`envṭi JI amgñni tiwRt÷kb enij ivLv nBj |

2.3| JI a wbgēc KigūUi 15 Gicṭ, 2008 ZwiṭL AbyōZ 236 Zg mfvī wvṣṭ- Ablyvqx wFUnṭṭbi wēwfbraeiYi Kwṭṭbkṭbi Rb` thṣ³K dgṭṭ kṭbi bwiZgvjv cōvṭbi Dṭiṭk` JI a ckwmb cwi`ṭṭi ṭṭiK bs-wVG/wgm/w/wmwm-5/(Ask-2)/2002/4427, Zwi L t 22-05-2008 ṭṭvZvṭeK MvZ 7 (mvZ) m`m` wēkó KigūUi cōZte`ṭbi Dci mfvīq wē`-wi Z Avtj vPbv Kiv nq| cōZte`ṭbi Kic cwiwko-3|

ṭUKwK`ij mve-KigūUi wvṣṭ- t

K| `wLj KZ.cōZte`ṭb wFUnṭṭ Ges wgvṭiṭj i Kwṭṭbkṭbi Dci cōE wbgewYZ gZvgZmgñni mivZ KigūU GKgZ ṭcvl Y Kṭib t

- a. **Dehydrated garlic powder 300mg+Vitamin A 560mcg+Ascorbic acid 80 mg and Vit E 20 mg.**
Opinion: it is clearly evident that the indications provided by manufacturer are scientifically not supportive and misleading for common people. There is no special advantage of combination of these preparations. Not recommended by US FDA and BNF.
- b. **Vitamin C+ Zinc**
Opinion: Both the vitamins are available in the market. There is no special advantage of combination of these preparations. Not recommended by US FDA and BNF.
- c. **Vitamin A+C+Zn**
Opinion: The vitamins are available in the market. There is no special advantage of combination of these preparations.
- d. **Chewable Multivitamin + multimineral (A+D+C+B1,2,3,5,6,12+E+folic acid+ biotin+ Fe+ Zn+K+Ca+po4+Mg+Mn)**
Opinion: Chewable preparations available in the market by different companies. These products are targeted to the people who are unable/dislike swallowing solid tablets.
- e. **Chewable Multivitamin + multimineral for children A+Beta carotene+D+C+B1,2,3,5,6,12+E+K+folic acid+biotin+ Fe+ Zn+K+Ca phosphate+Ca carbonate+po4+Mg+Mn**
Opinion: According to UNICEF a multivitamin and multimineral preparation should be available for children containing vitamins A, D, E, B1, B2, B6, B12, C, folic acid, and niacin; and minerals iron, zinc, copper, and iodine and vitamin k. They also encourage chewable preparations. So the products can be marketed.
- f. **Coenzyme Q10+E**
Opinion: There is no sufficient evidence to support the hypothesis that supplements of combination of vitamins E and coenzyme Q10 generally help prevent or treat any disease. Isolated findings of benefit require confirmation.
- g. **B6+B12+betaine+folic acid**
Opinion: Scientific proof of benefits of this combination is lacking. Not FDA or BNF approved.
- h. **Vit B1+B2+B12+ D3+ Ca**
Opinion: Isolated products containing different B vitamins and combined vitamin D3 and Ca are available. Usefulness of this combination cannot be justified.
- i. **Thiamine+Nicotamine+Caffeine+ compound gentian infusion**

Opinion: There is no scientific evidence available regarding use of this preparation as a tonic. This combination is also not recommended by US FDA or BNF.

j. **Boron+Calcium+ Vitamin D3+Vitamin k1+Glucosamine**

Opinion: This combination has no specific advantage and not recommended.

k. **Super vitamin B complex**

Opinion: While vitamin B12 maybe added to regular B complex preparations, separate B complex and super B complex tablet will unnecessarily create confusion.

l. **Multivitamin and Multimineral and policosanol tablet**

Opinion: Policosanol with multivitamin and multimineral has no added benefit on cardiovascular health. But isolated formulation needs further confirmation. This combination cannot be recommended.

m. **Multivitamin tablet for pregnant women**

Opinion: This specific combination has higher level of Fe, folic acid and Ca. Benefit of multivitamin preparation over single preparation is not found. Since regular supplementation with Folic Acid, Zinc, Iron and calcium already recommended. This combination is not required for pregnant woman in Bangladesh.

n. **Vitamin B-complex + Vitamin B12**

Opinion: Since usual vitamin B complex lacks vitamin B12 it is recommended that Vitamin B-12 may be added to all standard B complex preparations already available in the market.

o. **Multivitamin tablet for Diabetes**

Opinion: This vitamin combination does not improve glycemic control. But the role of this vitamin as prophylaxis in reducing diabetic related complication needs extensive study. Superiority of this combination over usual multivitamin and multimineral complex in diabetics needs justification. American Diabetic Association (ADA) guideline and other guidelines did not recommend this combination in diabetic subjects. This combination is not recommended.

Kuguli imxvš- t উলিখিত মতামতসমূহ অনুমোদন করা হইল।

L/ cŁZte`tb cŁÉ wbtgewYZ mgvwi kmgr- chřjvPbv I cixřv-wbixřv Kwiqv gZvgZmn cŁZte`b`vŁtj i Rb` weřkIÁ mgštq GKwU KugwU MVb Kiv hvBřZ cři |

a. **Antioxidant preparation (Vitamin A+C+E)**

Recommendation : Antioxidant combination (Vitamin A, C, and E) preparation is still controversial and inconclusive. Active mega studies are going on to find out therapeutic benefit of this combination but their antioxidant role in biochemical reactions (in vitro) is well established.

b. **Multiple Vitamin-Mineral Combinations/Individual Minerals/Varieties of combination of hematinics with Micronutrients :**

Recommendation :

- (i) Folic acid and Zinc preparation is justifiable in 1st trimester of pregnancy either singly or in combination.
- (ii) Iron, Folic acid and Zinc preparation is justifiable in 2nd and 3rd trimester of pregnancy either singly or in combined form.
- (iii) Calcium preparation is also needed in 2nd and 3rd trimester but should be in single preparation.
- (iv) All these (Iron, Zinc, Folic acid and Calcium) in one combination is not recommended.

Kuguli imxvš- t DcwiD³ mgvwi kmgr- chřjvPbv I cixřv-wbixřv Kwiqv tUKwbK`ij mie-KugwU eivei gZvgZmn cŁZte`b`vŁtj i Rb` wbgewYZ weřkIÁMřYi mgštq GKwU KugwU MVb Kiv nBj t

- (1) Aa`vcK řgvt BmgvBj Lvb, dvgřKij wR weřvM, XvKv řgwlřKj Křj R - AvneřqK
- (2) Aa`vcK dmi`v teMg, wKwbK`vj dřřřř I dvgřKij wR weřvM, XvKv wekře`řj q - m`m`
- (3) Rbve Ave`jy gřw`i, gnv-mřPe, eřvjř`k JIa wří mřgřZ Ges e`e`vcbv cwiPřj K, BbřmPřv dvgřmDwUK`vj mřřj t - m`m`
- (4) Rbve řgvt i`řj Avřgb, JIa ZÉřeřqK, JIa cřkřmb cwi`Bi, XvKv - m`m`-mřPe |

2.4/ mfvq ubtqewYZ vbxq Drcv`b I Avg`vbxI Rb` bZb JIa I c0ij Z JI`ai bZb gvIvi JIa (mDg`vb I f#Uvi bviX) Ges vbxq Drcv`b I Avg`vbxI Rb` tgWtKj WfvBtmm Gi tiuRt`-kb m`u#K`e`-mii Z Avtj vPbv Kvi qv ubtqew gZvgZ c0vb Kiv nq t

2.4.1 Proposed Product for Locally Manufacture

| <i>bs</i> | <i>c0ZKvi#Ki bvg</i> | <i>JI`ai bvg I tR#bwiK bvg</i> | <i>ib#`Rbv</i> | Status (New Molecule/ Existing) | <i>Ar#`bKvix c0E BNF or USFDA Reference</i> | <i>#UKibK`ij me-Kigvli 55 Zg mfvI gZvgZ</i> | <i>mfvI m`iS-</i> |
|-----------|--------------------------------|--|--|---|---|--|---|
| 01. | Square Pharmaceuticals Ltd. | a) Fexofenadine HCl 60mg + Pseudoephedrine HCl 120 mg Extended Release Tablet Fexofenadine Hydrochloride USP 60 mg + Pseudoephedrine Hydrochloride BP 120 mg | Relief of symptoms associated with seasonal allergic rhinitis | New | USFDA | <i>Abtgv`b Kiv hvBtZ cv#i </i> | <i>Abtgv`b Kiv nBj </i> |
| | | b) Tripolidine HCl 2.5 mg + Pseudoephedrine Hydrochloride 60 mg Tablet Tripolidine Hydrochloride BP 2.5 mg + Pseudoephedrine Hydrochloride BP 60 mg | Treatment of symptom associated with the common cold, acute and subacute sinusitis, acute eustachian salpingitis | New | USFDA | <i>Abtgv`b Kiv hvBtZ cv#i </i> | <i>Abtgv`b Kiv nBj </i> |
| | | c) Tripolidine HCl 1.25 mg + Pseudoephedrine HCl 30 mg/5ml Suspension Tripolidine Hydrochloride BP 25 mg + Pseudoephedrine Hydrochloride BP 0.60 gm/100ml | -do- | New | | <i>c0qvRbxq ti cv#i Ymn c#ivq Ar#`b Kvi evi Rb` c0Z0vbWtK ejv hvBtZ cv#i </i> | <i>c0qvRbxq ti cv#i Ymn c#ivq Ar#`b Kvi evi Rb` c0Z0vbWtK ejv nBj </i> |
| | | d) Amlodipine 5 mg + Valsartan 320 mg Tablet Amlodipine Besilate BP 7 mg eq. to 5 mg Amlodipine + Valsartan USP 320 mg | Hypertension | Amlodipine 5 mg + Valsartan 80 mg Tab. Amlodipine 5 mg + Valsartan 160 mg Tab. Amlodipine 10 mg + Valsartan 160 mg Tab. | USFDA | <i>Abtgv`b Kiv hvBtZ cv#i </i> | <i>Abtgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfi gZıgZ</i> | <i>mfi imxİŞ-</i> |
|-------------------------------|----------------------|--|---|--|--|--|---|
| Square Pharmaceuticals Ltd | e) | Amlodipine 10 mg + Valsartan 320 mg Tablet Amlodipine Besilate BP 14 mg eq. to 10 mg Amlodipine + Valsartan USP 320 mg | Hypertension | -do- | USFDA | <i>Abİgr`b Kiv hıBİZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | f) | Diflorasone Diacetate 0.05% Cream Diflorasone Diacetate USP 0.05gm/100 gm | Relief of the inflammatory and pruritic manifestation of corticosteroid responsive dermatosis | New | USFDA | <i>Abİgr`b Kiv hıBİZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | g) | Diflorasone Diacetate 0.05% Ointment Diflorasone Diacetate USP 0.05gm/100 gm | -do- | New | USFDA | <i>Abİgr`b Kiv hıBİZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | h) | Prochlorperazine Mesilate 5 mg/5ml Syrup Prochlorperazine Mesilate BP 0.1 gm/100ml | Severe nausea and vomiting | 5mg Tab. & 12.50 mg/ml Injection | BNF-56 | <i>Abİgr`b Kiv hıBİZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | i) | Tiemonium Methyl Sulphate 20 mg Suppository Tiemonium Methyl Sulphate INN 20 mg/ Suppository | Antispasmodic drug | 2.5 mg/ml; 5mg/2ml Injection & 50 mg Tablet | | <i>MİhYİhıM` İi dıİi Ymn cıİi vq Avİe`b Kwi evi Rb` cÖZÖİbıİİK ej v hıBİZ cıİi </i> | <i>MİhYİhıM` İi dıİi Ymn cıİi vq Avİe`b Kwi evi Rb` cÖZÖİbıİİK ej v nBj </i> |
| | j) | Paracetamol 1 gm + Phenylephrine HCl 12.20 mg/ Sachet Paracetamol BP 1 gm + Phenylephrine Hydrochloride BP 12.20 mg/Sachet | Relieves the symptoms of colds and flu. | New | | <i>MİhYİhıM` İi dıİi Ymn cıİi vq Avİe`b Kwi evi Rb` cÖZÖİbıİİK ej v hıBİZ cıİi </i> | <i>MİhYİhıM` İi dıİi Ymn cıİi vq Avİe`b Kwi evi Rb` cÖZÖİbıİİK ej v nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbİ` kbv</i> | Status (New Molecule/ Existing) | <i>Avİe` bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|--------------------------------|----------------------|---|--|--|---|---|--|
| Square Pharmaceuticals Ltd. | k) | Paracetamol 500 mg + Phenylephrine HCl 6.1 mg + Caffeine 25 mg Capsule Paracetamol BP 500 mg + Phenylephrine Hydrochloride BP 6.10 mg + Caffeine BP 25 mg | -do- | New | | <i>MİhYİhıM` İİ dıİİ Ymn cİyıvq Avİe` b Kıı evı Rb` cÖZÖİbıİİK ejv hıBİZ cıİİ </i> | <i>MİhYİhıM` İİ dıİİ Ymn cİyıvq Avİe` b Kıı evı Rb` cÖZÖİbıİİK ejv nBj </i> |
| | l) | Paracetamol 300 mg + Phenylephrine HCl 5 mg + Caffeine 25 mg Capsule Paracetamol BP 300 mg + Phenylephrine Hydrochloride BP 5 mg + Caffeine BP 25 mg | -do- | New | | <i>MİhYİhıM` İİ dıİİ Ymn cİyıvq Avİe` b Kıı evı Rb` cÖZÖİbıİİK ejv hıBİZ cıİİ </i> | <i>MİhYİhıM` İİ dıİİ Ymn cİyıvq Avİe` b Kıı evı Rb` cÖZÖİbıİİK ejv nBj </i> |
| | m) | Budesonide 100mcg + Formoterol fumarate 6mcg/DPI Cozycap Budesonide BP 100mcg + Formoterol fumarate BP 6mcg | Treatment of asthma | New | BNF-56 | <i>Abİİgr` b Kıv hıBİZ cıİİ </i> | <i>Abİİgr` b Kıv nBj </i> |
| | n) | Budesonide 200mcg + Formoterol fumarate 6mcg/DPI Cozycap Budesonide BP 200mcg + Formoterol fumarate BP 6mcg | -do- | New | -do- | <i>Abİİgr` b Kıv hıBİZ cıİİ </i> | <i>Abİİgr` b Kıv nBj </i> |
| | o) | Budesonide 400mcg + Formoterol fumarate 12mcg/DPI Cozycap Budesonide BP 400mcg + Formoterol fumarate BP 12mcg | -do- | New | -do- | <i>Abİİgr` b Kıv hıBİZ cıİİ </i> | <i>Abİİgr` b Kıv nBj </i> |
| | p) | Povidone Iodine 2.5 gm/100 ml Spray Povidone Iodine USP 2.5 gm/100 ml | Antiseptic for the treatment and prevention of infection | Cream, Ointment, Mouth Wash, Gel, Eye Drops | BNF-56 | <i>Abİİgr` b Kıv hıBİZ cıİİ </i> | <i>Abİİgr` b Kıv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbuiK bvg</i> | <i>İbİ` Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe` bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj mİe-Kıgİli 55 Zg mfvİ gZıgZ</i> | <i>mfvİ İm×ıİ-</i> |
|--------------------------------|----------------------|--|--|--|---|---|--|
| Square Pharmaceuticals Ltd. | q) | Sumatriptan 85 mg +Naproxen Sodium 500 mg Tablet Sumatriptan Succinate BP 119 mg(eq. to Sumatriptan 85 mg) + Naproxen Sodium USP 500 mg | Used for the acute treatment of migraine attacks. | New | USFDA | <i>cİqvRb bıB İearq Avİe` b bıgÄj Kiv İvİİZ cıİi </i> | <i>cİqvRb bıB İearq Avİe` b bıgÄj Kiv nBj </i> |
| | r) | Metformin HCl 250 mg Tablet Metformin HCl BP 250 mg | Used in the type 2 Diabetes Patient to improve glycemic control | 500 mg, 750 mg, 850 mg Tab. | | <i>MİYİİvİM` İİ dıİİ Ymn cİyİvq Avİe` b Kİİ İvİ Rb` cÖZÖvİİİİK İjİ İvİİZ cıİi </i> | <i>MİYİİvİM` İİ dıİİ Ymn cİyİvq Avİe` b Kİİ İvİ Rb` cÖZÖvİİİİK İjİ nBj </i> |
| | s) | Amlodipine 5 mg + Atorvastatin 10 mg FC Tablet Amlodipine Besilate BP 7 mg eq. to Amlodipine 5 mg + Atorvastatin Calcium INN 10.36 mg eq. to Atorvastatin 10 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>Abİgr` b Kiv İvİİZ cıİi </i> | <i>Abİgr` b Kiv nBj </i> |
| | t) | Amlodipine 10 mg + Atorvastatin 10 mg FC Tablet Amlodipine Besilate BP 14 mg eq. to Amlodipine 10 mg + Atorvastatin Calcium INN 10.36 mg eq. to Atorvastatin 10 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>GB gıİİv cİqvRb bıB İearq Avİe` b bıgÄj Kiv İvİİZ cıİi </i> | <i>GB gıİİv cİqvRb bıB İearq Avİe` b bıgÄj Kiv nBj </i> |
| | u) | Amlodipine 5 mg + Atorvastatin 20 mg FC Tablet Amlodipine Besilate BP 7 mg eq. to Amlodipine 5 mg + Atorvastatin Calcium INN 20.72 mg eq. to Atorvastatin 20 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>GB gıİİv cİqvRb bıB İearq Avİe` b bıgÄj Kiv İvİİZ cıİi </i> | <i>GB gıİİv cİqvRb bıB İearq Avİe` b bıgÄj Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbuiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mie-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×vŕŕ-</i> |
|--------------------------------|----------------------|--|---|--|--|---|--|
| Square Pharmaceuticals Ltd. | v) | Amlodipine 10 mg + Atorvastatin 20 mg FC Tablet Amlodipine Besilate BP 14 mg eq. to Amlodipine 10 mg + Atorvastatin Calcium INN 20.72 mg eq. to Atorvastatin 20 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hvŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | w) | Atorvastatin 40 mg Tablet Atorvastatin Calcium INN 41.44 mg eq. to Atorvastatin 40 mg | For the treatment of reduction of elevated total cholesterol, LDL- cholesterol, apolipoprotein B and triglycerides | 20 mg & 10 mg Tab. | USFDA | <i>Abŕgŕ`b Kiv hvŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | x) | Clopidogrel 300 mg Tablet Clopidogrel Bisulfate USP 391.20 mg eq. to Clopidogrel 300 mg | Used for the reduction of atherothrombotic events | 75 mg Tab. | USFDA | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq DCCGi 237mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×vŕŕ- enij i vLv hvŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq DCCGi 237mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×vŕŕ- enij i vLv nBj </i> |
| | y) | Ezetimibe 10 mg + Simvastatin 10 mg Tablet Ezetimibe INN 10 mg + Simvastatin USP 10 mg | Primary Hypercholesteromia or mixed hyperlipidemia | New | USFDA | <i>Kivŕŕbkb AcŕŕqŕRbŕq ŕeavq ŕŕŕŕŕŕŕ-Gi 233 Ges 237 Zg mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×vŕŕ- enij i vLv hvŕZ cŕŕi </i> | <i>Kivŕŕbkb AcŕŕqŕRbŕq ŕeavq ŕŕŕŕŕŕŕ- Gi 233 Ges 237 Zg mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×vŕŕ- enij i vLv nBj </i> |
| | z) | Ezetimibe 10 mg + Simvastatin 20 mg Tablet Ezetimibe INN 10 mg + Simvastatin USP 20 mg | -do- | New | USFDA | <i>Kivŕŕbkb AcŕŕqŕRbŕq ŕeavq ŕŕŕŕŕŕŕ-Gi 233 Ges 237 Zg mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×vŕŕ- enij i vLv hvŕZ cŕŕi </i> | <i>Kivŕŕbkb AcŕŕqŕRbŕq ŕeavq ŕŕŕŕŕŕŕ- Gi 233 Ges 237 Zg mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×vŕŕ- enij i vLv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvi gZıgZ</i> | <i>mfvi İm×İİ-</i> |
|---------------------------------|----------------------|---|---|--|--|--|---|
| Incepta Pharmaceuticals Ltd. | b) | Doxepin Hydrochloride 50 mg Capsule Doxepin Hydrochloride BP 50 mg | Psychonuritic patient with depression and or anxiety, depression anxieties associated with alcoholism, organic disease | Doxipine 75 mg Capsule | USFDA BNF-57 Page 209 | <i>Abİgr`b Kiv hıBİZ cİİi </i> | <i>cİİqrBv bıB İearıq Avİe`b bıgAıy Kiv nBj </i> |
| | c) | Gatifloxacin 3 mg + Prednisolone Acetate 10 mg/ml Eye Drops Gatifloxacin Sesquihydrate INN 0.3215 gm eq. to Gatifloxacin 0.3 gm + Prednisolone Acetate BP 1 gm/100 ml | Indicated for steroid responsive inflammatory ocular conditions for which a corticosteroid is indicated, bacterial ocular infection. | New | | <i>MİhYİİhıM` İi dıİİi Yİmn cİıııq Avİe`b Kİııııı Rb` cÖZÖıııııK ejıı hıBİZ cİİi </i> | <i>MİhYİİhıM` İi dıİİi Yİmn cİıııııq Avİe`b Kİııııı Rb` cÖZÖıııııK ejıı nBj </i> |
| | d) | Abciximab 2 mg/ml Ampoule Solution for Injection Abciximab INN 10 mg/5ml | Prevention of ischemic cardiac complication in patients undergoing percutaneous coronary intervention, short term prevention of myocardial infarction | New | BNF-57 Page 132 | <i>Abİgr`b Kiv hıBİZ cİİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | e) | Efalizumab 125 mg/vial (as lyophilized powder for reconstitution) Efalizumab INN 125 mg/Vial | Moderate to severe chronic plaque psoriasis | New | USFDA BNF-57, Page-636 | <i>Abİgr`b Kiv hıBİZ cİİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | f) | Noradrenaline 1 mg/ml Ampoules Noradrenaline Acid Tartrate BP 2mg eq. to 1 mg Noradrenaline Base | For the restoration of blood pressure in certain acute hypotensive state | New | BNF-57, Page 122 | <i>Abİgr`b Kiv hıBİZ cİİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | g) | Ivabradine 5 mg Tablet Ivabradine Hydrochloride INN 5.39 mg eq. to Ivabradine 5 mg | Treatment of chronic stable angina pectoris, treatment of angina in patients in normal sinus rhythm | New | BNF-57, Page-119 | <i>Abİgr`b Kiv hıBİZ cİİi </i> | <i>Abİgr`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj mİe-Kıgİli 55 Zg mİvi gZİgZ</i> | <i>mİvi İmıİŞ-</i> |
|-----------|---------------------------------|--|---|---|--|--|---|
| | Incepta Pharmaceuticals Ltd. | h) Ivabradine 7.5 mg Tablet Ivabradine Hydrochloride INN 8.085 mg eq. to Ivabradine 7.5 mg | -do- | New | BNF-57, Page-119 | <i>Abİgv`b Kiv İvİtZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | i) Fentanyl 100 mcg Tablet Fentanyl Citrate BP 0.1571 mg eq. to 100 mcg Fentanyl | Relief of breakthrough pain in patient receiving opioid therapy for chronic cancer pain | 100 mcg/2ml Injection | USFDA BNF-57, Page 237 | <i>Abİgv`b Kiv İvİtZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | j) Fentanyl 200 mcg Tablet Fentanyl Citrate BP 0.3142 mg eq. to 200 mcg Fentanyl | Relief of breakthrough pain in patient receiving opioid therapy for chronic cancer pain | 100 mcg/2ml Injection | USFDA BNF-57, Page 237 | <i>Abİgv`b Kiv İvİtZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | k) Budesonide 1 mg/2ml Suspension for nebuliser Budesonide BP 1 mg/2ml | Management of symptoms of seasonal or perennial allergic rhinitis, prophylaxis of asthma | 100 mcg, 200 mcg, 400 mcg Nebuliser Suspension | USFDA BNF-57, Page 166 | <i>Abİgv`b Kiv İvİtZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | l) Amphotericin-B 50 mg/ Vial Amphotericine-B USP 50 mg/vial | It is indicated for the treatment of visceral leishmaniasis. Prophylaxis in liver transplant patients at risk of systemic candidiasis, aspergillus and cryptococcus infection and or fungal infections. Severe systemic or deep mycoses | New | BNF-57, Page 329 | <i>c`İİi İ_vh_ Formulation -G Avİe`b `İİj Kıİ İvİ Rb` cÖZöİvİİİK ej v İvİtZ cİİi </i> | <i>c`İİi İ_vh_ Formulation -G Avİe`b `İİj Kıİ İvİ Rb` cÖZöİvİİİK ej v nBj </i> |
| | | m) Paromomycin 250 mg Capsule Paromomycin Sulphate USP 370.370 mg eq. to Paromomycin 250 mg | Indicated for intestinal amebiasis acute and chronic | New | USFDA | <i>Abİgv`b Kiv İvİtZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕbwiK bvg</i> | <i>ibŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKibK`vj mve-Kvŕŕli 55 Zg mŕvi gZvŕZ</i> | <i>mŕvi umxvŕ-</i> |
|---------------------------------|----------------------|---|---|--|--|--|---|
| Incepta Pharmaceuticals Ltd. | n) | Tigecycline 50 mg/vial Powder for IV Infusion Tigecycline (Lyophilized Sterile Powder) INN 50 mg/Vial | Complicated Skin and intra abdominal infection caused by susceptible strains of bacteria. | New | USFDA BNF-57 Page 305 | <i>Abŕgv`b Kiv hvBŕZ cŕŕi </i> | <i>Abŕgv`b Kiv nBj </i> |
| | o) | Clioquinol 10 mg + Flumetasone Pivalate 0.2 mg /ml Eye Drops Clioquinol BP 1 gm + Flumetasone Pivalate BP 0.02 gm/100 ml | Treatment of Eczema of the external auditory meatus, otitis externa, otomycosis | New | BNF-57, Page 601 | <i>Abŕgv`b Kiv hvBŕZ cŕŕi </i> | <i>Abŕgv`b Kiv nBj </i> |
| | p) | Rhubarb (Rhubarb Extract) 0.05 gm + Salicylic Acid 0.01 gm/ml, Oral Solution Rhubarb (Rhubar Extracts) BP 0.50 gm (eq. to Anthraquinone Glycosides 0.05gm) + Salicylic Acid BP 0.10gm/10 ml | Treatment of acute and chronic inflammation of the mucosus of the mouth and throat | New | BNF- 57, Page 610 | <i>Abŕgv`b Kiv hvBŕZ cŕŕi </i> | <i>Abŕgv`b Kiv nBj </i> |
| | q) | Alprazolam 3mg XR Tablet Alprazolam BP 3.00mg | Treatment of Panic disorder | 250 mcg & 500 mcg Tab. | USFDA | <i>GB gvŕv cŕŕvRb bvB weavŕ Avŕe`b bvgŕjv Kiv hvBŕZ cŕŕi </i> | <i>GB gvŕv cŕŕvRb bvB weavŕ Avŕe`b bvgŕjv Kiv nBj </i> |
| | r) | Alprazolam 2mg XR Tablet Alprazolam BP 2.00mg | Treatment of Panic disorder | -do- | USFDA | <i>Abŕgv`b Kiv hvBŕZ cŕŕi </i> | <i>Abŕgv`b Kiv nBj </i> |
| | s) | Alprazolam 1mg XR Tablet Alprazolam BP 1.00mg | Treatment of Panic disorder | -do- | USFDA | <i>Abŕgv`b Kiv hvBŕZ cŕŕi </i> | <i>Abŕgv`b Kiv nBj </i> |
| | t) | Tetracaine 4% Gel Tetracaine HCl USP 4.552gm eq. to 4gm Tetracaine/100gm | Tropical anaesthetic for dermal analgesia. | New | BNF- 57, Page 707 | <i>Abŕgv`b Kiv hvBŕZ cŕŕi </i> | <i>Abŕgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cŮZKviŤKi bvg</i> | <i>JlŤai bvg l ŤRŤbwiK bvg</i> | <i>ŤbŤ`Rbv</i> | Status (New Molecule/ Existing) | <i>AvŤe`bKvix cŮĚ BNF or USFDA Reference</i> | <i>ŤUKŤbK`vj me-KŤgŤli 55 Zg mŤvi gZŤgZ</i> | <i>mŤvi Ťm×iŤ-</i> |
|-----------|---------------------------------|---|--|--|--|---|--------------------------|
| | Incepta Pharmaceuticals Ltd. | u) Filgrastim Prefilled Syringe 0.5ml Solution for Injection Filgrastim Eur. Ph. (30MU) 0.300mg/0.5ml | Indicated for reduction in the duration of neutropenia and the incidence of febrile neutropenia in patient treated with cytotoxic chemotherapy. Severe chronic neutropenia. Treatment of Persistent neutropenia in patients with advanced HIV infection. | 30 MU/ml Injection | USFDA | <i>AbŤgv`b Kiv hŤBŤZ cŤŤi </i> | <i>AbŤgv`b Kiv nBj </i> |
| | | v) Interferon alfa-2b Prefilled Syringe 0.5ml Solution for Injection, 3 million IU Interferon alfa-2b BP 3 Million IU/0.5ml | Interferon Alfa-2b is used in the treatment of: <ul style="list-style-type: none"> • Hairy cell leukaemia in splenectomised or non-splenectomised patients • Kaposi's sarcoma in patients with acquired immune deficiency syndrome (AIDS) • Chronic myelogenous leukaemia • Multiple myeloma • Follicular non-Hodgkin's lymphoma • Malignant melanoma • Chronic hepatitis B • Chronic hepatitis C | Interferon Alfa 2b 5 MIU & 10 MIU Injection | BNF 57, Page 492 | <i>AbŤgv`b Kiv hŤBŤZ cŤŤi </i> | <i>AbŤgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfi gZıgZ</i> | <i>mfi İmıİŞ-</i> |
|-----------|---------------------------------|---|--|--|--|--|--------------------------|
| | Incepta Pharmaceuticals Ltd. | w) Adapalene 0.1% + Benzoyl peroxide 2.5% gel. Adapalene INN 0.1gm + Benzoyl peroxide BP 2.5gm/100gm | Topical Treatment of acne vulgaris in patients 12 years of age and older. | New | USFDA | <i>Abİgr`b Kiv hıBİZ cİti </i> | <i>Abİgr`b Kiv nBj </i> |
| | | x) Lanthanum 500mg Tablet Lanthanum INN 500 mg (as Lanthanum Carbonate Hydrate) | Lanthanum is indicated to reduce serum phosphate in patients with end stage renal disease. | New | USFDA | <i>Abİgr`b Kiv hıBİZ cİti </i> | <i>Abİgr`b Kiv nBj </i> |
| | | y) Lanthanum 750mg Tablet Lanthanum INN 750mg (as Lanthanum Carbonate Hydrate) | Lanthanum is indicated to reduce serum phosphate in patients with end stage renal disease. | New | USFDA | <i>Abİgr`b Kiv hıBİZ cİti </i> | <i>Abİgr`b Kiv nBj </i> |
| | | z) Lanthanum 1000mg Tablet Lanthanum INN 1000mg ((as Lanthanum Carbonate Hydrate) | Lanthanum is indicated to reduce serum phosphate in patients with end stage renal disease. | New | USFDA | <i>Abİgr`b Kiv hıBİZ cİti </i> | <i>Abİgr`b Kiv nBj </i> |
| | | aa) Valacyclovir 1000mg Caplet Valacyclovir HCl INN 1112.55mg eq. to Valacyclovir 1000mg | Treatment of Herpes Zoster. | New | USFDA | <i>Abİgr`b Kiv hıBİZ cİti </i> | <i>Abİgr`b Kiv nBj </i> |
| | | ab) Palonosetron Solution for Injection 0.25mg/5ml Vial Palonosetron HCl INN 0.28 eq. to Palonosetron 0.25mg/5ml Vial | Treatment of Cancer disease. | New | USFDA BNF-57 Page 227 | <i>Abİgr`b Kiv hıBİZ cİti </i> | <i>Abİgr`b Kiv nBj </i> |
| | | ac) Risperidone 25 mg/Vial Injection Risperidone BP 25 mg/Vial | Treatment of schizophrenia and bipolarmania | 1mg, 2mg & 4 mg Tab. | USFDA | <i>Abİgr`b Kiv hıBİZ cİti </i> | <i>Abİgr`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbuiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|---------------------------------|---|--|--|--|--|---|
| | Incepta Pharmaceuticals Ltd. | ag) Interferon Alfa-2a 6 MIU/1 ml Prefilled Syringe Solution for Injection Interferon Alfa 2a BP 0.0222 mg eq. to 6 MIU/1 ml | Treatment of basal cell carcinoma, carcinoids syndrom, For AIDS related kaposis sarcoma, chronic myelogenous leukaemia | Interferon Alfa 2a 3MIU, 5 MIU & 4.5 MIU | USFDA BNF-57 Page 492 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | ah) Sulfamethoxazole 100 mg + Trimethoprim 20 mg Tablet Sulfamethoxazole BP 100 mg + Trimethoprim BP 20 mg Tablet | Urinary tract infections, respiratory tract infection | 400 mg + 80 mg Tab. & 800 mg + 160 mg Tab. | | <i>MŕhYŕhM` ŕi dŕŕi Ymn cŕŕivq Avŕe`b Kŕi evi Rb` cŪZŕŕbŕŕŕK ej v hŕBŕZ cŕŕi </i> | <i>MŕhYŕhM` ŕi dŕŕi Ymn cŕŕivq Avŕe`b Kŕi evi Rb` cŪZŕŕbŕŕŕK ej v nBj </i> |
| | | ai) Amlodipine 5 mg + Atorvastatin 10 mg Tablet Amlodipine Besilate USP 6.94 mg eq. to Amlodipine 5 mg + Atorvastatin Calcium Trihydrate INN 10.84mg eq. to Atorvastatin 10 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | aj) Amlodipine 5 mg + Atorvastatin 20 mg Tablet Amlodipine Besilate USP 6.94 mg eq. to Amlodipine 5 mg + Atorvastatin Calcium Trihydrate INN 21.68 mg eq. to Atorvastatin 20 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>GB gŕŕ v cŪqŕRb bŕB ŕeavq Avŕe`b bŕgÁŕj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕ v cŪqŕRb bŕB ŕeavq Avŕe`b bŕgÁŕj Kiv nBj </i> |
| | | ak) Amlodipine 10 mg + Atorvastatin 10 mg Tablet Amlodipine Besilate USP 13.88 mg eq. to Amlodipine 10 mg + Atorvastatin Calcium INN 10.84 mg eq. to Atorvastatin 10 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>GB gŕŕ v cŪqŕRb bŕB ŕeavq Avŕe`b bŕgÁŕj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕ v cŪqŕRb bŕB ŕeavq Avŕe`b bŕgÁŕj Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mŕe-Kŕgŕŕi 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm`xŕŕ-</i> |
|-----------|---------------------------------|--|---|--|--|--|---|
| | Incepta Pharmaceuticals Ltd. | a) Amlodipine 10 mg + Atorvastatin 20 mg Tablet Amlodipine Besilate USP 13.88 mg eq. to Amlodipine 10 mg + Atorvastatin Calcium Trihydrate INN 21.68 mg eq. to Atorvastatin 20 mg | Hyperlipidemia with hypertension or angina | New | USFDA | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | | am) Atorvastatin 40 mg Tablet Atorvastatin Calcium Trihydrate INN 43.36 mg eq. to Atorvastatin 40 mg | For the treatment of reduction of elevated total cholesterol, LDL-cholesterol, apolipoprotein B and triglycerides | 20 mg & 10 mg Tab. | USFDA BNF-57, Page-141 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | an) Atorvastatin 80 mg Tablet Atorvastatin Calcium Trihydrate INN 86.72 mg eq. to Atorvastatin 80 mg | -do- | 10 mg & 20 mg Tab. | USFDA BNF-57, Page-141 | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | | ao) Clopidogrel 300 mg Tablet Clopidogrel Bisulfate USP 391.20 mg eq. to Clopidogrel 300 mg | Used for the reduction of atherothrombotic events | 75 mg Tab. | USFDA BNF-57, Page-133 | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | | ap) Amlodipine 5 mg + Hydrochlorothiazide 12.5 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 6.94 mg eq. to 5 mg Amlodipine + Hydrochlorothiazide BP 12.50 mg + Valsartan USP 160 mg | Treatment of hypertension | New | USFDA | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bıg</i> | <i>Jlİai bıg l İRİbıiK bıg</i> | <i>ıbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKııK`ıj me-Kıgııİ 55 Zg mfvı gZıgZ</i> | <i>mfvı ımııİ-</i> |
|---------------------------------|----------------------|--|----------------------------|--|--|--|---|
| Incepta Pharmaceuticals Ltd. | aq) | Amlodipine 5 mg + Hydrochlorothiazide 25 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 6.94 mg eq. to 5 mg Amlodipine + Hydrochlorothiazide BP 25 mg + Valsartan USP 160 mg | Treatment of hypertension | New | USFDA | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv hıBİZ cııı </i> | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv nBj </i> |
| | ar) | Amlodipine 10 mg + Hydrochlorothiazide 12.50 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 13.88 mg eq. to 10 mg Amlodipine + Hydrochlorothiazide BP 12.50 mg + Valsartan USP 160 mg | Treatment of hypertension | New | USFDA | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv hıBİZ cııı </i> | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv nBj </i> |
| | as) | Amlodipine 10 mg + Hydrochlorothiazide 25 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 13.88 mg eq. to 10 mg Amlodipine + Hydrochlorothiazide BP 25 mg + Valsartan USP 160 mg | Treatment of hypertension | New | USFDA | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv hıBİZ cııı </i> | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv nBj </i> |
| | at) | Amlodipine 10 mg + Hydrochlorothiazide 25 mg + Valsartan 320 mg Tablet Amlodipine Besilate BP 13.88 mg eq. to 10 mg Amlodipine + Hydrochlorothiazide BP 25 mg + Valsartan USP 320 mg | Treatment of hypertension | New | USFDA | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv hıBİZ cııı </i> | <i>GB gııı cÖııRb bıB ıeavq Avte`b bıgÄıj Kiv nBj </i> |
| | au) | Olmesartan Medoxomil 20mg + Hydrochlorothiazide 12.5mg Tablet Olmesartan Medoxomil INN 20mg + Hydrochlorothiazide BP 12.5mg | Treatment of hypertension. | New | USFDA BNF-57, Page 107 | <i>Abİgr`b Kiv hıBİZ cııı </i> | <i>Abİgr`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg l İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | Avte`bKvix cÖE BNF or USFDA Reference | İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ | mfvı İmıİŞ- |
|---------------------------------|----------------------|--|--|--|--|---|--|
| Incepta Pharmaceuticals Ltd. | av) | Olmesartan Medoxomil 40mg + Hydrochlorothiazide 12.5mg Tablet Olmesartan Medoxomil INN 40mg + Hydrochlorothiazide BP 12.5mg | Treatment of hypertension. | New | USFDA BNF-57, Page 107 | <i>GB gvl v cÖqvRb bıB İearq Avte`b bıgÄjy Kiv hıBtZ cıİi </i> | <i>GB gvl v cÖqvRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |
| | aw) | Olmesartan Medoxomil 40mg + Hydrochlorothiazide 25mg Tablet Olmesartan Medoxomil INN 40mg + Hydrochlorothiazide BP 25mg | Treatment of hypertension. | New | USFDA BNF-57, Page 107 | <i>GB gvl v cÖqvRb bıB İearq Avte`b bıgÄjy Kiv hıBtZ cıİi </i> | <i>GB gvl v cÖqvRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |
| | ax) | Diflorasone Diacetate 0.05% Cream Diflorasone Diacetate USP 0.05gm/100 gm | Relief of the inflammatory and pruritic manifestation of corticosteroid responsive dermatosis | New | USFDA | <i>Abİgr`b Kiv hıBtZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | ay) | Diflorasone Diacetate 0.05% Ointment Diflorasone Diacetate USP 0.05gm/100 gm | -do- | New | USFDA | <i>Abİgr`b Kiv hıBtZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | az) | Gabapentin 100mg Tablet Gabapentin USP 100mg | Partial Seizures with or without secondary generalized tonic clonic seizures | 300mg & 600mg Tablet | USFDA | <i>Abİgr`b Kiv hıBtZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | aaa) | Sumatriptan Succinate 85 mg + Naproxen Sodium 500 mg Tablet Sumatriptan Succinate BP 85 mg + Naproxen Sodium 500 mg | Acute treatment of migraine attacks | New | USFDA | <i>GB gvl v cÖqvRb bıB İearq Avte`b bıgÄjy Kiv hıBtZ cıİi </i> | <i>GB gvl v cÖqvRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |
| | aab) | Varenicline 0.5mg Tablet Varenicline Tartrate INN 0.875mg eq. to varenicline 0.5mg | Smoking cessation, Alternative to nicotine replcement therapies and agonist medication | New | USFDA BNF-57 Page 278 | <i>cÖqvRb bıB İearq Avte`b bıgÄjy Kiv hıBtZ cıİi </i> | <i>cÖqvRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbiK bvg</i> | <i>ŕŕŕ Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕŪKŕbK`vj me-Kŕŕŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×iŕ-</i> |
|-----------|---------------------------------|--|--|--|--|--|---|
| | Incepta Pharmaceuticals Ltd. | aac) Varenicline 1mg Tablet Varenicline Tartrate INN 1.75mg eq. to varenicline 1mg | Smoking cessation, Alternative to nicotine replacement therapies and agonist medication | New | USFDA BNF-57 Page 278 | <i>cŪŕŕRb bŕB ŕearq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŪŕŕRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |
| | | aad) Fexofenadine HCl 60mg + Pseudoephedrine HCl 120 mg Extended Release Tablet Fexofenadine Hydrochloride USP 60 mg + Pseudoephedrine Hydrochloride BP 120 mg | Relief of symptoms associated with seasonal allergic rhinitis | New | USFDA | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |
| | | aae) Fexofenadine HCl 180mg + Pseudoephedrine HCl 240 mg Extended Release Tablet Fexofenadine Hydrochloride USP 180 mg + Pseudoephedrine Hydrochloride BP 240 mg | Relief of symptoms associated with seasonal allergic rhinitis | New | USFDA | <i>cŪŕŕRb bŕB ŕearq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŪŕŕRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |
| | | aaf) Tripolidine HCl 2.5 mg + Pseudoephedrine Hydrochloride 60 mg Tablet Tripolidine Hydrochloride BP 2.5 mg + Pseudoephedrine Hydrochloride BP 60 mg | Treatment of symptom associated with the common cold, acute and subacute sinusitis, acute eustachian salpingitis | New | USFDA | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |
| | | aag) Tripolidine HCl 1.25 mg + Pseudoephedrine HCl 30 mg/5ml Syrup Tripolidine Hydrochloride BP 0.025gm + Pseudoephedrine Hydrochloride BP 0.6 gm/100ml | -do- | New | USFDA | <i>GB gŕŕŕv cŪŕŕRb bŕB ŕearq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕŕv cŪŕŕRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKvi†Ki bvg</i> | <i>Jl†ai bvg I †R†bwiK bvg</i> | <i>ib† Rbv</i> | Status (New Molecule/ Existing) | <i>Av†e`bKvix cŪĒ BNF or USFDA Reference</i> | <i>†UK†bK`vj me-K†g†li 55 Zg mfvi gZ†gZ</i> | <i>mfvi im×iŠ-</i> |
|---------------------------------|----------------------|--|--|--|--|--|---|
| Incepta Pharmaceuticals Ltd. | aah) | Halobetasol Propionate 0.05% Cream Halobetasol Propionate INN 0.05 gm/100 gm | Relief of the inflammatory and pruritic manifestation of corticosteroid responsive dermatosis | New | USFDA | <i>Ab†g†v`b Kiv h†B†Z c††i </i> | <i>Ab†g†v`b Kiv nBj </i> |
| | aa†) | Loperamide 2mg + Simethicone 125mg Chewable Tablet Loperamide HCl BP 2.153 mg eq. to Loperamide 2 mg + Simethicone USP 125mg | Treat Diarrhoea and Symptoms of gas. | New | USFDA | <i>Ab†g†v`b Kiv h†B†Z c††i </i> | <i>c††q†Rb b†vB †eavq Av†e`b bvgA†y Kiv nBj </i> |
| | aa†) | Paroxetine 10 mg Tablet Paroxetine Hydrochloride BP 11.00 mg eq. to Paroxetine 10 mg | Major depression, obsessive compulsive disorder, panic disorder, social anxiety disorder | 20 mg Tab. | USFDA BNF-57, Page 215 | <i>Ab†g†v`b Kiv h†B†Z c††i </i> | <i>Ab†g†v`b Kiv nBj </i> |
| | aak) | Articaine Hydrochloride 40 mg + Epinephrine 10 mcg/ml Injection Articaine Hydrochloride BP 4 gm + Epinephrine Bitartrate USP 1.819 mg eq. to (Epinephrine 1 mg)/ 100ml | Local infiltrative or conductive anesthesia in both simple and complex dental and periodontal procedures | New | USFDA | <i>Ab†g†v`b Kiv h†B†Z c††i </i> | <i>Ab†g†v`b Kiv nBj </i> |
| | aa†) | Paracetamol 10mg/ml IV Infusion Paracetamol BP 1 gm/100 ml | For the relief of mild to moderate pain and the reduction of fever where an intravenous route of administration is considered clinically necessary | 500 mg Tablet & 120 mg/5 ml Suspension | BNF-57, Page 232 | <i>Jl†ai†li Sefety সংক্রান্ত- Z` I c†††vbw`mn c††y†vq Av†e`b Kwi evi Rb` c††Z†vbw††K ej v h†B†Z c††i </i> | <i>Jl†ai†li Sefety সংক্রান্ত- Z` I c†††vbw`mn c††y†vq Av†e`b Kwi evi Rb` c††Z†vbw††K ej v nBj </i> |
| | aam) | Cinnarizine 20mg & Dimenhydrinate 40mg Tablet Cinnarizine BP 20mg + Dimenhydrinate USP 40mg. | Treatment of vertigo symptoms of various origins. | New | BNF-57 Page No. 223 | <i>Ab†g†v`b Kiv h†B†Z c††i </i> | <i>Ab†g†v`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|---------------------------------|----------------------|--|--|--|--|--|--|
| Incepta Pharmaceuticals Ltd. | aan) | Olopatadine 0.6% Nasal Spray Olopatadine Hydrochloride INN 0.665gm eq. to Olopatadine 0.60gm/100ml | Relief of the symptoms of seasonal allergic rhinitis in patients 12 years of age and older | 1 mg/ml Eye Drops | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | aa0) | Fluconazole 2mg/ml IV Infusion Fluconazole USP 0.200gm/100 ml | Acute or recurrent vaginal candidiasis, mucosal candidiasis, systemic candidiasis and cryptococcal infections. | 50 mg & 150 mg Tab. & Cap. 50 mg/5ml Powder for Suspension | USFDA BNF-57 Page 330 | <i>cŕŕŕRb bŕB ŕearŕ Avŕe`b bŕ gŕŕ Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bŕB ŕearŕ Avŕe`b bvgŕŕ Kiv nBj </i> |
| | aap) | Eptifibatide 2 mg/1ml Vial Injection Eptifibatide INN 2 mg /1ml | Used in the management of unstable angina and in patient under going coronary angioplasty and stenting procedures. | New | USFDA BNF-57 Page-134 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | aaq) | Loteprednol Etabonate 0.5% + Tobramycin 0.3% Ophthalmic Suspension Loteprednol Etabonate INN 0.5gm + Tobramycin USP 0.3gm/100ml | Inflammatory Ocular conditions, Inflammatory conditions of thepalpebral and bulbar conjunctiva,Cornea. | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | aar) | Difluprednate INN 0.05% Ophthalmic Emulsion Difluprednate INN 0.05 gm/100 ml | Treatment of inflammation and pain associated with ocular surgery | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | aas) | Povidone Iodine 2.5% Spray Povidone Iodine USP 2.5 gm/100 ml | Antiseptic, for the treatment and prevention of infection | Cream, Ointment, Mouth Wash, Gel, Eye Drops | BNF-57 Page 658 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕŕŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|---------------------------------|---|--|--|--|--|---|
| 3. | Beximco Pharmaceuticals Ltd. | a) Simvastatin 20 mg + Niacin 500 mg Extended Release Tablet Simvastatin USP 20 mg + Niacin USP 500 mg | Cholesterol, LDL, triglycerides lowering agent | New | USFDA | <i>Abŕŕv`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕv`b Kiv nBj </i> |
| | | b) Simvastatin 20 mg + Niacin 750 mg Extended Release Tablet Simvastatin USP 20 mg + Niacin USP 750 mg | -do- | New | USFDA | <i>GB gŕŕv cŕŕvRb bŕB ŕeavq Avŕe`b bŕgĀŕŕ Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕvRb bŕB ŕeavq Avŕe`b bŕgĀŕŕ Kiv nBj </i> |
| | | c) Simvastatin 20 mg + Niacin 1000 mg Extended Release Tablet Simvastatin USP 20 mg + Niacin USP 1000 mg | -do- | New | USFDA | <i>GB gŕŕv cŕŕvRb bŕB ŕeavq Avŕe`b bŕgĀŕŕ Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕvRb bŕB ŕeavq Avŕe`b bŕgĀŕŕ Kiv nBj </i> |
| | | d) Paracetamol 665 mg Extended Release Tablet Paracetamol BP 665 mg | Relief from pain due to osteoarthritis | 250 mg & 500 mg Tab. | | <i>Abŕŕv`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕv`b Kiv nBj </i> |
| | | e) Sumatriptan 85 mg + Naproxen Sodium 500 mg Tablet Sumatriptan Succinate INN 119 mg eq. to 85 mg Sumatriptan + Naproxen Sodium 500 mg | Acute treatment of migraine attacks | New | USFDA | <i>GB gŕŕv cŕŕvRb bŕB ŕeavq Avŕe`b bŕgĀŕŕ Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕvRb bŕB ŕeavq Avŕe`b bŕgĀŕŕ Kiv nBj </i> |
| | | f) Risedronate Sodium 150 mg Tablet Risedronate Sodium INN 150 mg eq. to 139.28 mg Risedronic Acid | Postmenopausal osteoporosis, Prevention of osteoporosis (Glucocorticoid induced osteoporosis), Pagets disease | 35 mg & 5 mg Tab. | USFDA | <i>Abŕŕv`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi big</i> | <i>Jİİai big I İRİbiiK big</i> | <i>İbİ`Rbİ</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİİi 55 Zg mfvİ gZİgZ</i> | <i>mfvİ İm×İİ-</i> |
|---------------------------------|----------------------|--|---|--|--|--|---|
| Beximco Pharmaceuticals Ltd. | g) | Doxofylline 400 mg Tablet Doxofylline INN 400 mg | Reversible airways obstruction. | New | | <i>MİhYİhİM` İİ dİİİ Ymİ cİyİvq Avİe`b Kİİİ evİ Rb` cÖZÖİbİİİİK ejv hİBİZ cİİİ </i> | <i>MİhYİhİM` İİ dİİİ Ymİ cİyİvq Avİe`b Kİİİ evİ Rb` cÖZÖİbİİİİK ejv nBj </i> |
| | h) | L-Lycine Hydrochloride 150 mg/gm Ointment L-Lycine Hydrochloride INN 15 gm/100 gm | Burns of all etiology, Diabetic wound, ulcers, accidental wounds. | New | | <i>Abİİgv`b Kİv hİBİZ cİİİ </i> | <i>Abİİgv`b Kİv nBj </i> |
| | i) | Olmesartan Medoxomil 20mg + Hydrochlorothiazide 12.5mg Tablet Olmesartan Medoxomil INN 20mg + Hydrochlorothiazide BP 12.5mg | Treatment of hypertension. | New | USFDA | <i>Abİİgv`b Kİv hİBİZ cİİİ </i> | <i>Abİİgv`b Kİv nBj </i> |
| | j) | Olmesartan Medoxomil 40mg + Hydrochlorothiazide 12.5mg Tablet Olmesartan Medoxomil INN 40mg + Hydrochlorothiazide BP 12.5mg | Treatment of hypertension. | New | USFDA | <i>GB gvİv cİİqvRb bİB İİİİİ Avİe`b bİgÄİy Kİv hİBİZ cİİİ </i> | <i>GB gvİv cİİqvRb bİB İİİİİ Avİe`b bİgÄİy Kİv nBj </i> |
| | k) | Olmesartan Medoxomil 40mg + Hydrochlorothiazide 25mg Tablet Olmesartan Medoxomil INN 40mg + Hydrochlorothiazide BP 25mg | Treatment of hypertension. | New | USFDA | <i>GB gvİv cİİqvRb bİB İİİİİ Avİe`b bİgÄİy Kİv hİBİZ cİİİ </i> | <i>GB gvİv cİİqvRb bİB İİİİİ Avİe`b bİgÄİy Kİv nBj </i> |
| | l) | Amlodipine 5mg + Atorvastatin 10mg Tablet Amlodipine Besilate 6.940mg eq. to Amlodipine 5mg + Atorvastatin Calcium 10.820mg eq. to Atorvastatin 10mg | Treatment of hypertension, Chronic Stable Angina, adjunct to diet to reduce elevated total cholesterol, LDL- Cholesterol. | New | USFDA | <i>Abİİgv`b Kİv hİBİZ cİİİ </i> | <i>Abİİgv`b Kİv nBj </i> |
| | m) | Amlodipine 5mg + Atorvastatin 20mg Tablet Amlodipine Besilate 6.940mg eq. to Amlodipine 5mg + Atorvastatin Calcium 21.640mg eq. to Atorvastatin 20mg | -do- | New | USFDA | <i>GB gvİv cİİqvRb bİB İİİİİ Avİe`b bİgÄİy Kİv hİBİZ cİİİ </i> | <i>GB gvİv cİİqvRb bİB İİİİİ Avİe`b bİgÄİy Kİv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mŕe-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|---------------------------------|----------------------|---|---------------------------|--|--|---|--|
| Beximco Pharmaceuticals Ltd. | n) | Amlodipine 5mg + Atorvastatin 40mg Tablet Amlodipine Besilate 6.940mg eq. to Amlodipine 5mg + Atorvastatin Calcium 43.280mg eq. to Atorvastatin 40mg | -do- | New | USFDA | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv nBj </i> |
| | o) | Amlodipine BP 5mg + Olmesartan Medoxomil 20mg Tablet Amlodipine Besilate BP 6.94mg eq. to Amlodipine BP 5mg + Olmesartan Medoxomil INN 20mg | Treatment of hypertension | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | p) | Amlodipine BP 5mg + Olmesartan Medoxomil 40mg Tablet Amlodipine Besilate BP 6.94mg eq. to Amlodipine BP 5mg + Olmesartan Medoxomil INN 40mg | -do- | New | USFDA | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv nBj </i> |
| | q) | Amlodipine BP 10mg + Olmesartan Medoxomil 20mg Tablet Amlodipine Besilate BP 13.88mg eq. to Amlodipine BP 10mg + Olmesartan Medoxomil INN 20mg | -do- | New | USFDA | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv nBj </i> |
| | r) | Amlodipine BP 10mg + Olmesartan Medoxomil 40mg Tablet Amlodipine Besilate BP 13.88mg eq. to Amlodipine BP 10mg + Olmesartan Medoxomil INN 40mg | Treatment of hypertension | New | USFDA | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv nBj </i> |
| | s) | Amlodipine 5 mg + Hydrochlorothiazide 12.5 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 6.940 mg eq. to 5 mg Amlodipine + Hydrochlorothiazide BP 12.50 mg + Valsartan USP 160 mg | -do- | New | USFDA | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÁj`Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbnİK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`ıj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|-----------|---------------------------------|--|---------------------------|--|--|---|--|
| | Beximco Pharmaceuticals Ltd. | t) Amlodipine 5 mg + Hydrochlorothiazide 25 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 6.940 mg eq. to 5 mg Amlodipine + Hydrochlorothiazide BP 25 mg + Valsartan USP 160 mg | Treatment of hypertension | New | USFDA | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv hıBİZ cıİi </i> | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv nBj </i> |
| | | u) Amlodipine 10 mg + Hydrochlorothiazide 12.50 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 13.880 mg eq. to 10 mg Amlodipine + Hydrochlorothiazide BP 12.50 mg + Valsartan USP 160 mg | -do- | New | USFDA | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv hıBİZ cıİi </i> | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv nBj </i> |
| | | v) Amlodipine 10 mg + Hydrochlorothiazide 25 mg + Valsartan 160 mg Tablet Amlodipine Besilate BP 13.880 mg eq. to 10 mg Amlodipine + Hydrochlorothiazide BP 25 mg + Valsartan USP 160 mg | -do- | New | USFDA | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv hıBİZ cıİi </i> | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv nBj </i> |
| | | w) Amlodipine 10 mg + Hydrochlorothiazide 25 mg + Valsartan 320 mg Tablet Amlodipine Besilate BP 13.880 mg eq. to 10 mg Amlodipine + Hydrochlorothiazide BP 25 mg + Valsartan USP 320 mg | -do- | New | USFDA | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv hıBİZ cıİi </i> | <i>GB gvl`v cÖqvRb bıB ıearq Avte`b bıgÄıj Kıv nBj </i> |
| | | x) Budesonide 80mcg + Formoterol fumarate 4.5 mcg/ Actuation, HFA Inhalation Aerosol Budesonide BP 80 mcg from Actuator; eq. to 91 mcg from Valve + Formoterol fumarate dihydrate BP 4.50 mcg from Actuator; eq. to 5.1 mcg from Valve | Treatment of asthma | New | USFDA | <i>Abİgr`b Kıv hıBİZ cıİi </i> | <i>Abİgr`b Kıv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕŕŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕŕ-</i> |
|-----------|---------------------------------|---|---|--|--|--|---|
| | Beximco Pharmaceuticals Ltd. | y) Budesonide 160mcg + Formoterol fumarate 4.5 mcg/ Actuation, HFA Inhalation Aerosol Budesonide BP 160 mcg from Actuator; eq. to 181 mcg from Valve + Formoterol fumarate dihydrate BP 4.50 mcg from Actuator; eq. to 5.1 mcg from Valve | -do- | New | USFDA | <i>Abŕŕgr`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgr`b Kiv nBj </i> |
| | | z) Atorvastatin 40 mg Tablet Atorvastatin Calcium INN 41.44mg (eq. to 40 mg Atorvastatin) | For the treatment for reduction of elevated total cholesterol, LDL-cholesterol, apolipoprotein B and triglycerides in patients | Tab: 10mg & 20mg | USFDA | <i>Abŕŕgr`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgr`b Kiv nBj </i> |
| | | aa) Rosuvastatin 40 mg Tablet Rosuvastatin Calcium INN 41.584 mg (eq. to Rosuvastatin 40 mg) | It is indicated as adjunctive therapy to diet to reduce elevated total-C, LDL-C, ApoB, non HDL-C, and triglycerides and to increase SDL-C in adult patients | 10 mg & 20 mg Tablet | USFDA | <i>Abŕŕgr`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgr`b Kiv nBj </i> |
| | | ab) Pantoprazole 40 mg + Domperidone 10 mg Tablet Pantoprazole Sodium Sesquihydrate INN 45.120 mg (eq. to Pantoprazole 40 mg) + Domperidone BP 10 mg | Gastro-esophageal reflux disease, gastritis, Non-ulcer dyspepsia, gastric | New | | <i>GB grŕŕv cŕŕqrB bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB grŕŕv cŕŕqrB bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | | ac) Tramadol HCl 37.5 mg + Paracetamol BP 325 mg Tablet Tramadol Hydrochloride BP 37.50 mg + Paracetamol BP 325 mg | It is indicated for the short term management of acute pain | New | USFDA | <i>GB grŕŕv cŕŕqrB bŕB ŕeavq DCCGi 237mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×ŕŕŕ- enŕj iŕLv hŕBŕZ cŕŕi </i> | <i>GB grŕŕv cŕŕqrB bŕB ŕeavq DCCGi 237mŕvq Avŕe`b bŕgĀj Kiv evi ŕm×ŕŕŕ- enŕj iŕLv nBj </i> |

| bs | cÜZKviİKi bvg | Jlİtai bvg I İRİbniİK bvg | İbİ`Rbv | Status (New Molecule/ Existing) | Aİİe`bKvix cÖE BNF or USFDA Reference | İUKİbK`vj mİe-Kİİİİİ 55 Zg mİvİ gZİİZ | mİvİ İmİİİİ- |
|----|---------------------------------|---|---------------------------------|--|--|--|-------------------|
| | Beximco Pharmaceuticals Ltd. | af) Multivitamin & Multimineral Chewable Tablet for Children Vitamin A (As 20% Beta-Carotene) USP 3.040 mg eqv. to Vitamin A 1015 IU, Vitamin A (As Dry Vitamin A Acetate, Type 500-50) USP 5.7155 mg eqv. to Vitamin A 2485 IU, Vitamin C (As Ascorbic Acid 97% DC) USP 61.8560 mg eqv. to Vitamin C 60 mg, Vitamin D (As Dry Vitamin D3, Colecalciferol 100000 IU/g) USP 4.0 mg eqv. to Vitamin D 400 IU, Vitamin E (As Dry Vitamin E Acetate 50%) USP 60.0 mg eqv. to Vitamin E 30 IU, Vitamin K (As Dry Vitamin K 1 5%) USP 0.20 mg eqv. to Vitamin K 10 mcg, Vitamin B1 (As Thiamine Mononitrate) USP 1.50 mg, Vitamin B2 (Riboflavin) USP 1.70 mg, Vitamin B6 (Pyridoxine HCl) USP 2.0 mg, Vitamin B12 (As Cyanocobalamin 0.1%) USP 6.0 mg eqv. to Vitamin B12 6 mcg, Folic Acid USP 0.40 mg, Niacin USP 20.00 mg, Biotin USP 0.0450 mg, Pantothenic Acid (As Calcium Pantothenate) USP 10.8690 mg eqv. to Pantothenic Acid 10 mg, Calcium & Phosphorous (As Dibasic Calcium Phosphate Anhydrous) USP 219.5850 mg eqv. to Calcium 64.69 mg & Phosphorous 50 mg), Calcium (As Calcium Carbonate USP 107.2750 mg eqv. to Calcium 43.31 mg, Copper (As Cupric Oxide) PH. Grade 2.5034 mg eqv. to Copper 2 mg, Chromium (As Chromic Chloride) USP 0.1025 mg Chromium 20 mcg, Iron (As Dried Ferrous Sulphate) BP 56.9340 mg eqv. to Iron 18 mg, Iodine (As Potassium Iodide) USP 0.1962 mg eqv. to Iodine 150 mcg, Magnesium (As Magnesium Oxide) USP 73.6920 mg eqv. to Magnesium 40 mg, Manganese (As Manganese Sulphate) USP 3.0761 mg eqv. to Manganese 1 mg, Molybdenum (As Sodium Molybdate Dihydrate) 0.0504 mg eqv. to Molybdenum 20 mcg, Zinc (As Zinc Oxide) USP 18.6705 mg eqv. to Zinc 15 mg Chewable Tablet | Vitamin & Mineral Deficiency | New | | Abİİİİ`b Kİv İİİİZ cİİİ | Abİİİİ`b Kİv İİİİ |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕmŕŕŕ-</i> |
|-----------|--------------------------------|--|--|--|--|---|--------------------------|
| | Beximco Pharmaceuticals Ltd | ag) Multivitamin & Multimineral Tablet For Pregnant Woman Vitamin B ₁ (Thiamine nitrate BP) 500 mcg, Vitamin B ₂ (Riboflavin BP) 750 mcg, Nicotinamide BP 7.5 mg, Vitamin B ₆ (Pyridoxine Hydrochloride BP) 750 mcg, Vitamin B ₁₂ (Cyanocobalamin) BP 1.5 mcg, Folic Acid BP 250 mcg, Vitamin C (Ascorbic acid BP) 15 mg, Vitamin D (Cholecalciferol BP) 250 IU, Vitamin E (as dry Vitamin-E Acetate 50%) BP 5.2 IU, Betacarotene BP 3 mg, Calcium (as dibasic calcium phosphate anhydrous BP) 59 mg, Phosphorus (as dibasic calcium phosphate anhydrous BP) 45.6 mg, Magnesium (as magnesium oxide - heavy) BP 15 mg, Iron (as ferrous fumarate BP) 5mg, Zinc (as zinc sulphate monohydrate BP) 8 mg, Iodine* (as potassium iodide BP) 125 mcg. Tablet For Pregnant Woman | Vitamin & Mineral Deficiency | New | | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | ah) Saquinavir 500 Tablet Saquinavir Mesylate USP 571.50 mg (eq. to Saquinavir 500 mg) | For the treatment of HIV-1 with advanced immunodeficiency together with antiretroviral nucleoside analogues | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | ai) Carboxymethyl Cellulose Sodium 0.5% + Glycerin 0.9% Ophthalmic Solution Carboxymethylcellulose Sodium USP 5 mg + Glycerin BP 9 mg/ml | It is used as a lubricant to relieve irritation and discomfort due to dryness of the eye or due to exposure to wind or sun | New | BNF-57 Page No. 595 Carboxy Methyl Cellulose 0.5% + Glycerin | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİİ-</i> |
|-----------|---------------------------------|---|--|--|--|---|--|
| | Beximco Pharmaceuticals Ltd. | a) Cyclopentolate HCl 1% Ophthalmic Solution Cyclopentolate Hydrochloride USP 10 mg/ml | It is used mainly to produce mydriasis and cycloplegia for diagnostic purposes | New | USFDA BNF-57 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | ak) Epinastine HCl 0.05% Ophthalmic Solution Epinastine Hydrochloride INN 0.50 mg/ml | For the prevention of itching associated with allergic conjunctivitis | New | USFDA | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| 4. | Rephco Laboratories Ltd. | a) Isopropyl Alcohol 75.15 ml + Hydrogen Peroxide 4.12 ml + Glycerol 1.45 ml Hand rub solution Isopropyl Alcohol (99.8%) BP 75.15 ml + Hydrogen Peroxide (3%) BP 4.17 ml + Glycerol (98%) BP 1.45 ml/100 ml | Routine handrub antiseptic | New | | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| 5. | ACI Ltd. | a) Aztreonam IM/IV Injection 1 gm Vial Aztreonam USP 1gm/Vial | Gram negative infections including pseudomonas aeruginosa, Haemophilus influenzae and Neisseria meningititis | New | USFDA BNF 56, Page-299 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | b) Baclofen 5 mg/5ml Syrup Baclofen USP 0.1 gm/100 ml | Relief of voluntary muscle spasticity resulting from disorders such as multiple sclerosis, tumours of the spinal cord. | 5 mg, 10 mg & 25 mg Tab. | BNF-56, Page-568 | <i>cİİqvRb bıB İearq Avte`b bıgÄıy Kiv hıBİZ cıİi </i> | <i>cİİqvRb bıB İearq Avte`b bıgÄıy Kiv nBj </i> |
| | | c) Diflorasone Diacetate 0.5 mg/gm Cream Diflorasone Diacetate USP 0.05 gm/100 gm | Relief of the inflammatory and pruritic manifestation of corticosteroid responsive dermatosis | New | USFDA | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕŕŕŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕmŕŕŕŕ-</i> |
|-----------|----------------------|--|---|--|--|---|--|
| ACI Ltd. | k) | Ferrous Gluconate 905.686mg + Ascorbic Acid 500mg Chewable Tablet Ferrous Gluconate USP 905.686 mg eq. to 105 mg Elemental Iron) + Ascorbic Acid BP 500 mg | Prevention and treatment of iron deficiency | New | | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |
| | l) | Halobetasol Propionate 0.50 mg/ gm Cream Halobetasol Propionate INN 0.05 gm/100 gm | Relief of the inflammatory and pruritic manifestation of corticosteroid responsive dermatosis | New | USFDA | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |
| | m) | Hydroxyzine Hydrochloride 30 mg/5ml Paediatric Drops Hydroxyzine HCl USP 0.6 gm/100 ml | Relief of anxiety and tension associated with Psychoneurosis and as an adjunct in organic disease | 10 mg / 5ml Syrup & 10 mg & 25 mg Tab. | | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |
| | n) | Lithium Carbonate 250 mg Extended Release Tablet Lithium Carbonate BP 250 mg | Treatment of prophylaxis of mania, bipolar disorder and recurrent depression aggressive or self mutilating behaviour | New | BNF-56, Page 203 (Plain) | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |
| | o) | Memantine HCl 10 mg Tablet Memantine Hydrochloride INN 10 mg | Moderate to severe dementia in alzheimers disease | New | BNF-56, Page 279 USFDA | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |
| | p) | Memantine HCl 10mg/ml Drops Memantine Hydrochloride INN 0.20 gm/100ml | -do- | New | USFDA | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvi gZıgZ</i> | <i>mfvi İmıİŞ-</i> |
|-----------|----------------------|---|---|--|--|---|--|
| ACI Ltd. | q) | Olmesartan Medoxomil 20 mg + Hydrochlorothiazide 12.50 mg Tablet Olmesartan Medoxomil INN 20 mg + Hydrochlorothiazide BP 12.50 mg | Hypertension | New | BNF 56, Page 106 | <i>Abİgr`b Kiv hİBİZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | r) | Olmesartan Medoxomil 20 mg + Hydrochlorothiazide 25 mg Tablet Olmesartan Medoxomil INN 20 mg + Hydrochlorothiazide BP 25 mg | Hypertension | New | BNF 56, Page 106 | <i>GB grİv cİİqrRb bıB İearq Avte`b bıgÄjy Kiv hİBİZ cıİi </i> | <i>GB grİv cİİqrRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |
| | s) | Pantoprazole Sodium 40mg Pellets Capsule Pantoprazole Sodium Sesquihydrate INN 266.66 mg Pellets contains of Pantoprazole INN 40 mg | Gastric Ulcer | 40mg & 20 mg Tab. & 40mg/vial Inj. | | <i>cİİqrRb bıB İearq Avte`b bıgÄjy Kiv hİBİZ cıİi </i> | <i>cİİqrRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |
| | t) | Pantoprazole Sodium 20mg Pellets Capsule Pantoprazole Sodium Sesquihydrate INN 133.33 mg Pellets contains of Pantoprazole INN 20 mg | -do- | -do- | | <i>cİİqrRb bıB İearq Avte`b bıgÄjy Kiv hİBİZ cıİi </i> | <i>cİİqrRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |
| | u) | Paroxetine 10 mg F/C Tablet Paroxetine Hydrochloride BP 11.10 mg eq. to Paroxetine 10 mg | Major depression, obsessive compulsive disorder, panic disorder social anxiety disorder | 20 mg Tab. | USFDA BNF-56, Page 212 | <i>Abİgr`b Kiv hİBİZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |
| | v) | Polyethylene Glycol 0.4% + Propylene Glycol 0.3% Eye Drops Polyethylene Glycol USP 0.4 gm + Propylene Glycol BP 0.3 gm/100 ml | As ocular lubricant to treat dry eye syndrome | Polyethylene Glycol 255gm/bottle Powder for Solution | | <i>cİİqrRb bıB İearq Avte`b bıgÄjy Kiv hİBİZ cıİi </i> | <i>cİİqrRb bıB İearq Avte`b bıgÄjy Kiv nBj </i> |
| | w) | Ranolazine 1 gm ER Film Coated Tablet Ranolazine INN 1000 mg | For the treatment of chronic angina | New | USFDA | <i>Abİgr`b Kiv hİBİZ cıİi </i> | <i>Abİgr`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕŕi 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|----------------------|--|--|---|--|---|--|
| ACI Ltd. | x) | Sevoflurane volatile liquid for inhalation Sevoflurane USP 100 gm/100 ml | May be use for the induction and maintenance of general anaesthesia | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | y) | Tenoxicam 40mg/Vial IM/IV Injection Tenoxicam (Lyophilized) BP 40 mg/Vial | Relief of pain and inflammation in osteoarthritis and rheumatoid arthritis | 20 mg Tab. | | <i>cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgĀj Kiv nBj </i> |
| | z) | Theophylline CR 100 mg Capsule Theophylline CR pellets Ph. Gr. 111.00 mg contain of theophylline BP 100 mg | Reversible airways obstruction, acute severe asthma | 300 mg Cap.; 250 mg & 300 mg Tab. & 120 mg/5 ml Syrup | USFDA (Plain) | <i>cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgĀj Kiv nBj </i> |
| | aa) | Theophylline CR 200 mg Capsule Theophylline CR pellets Ph. Gr. 220.00 mg contain of theophylline BP 200 mg | -do- | -do- | USFDA (Plain) | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | ab) | Zonisamide 25 mg Capsule Zonisamide INN 25 mg | Adjunctive therapy for refractory partial seizures with or without secondary generalization | New | BNF-56/257 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | ac) | Zonisamide 50 mg Capsule Zonisamide INN 50 mg | -do- | New | BNF-56/257 | <i>GB gŕŕŕv cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕŕv cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgĀj Kiv nBj </i> |
| | ad) | Cefotaxime 2 gm IV/IM Injection Cefotaxime Sodium USP 2.1012 gm eq. to Cefotaxime 2 gm/Vial | Respiratory tract infection, Urinary tract infection, soft tissue Infection, Bone & Joint Infection, gonorrhoea and other bacterial infection. | 250 mg/vial, 500 mg/vial & 1 gm /Vial | USFDA BNF | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mŕe-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|----------------------|---|--|--|--|---|--|
| | ACI Ltd. | ae) Adapalene 0.1% + Benzoyl Peroxide 2.5% Gel AdapaleneINN 0.100 gm + Benzoyl Peroxide BP 2.5 gm/100 gm | It is indicated for the tropical treatment of mild to moderate acne vulgaris in patients of 12 years & older. | | USFDA | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |
| | | af) Amlodipine 10 mg + Valsartan 160 mg + Hydrochlorothiazide 12.50 mg Tablet Amlodipine Besilate BP 13.86 mg (eq. to Amlodipine 10 mg) + Valsartan USP 160 mg + Hydrochlorothiazide BP 12.5 mg | This combination is indicated for treatment of hypertension. (It is not indicated for initial therapy of hypertension) | New | USFDA | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv nBj </i> |
| | | ag) Amlodipine 10 mg + Valsartan 160 mg + Hydrochlorothiazide 25 mg Tablet Amlodipine Besilate BP 13.86 mg (eq. to Amlodipine 10 mg) + Valsartan USP 160 mg + Hydrochlorothiazide BP 25 mg | -do- | New | USFDA | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv nBj </i> |
| | | ah) Amlodipine 10 mg + Valsartan 320 mg + Hydrochlorothiazide 25 mg Tablet Amlodipine Besilate BP 13.86 mg (eq. to Amlodipine 10 mg) + Valsartan USP 320 mg + Hydrochlorothiazide BP 25 mg | -do- | New | USFDA | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv nBj </i> |
| | | ai) Amlodipine 5 mg + Valsartan 160 mg + Hydrochlorothiazide 12.50 mg Tablet Amlodipine Besilate BP 6.93 mg (eq. to Amlodipine 5 mg) + Valsartan USP 160 mg + Hydrochlorothiazide BP 12.5 mg | -do- | New | USFDA | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀŕj Kiv nBj </i> |

| <i>bs</i> | <i>cÜZKviİKi bıg</i> | <i>Jlİai bıg l İRİbıiK bıg</i> | <i>ıbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKıbK`ıj me-Kıgıli 55 Zg mfiı gZıgZ</i> | <i>mfiı ımııİ-</i> |
|-----------|----------------------|--|---|--|--|--|---|
| | ACI Ltd. | a) Amlodipine 5 mg + Valsartan 160 mg + Hydrochlorothiazide 25 mg Tablet Amlodipine Besilate BP 6.93 mg (eq. to Amlodipine 5 mg) + Valsartan USP 160 mg + Hydrochlorothiazide BP 25 mg | This combination is indicated for treatment of hypertension. (It is not indicated for initial therapy of hypertension) | New | USFDA | <i>GB gııı cÜqvRb bıB ıeavq Avte`b bıgÄjı Kiv hıBtZ cııı </i> | <i>GB gııı cÜqvRb bıB ıeavq Avte`b bıgÄjı Kiv nBj </i> |
| | | ak) Benzydamine 0.15% Oral Rinse Benzydamine HCl BP 0.150 gm/100 ml | It is a locally acting analgesic and anti-inflammatory treatment for the relief of painful conditions of the mouth and throat including : 1. Pharyngitis following Tonsilectomy or use of Naso-Gastric tube 2. Aphthous Ulcers & Ulceration due to Radiation Therapy. 3. Dentistry. | New | BNF-57 | <i>Abıgıv`b Kiv hıBtZ cııı </i> | <i>Abıgıv`b Kiv nBj </i> |
| | | a) Bifonazole 1% Cream Bifonazole BP 1 gm/100 gm | It is indicated in the treatment of various types of topical Fungal infections. | New | | <i>cÜqvRb bıB ıeavq Avte`b bı gÄjı Kiv hıBtZ cııı </i> | <i>cÜqvRb bıB ıeavq Avte`b bıgÄjı Kiv nBj </i> |
| | | am) Brinzolamide 1% Ophthalmic Suspension Brinzolamide USP 1 gm/100 ml | It lowers intraocular pressure in patients with ocular hypertension or open-angle glaucoma | New | BNF-57 | <i>Abıgıv`b Kiv hıBtZ cııı </i> | <i>Abıgıv`b Kiv nBj </i> |
| | | an) Calcium Polystyrene Sulfonate Oral Powder Calcium Polystyrene Sulfonate BP 99.934 gm/100 gm | It is indicated for all states of hyperkalemia and in patients with hyperkalemia associated with anuria or severe oligouria. | New | BNF-57 | <i>cÜqvRb bıB ıeavq Avte`b bı gÄjı Kiv hıBtZ cııı </i> | <i>cÜqvRb bıB ıeavq Avte`b bıgÄjı Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|-----------|----------------------|--|---|--|--|---|--|
| ACI Ltd. | at) | Fenoverine 200 mg Capsule Fenoverine INN 200 mg | It is indicated for 1.Disorder of the Colon 2. Gastrointestinal Disorder 3. Gynaecological Disorder | New | | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv İıBİZ cıİi </i> | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv nBj </i> |
| | au) | Flucytosine 1% IV Infusion Flucytosine BP 1 gml/100 ml | Flucytosine is indicated in the treatment of serious infections caused by susceptible strains of Candida and / Cryptococcus. | New | BNF-57 | <i>Abİgr`b Kıv İıBİZ cıİi </i> | <i>Abİgr`b Kıv nBj </i> |
| | av) | Flucytosine 250 mg Capsule Flucytosine BP 250 mg | -do- | New | USFDA | <i>Abİgr`b Kıv İıBİZ cıİi </i> | <i>Abİgr`b Kıv nBj </i> |
| | aw) | Flucytosine 500 mg Capsule Flucytosine BP 500 mg | -do- | New | USFDA | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv İıBİZ cıİi </i> | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv nBj </i> |
| | ax) | Gliclazide 60 mg MR Tablet Gliclazide BP 60 mg | It is indicated for type II Diabetes in association with dietary measures when dietary measures alone are inadequate to control blood glucose. | New | | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv İıBİZ cıİi </i> | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv nBj </i> |
| | ay) | Metoprolol 200 mg SR Tablet Metoprolol Succinate USP 190 mg (eq. to Metoprolol Tartrate 200 mg) | It is indicated in the treatment of Hypertension, Angina Pectoris, Chronic Heart failure, Cardiac Arrhythmias, etc | New | BNF-57 | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv İıBİZ cıİi </i> | <i>cÖqvRb bıB İearq Avte`b bvgÄj Kıv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|-----------|----------------------|--|---|--|--|--|---|
| ACI Ltd. | az) | Metoprolol 25 mg Tablet Metoprolol Tartrate USP 25 mg | -do- | New | USFDA | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | aaa) | Metoprolol 1mg/ml IV Injection Ampoule Metoprolol Tartrate USP 0.100 gm/100 ml | Control of Tachyarrhythmia, especially Supraventricular Tachyarrhythmia | New | BNF-57 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | aab) | Podophyllotoxin 0.15% Cream Podophyllotoxin BP 0.15 gm/100 gm | It is indicated in the treatment of Anogenital Warts (Condylomata Acuminata) of male & female genital | New | BNF-57 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | aac) | Podophyllotoxin 0.5% Topical Solution Podophyllotoxin BP 0.500 gm/100 ml | -do- | New | BNF-57 | <i>cİİqvRb bıB İearq Avte`b bıgÄj Kiv hıBİZ cıİi </i> | <i>cİİqvRb bıB İearq Avte`b bıgÄj Kiv nBj </i> |
| | aad) | Rifaximin 400 mg F/C Tablet Rifaximin INN 400 mg | Rifaximin is indicated for the treatment of patients with IBS by targeting small intestinal bacterial overgrowth (SIBO). | New | | <i>cİİqvRb bıB İearq Avte`b bıgÄj Kiv hıBİZ cıİi </i> | <i>cİİqvRb bıB İearq Avte`b bıgÄj Kiv nBj </i> |
| | aae) | Doxapram 20mg/ml Injection Doxapram Hydrochloride 20 mg/ml | Respiratory Stimulants & Pulmonary surfactants | New | USFDA BNF | <i>cİİqvRb bıB İearq Avte`b bıgÄj Kiv hıBİZ cıİi </i> | <i>cİİqvRb bıB İearq Avte`b bıgÄj Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbuiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İm×İŞ-</i> |
|-----------|---------------------------------|--|---|--|--|---|--------------------------|
| 8. | Popular Pharmaceuticals Ltd. | <p>a) Diphtheria, Tetanus Pertusis, Hepatitis-B (rDNA) & Haemophilus influenza type B Conjugated vaccine in 2.5 ml/Vial</p> <p>Adsorbed Diphtheria Vaccine (as Diphtheria toxoid) BP NLT 100 Lf (150IU), Tetanus Antitoxin BP NLT 37.5Lf (200 IU when tested in guinea pigs and 300 IU when tested in mice) Pertussis Vaccin (as Inactivated w-B. pertussis) BP NLT 60 OU (20 IU), Hepatitis B Vaccine (rDNA) [as rec-Hepatitis B surface antigen (HBsAg)] BP 50.00mcg, Haemophilus type b conjugate vaccine [as H. influenzae type b polysaccharide conjugated to Tetanus toxoid (PRP-TT)] BP 50.00mcg / 2.5ml Vial</p> | It is indicated for Primary active immunization against diphtheria, tetanus, pertussis, Haemophilus influenzae type b [Hib] and hepatitis B (HB) in infants from 6 weeks onwards. | New | | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | <p>b) Diphtheria, Tetanus Pertusis, Hepatitis-B (rDNA) & Haemophilus influenza type B Conjugated vaccine in 0.5ml Pre-filled Syringe</p> <p>Adsorbed Diphtheria Vaccine (as Diphtheria toxoid) BP NLT 20 Lf (30IU), Tetanus Antitoxin BP NLT 7.5Lf (40 IU when tested in guinea pigs and 60 IU when tested in mice) Pertussis Vaccin (as Inactivated w-B. pertussis) BP NLT 12 OU (4 IU), Hepatitis B Vaccine (rDNA) [as rec-Hepatitis B surface antigen (HBsAg)] BP 10.00mcg, Haemophilus type b conjugate vaccine [as H. influenzae type b polysaccharide conjugated to Tetanus toxoid (PRP-TT)] BP 10.00mcg/0.5ml Pre-filled Syringe</p> | It is indicated for Primary active immunization against diphtheria, tetanus, pertussis, Haemophilus influenzae type b [Hib] and hepatitis B (HB) in infants from 6 weeks onwards. | New | | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|---------------------------------|----------------------|---|---|--|--|--|---|
| Popular Pharmaceuticals Ltd. | c) | Protamine Sulphate 10 mg/ml Injection Protamine Sulphate BP 1 gm/100 ml | Used to counteract the anticoagulant effect of heparin | New | BNF-56 Page No-130 | <i>Abİgv`b Kiv İvİİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | d) | Zinc 1.5 mg + Copper 0.1 mg + Maganese 25 mcg + Chromium 0.85 mcg/ml Injection Zinc Sulphate Heptahydrate BP 659.500mg eq. to 150mg Elemental Zinc + Cupric Sulphate, Pentahydrate BP 39.290 mg eq. to 10mg Elemental Copper + Manganese Sulphate Monohydrate BP 7.690mg eq. to 2.5mg Elemental Maganese + Chromium Chloride, Hexahydrate USP 0.436mg eq. to 0.085mg Elemental Chromium/100ml | Intravenous solution given for TPN, TPN Solution helps to maintain plasma levels of Zinc, Copper, Manganese, and Chromium and to prevent depletion of endogenous stores of these trace elements and indicated for use as a supplement to intravenous solution given for TPN | New | | <i>cİqvRb bıB İearq Avİe`b bıgÄıj Kiv İvİİZ cıİi </i> | <i>cİqvRb bıB İearq Avİe`b bıgÄıj Kiv nBj </i> |
| | e) | Sulindac 200 mg Tablet Sulindac BP 200 mg | Relief of sings and symptoms of the osteoarthritis, Rheumatoid Arthritis, Ankylosing Spondylitis, Acute painful shoulder | 100 mg Tab. | USFDA BNF-56 Page No. 552 | <i>Abİgv`b Kiv İvİİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | f) | Cefixime 200 mg/5ml Powder for Suspension Cefixime Micronised USP 4.480 gm eq. to 4 gm Cefixime/100 ml | Treatment of designated microorganisms, Otitis media caused by S. Pneumonia, H. influenzae, B. Catarrhalis and S. Pyogenes, Sinusitis caused by S. pneumonia, H-influenzae, Acute uncomplicated cystitis and urethritis | 100mg/5ml Syrup & 200 mg, 400 mg Cap. | USFDA | <i>Abİgv`b Kiv İvİİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKİ bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|-----------|---------------------------------|--|--|--|--|---|--|
| | Popular Pharmaceuticals Ltd. | k) Multivitamin Lyophilized dry powder for Injection dl alpha tocopherol (Vitamin E) BP 11.20 IU Ascorbic Acid BP 125 mg Biotin BP 69.00 mcg Colecalciferol (Vitamin D3) BP 220 IU Cyanocobalamin (Vitamin B12) BP 6 mcg Folic Acid BP 414 mcg Nicotinamide (Vitamin B3) BP 46 mg Pantothenic Acid (as Dexpantenol) BP 17.25 mg Pyridoxine Hydrochloride (Vitamin B6) BP 5.50 mg (eq. to 4.53 mg Pyridoxine) Retinol (Vitamin A) BP 3500 IU (as Retinol Palmitate) Riboflavin (Vitamin B2) BP 4.14 mg Thiamine (Vitamin B1) (as Cocarboxylase Tetrahydrate) Ph. Gr. 3.51 mg/5 ml Vial | As a supplement in intravenous nutrition in order to meet the daily requirements of the water-soluble vitamins in adults and children. | New | BNF-57 Page 531 | <i>cÖqvRb bıB İearq Avİe`b bvgÄj Kıv İıBİZ cıİi </i> | <i>cÖqvRb bıB İearq Avİe`b bvgÄj Kıv nBj </i> |
| | | l) Sodium Bicarbonate 600mg Tablet Sodium Bicarbonate BP 600mg | Cronic acidotic states, Uraemic Acidosis Metabolic acidosis, alkalinization of urine, Dyspepsia etc. | New | BNF-56 (Page 513) | <i>Abİgv`b Kıv İıBİZ cıİi </i> | <i>Abİgv`b Kıv nBj </i> |
| | | m) Pantoprazple 20mg Capsule 129.03mg enteric coated pellets contain 22.55mg Pantaprazole sodium sesquihydrate INN eq. to 20mg pantoprazole | Treatment of Peptic ulcer, Gastroesophageal Reflux. | | | <i>cÖqvRb bıB İearq Avİe`b bvgÄj Kıv İıBİZ cıİi </i> | <i>cÖqvRb bıB İearq Avİe`b bvgÄj Kıv nBj </i> |
| | | n) Pantoprazole 40mg Capsule 258.06mg enteric coated pellets contain 45.1mg Pantaprazole sodium sesquihydrate INN eq. to 40mg pantoprazole | Treatment of Peptic ulcer, Gastroesophageal Reflux. | | | <i>cÖqvRb bıB İearq Avİe`b bvgÄj Kıv İıBİZ cıİi </i> | <i>cÖqvRb bıB İearq Avİe`b bvgÄj Kıv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi big</i> | <i>Jlİtai big I İRİbwiK big</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj mie-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|---------------------------------|----------------------|--|--|--|--|--|---|
| Popular Pharmaceuticals Ltd. | o) | Aluminium Chloride Hexahydrate 20% Topical Solution Aluminium Chloride Hexahydrate BP 20gm/100gm Solution | Topical treatment of hyperhidrosis specifically involving axillae, hands or feet | | | <i>cİqvRb bıB İearq Avİe`b bigÄjy Kiv hıBİZ cıİi </i> | <i>cİqvRb bıB İearq Avİe`b bigÄjy Kiv nBj </i> |
| | p) | Piperacillin Sodium 4gm + Tazobactam Sodium 0.5gm Powder for Injection Piperacillin Sodium BP eq. to Piperacillin 4gm + Tazobactam Sodium INN eq. to Tazobactam 0.5gm/Vial | For the treatment of patients with moderate to severe infections. | | BNF-56 page-294 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | q) | Ritodrine Hydrochloride 10mg Tablet Ritodrine Hydrochloride USP 10mg | Uncomplicated premature labour. | | BNF-56 page-429 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | r) | Rifaximin 200mg Tablet Rifaximin INN 200mg | For the treatment of travelers diarrhea caused by noninvasive strains of Escherichia coli. Rifaximin tablets should not be used in patients with diarrhea complicated by fever or blood in the stool or diarrhea due to pathogens other than Escherichia coli. | | USFDA | <i>cİqvRb bıB İearq Avİe`b bigÄjy Kiv hıBİZ cıİi </i> | <i>cİqvRb bıB İearq Avİe`b bigÄjy Kiv nBj </i> |
| | s) | Paracetamol 500mg + Domperidone 10mg Tablet Paracetamol BP 500mg + Domperidone Maleate BP 12.73 eq. to Domperidone 10mg | Used to relieve the symptoms of migraine including headache, the feeling of sickness and also vomiting (being sick) | | BNF-48 | <i>cİqvRb bıB İearq Avİe`b bigÄjy Kiv hıBİZ cıİi </i> | <i>cİqvRb bıB İearq Avİe`b bigÄjy Kiv nBj </i> |
| | t) | Sodium Chloride 600mg Tablet Sodium Chloride BP 600mg | For the treatment and prophylaxis of sodium chloride deficiency. | | BNF-48 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İm×İŞ-</i> |
|-----------|---------------------------------|--|---|--|--|---|--|
| | Popular Pharmaceuticals Ltd. | u) Diltiazem Hydrochloride 0.50gm/100ml Injection (25mg/5ml) ampoule Diltiazem Hydrochloride BP 0.50gm/100ml | For Atrial Fibrillation or Atrial Flutter. Temporary control of rapid ventricular rate in atrial fibrillation or atrial flutter. | | USFDA | <i>Abİgv`b Kiv hıBtZ cİti </i> | <i>Abİgv`b Kiv nBj </i> |
| | | v) Folic Acid 0.05 gm / 100ml Oral Solution (syrup) (2.5 mg/5 ml) in bottle Folic Acid BP 0.05 gm/100ml | Used to Bone marrow dysfunction, Dyserythropoiesis, Malabsorption, Connective tissue disease, Chronic inflammatory disease, and Neonates. | | BNF-57 Page-509 | <i>cÖqvRb bıB İearq Avte`b bvgÄy Kiv hıBtZ cİti </i> | <i>cÖqvRb bıB İearq Avte`b bvgÄy Kiv nBj </i> |
| | | w) Furosemide 80mg Tablet Furosemide BP 80mg | For the treatment of edema associated with congestive heart failure, cirrhosis of the liver, and renal disease, including the nephrotic syndrome. | | USFDA | <i>Abİgv`b Kiv hıBtZ cİti </i> | <i>Abİgv`b Kiv nBj </i> |
| | | x) Furosemide 500mg Tablet Furosemide BP 500mg | -do- | | BNF-48 Page-75 | <i>cÖqvRb bıB İearq Avte`b bvgÄy Kiv hıBtZ cİti </i> | <i>cÖqvRb bıB İearq Avte`b bvgÄy Kiv nBj </i> |
| | | y) Ebastine 10mg Fast Dissolving Tablet Ebastine BP 10mg | For the symptomatic treatment of Seasonal and perennial allergic rhinitis, Idiopathic chronic urticaria. | | | <i>cÖqvRb bıB İearq Avte`b bvgÄy Kiv hıBtZ cİti </i> | <i>cÖqvRb bıB İearq Avte`b bvgÄy Kiv nBj </i> |
| | | z) Olopatadine Hydrochloride 0.2% Eye Drop Olopatadine Hydrochloride INN 0.222gm eq. to Olopatadine 0.2gm/100ml | For the treatment of ocular itching associated with allergic conjunctivitis. | | USFDA | <i>Abİgv`b Kiv hıBtZ cİti </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÜZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÜE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfi vi gZıgZ</i> | <i>mfi vi İm×İŞ-</i> |
|---------------------------------|----------------------|--|---|--|--|--|---|
| Popular Pharmaceuticals Ltd. | aa) | Ivabradine Hydrochloride 5mg FC Tablet Ivabradine Hydrochloride INN 5.39 eq. to Ivabradine 5mg | Treatment of angina in patients in normal sinus rhythm. | | BNF-52 Page-116 | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | ab) | Ivabradine Hydrochloride 7.5mg FC Tablet Ivabradine Hydrochloride INN 8.085 eq. to Ivabradine 7.5mg | Treatment of angina in patients in normal sinus rhythm. | | BNF-52 Page-116 | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | ac) | Ceftriaxone Sodium 750mg IV Powder for Injection Ceftriaxone Sodium USP 892.5mg eq. to Ceftriaxone 750mg/Vial | Anti-infective | | | <i>cİİqvRb bıB İearq Avİe`b bvgÄj Kiv hıBİZ cİİi </i> | <i>cİİqvRb bıB İearq Avİe`b bvgÄj Kiv nBj </i> |
| | ad) | Ceftriaxone Sodium 750mg IM Powder for Injection Ceftriaxone Sodium USP 892.5mg eq. to Ceftriaxone 750mg/Vial | Anti-infective | | | <i>cİİqvRb bıB İearq Avİe`b bvgÄj Kiv hıBİZ cİİi </i> | <i>cİİqvRb bıB İearq Avİe`b bvgÄj Kiv nBj </i> |

| bs | cÜZKviİKi bvg | Jlİtai bvg I İRİbniİK bvg | İbİ`Rbv | Status (New Molecule/ Existing) | Aİte`bKvix cÖĒ BNF or USFDA Reference | İUKİbK`vj me-Kıgİli 55 Zg mfvİ gZİgZ | mfvi İmıİŞ- |
|----|---------------------------------|--|--|--|--|---|---|
| 9. | Eskayef Bangladesh Ltd., Mlrpur | <p>a) Multivitmins + Multiminerals with phytosterol C Tablet</p> <p>Vitamin A (as Beta Carotene and Vitamin A Palmitate) BP 1750 IU, Vitamin C (as Ascorbic Acid) BP 30 mg, Vitamin D BP 200 IU, Vitamin E (as E acetate) BP 15 IU, Vitamin K Bp 12.5 mcg, Thiamin (as Mononitrate) (B1) BP 0.75 mg, Riboflavin (B2) BP 0.85 mg, Niacin USP 10.00 mg, Vitamin B6 (as Pyridoxine Hydrochloride)Bp 2.5 mg, Folic Acid BP 200.00 mcg, Vitamin B12 (Cyanacobalamin) BP 100.00 mcg, Biotin BP 15 mcg, Pantothenic Acid (as Calcium Pantothenate) BP 5.00 mg, Calcium (as Calcium Carbonate) BP 54.0 mg, Iron (as Ferrous Sulphate) BP 3.00 mg, Phosphorous (as Calcium Phosphate) BP 40.0 mg, Iodine (Potassium Iodate) BP 75 mcg, Magnesium (as Magnesium Oxide) BP 20.00 mg, Zinc (as Zinc Oxide) Ph. Grade 3.75 mg, Selenium (as Sodium Selenate) BP 10 mcg, Copper (as Copper Lysinate) Ph.Grade 0.35 mg, Manganese (as Manganese Glycinate) BP 1 mg, Chromium (as Chromium Chloride) Ph. Grade 60 mcg, Molybdenum (as Sodium Molibdate)BP 37.5 mcg, Chloride (as Sodium Chloride) BP 29 mg, Potassium (as Potassium Chloide) BP 32 mg, Boron (as Boron Citrate) Ph. Grade 16 mcg, Nickel (asd Nickelous Sulphate) Ph. Grade 2.5 mcg, Silicon (as Silicon Dioxide) BP 1 mg, Tin (Stannous Chloride Dihydrate) BP 5 mcg, Vanadium (as Sodium Meta venadate) Ph. Grade 5 mcg, Phytosterol Ph. Grade 400 mg</p> | Lowering LDL Reduce the risk of heart disease & Prevention and Treatment of Vitamins & Minerals deficiencies. Reduce Saturated fat & cholesterols, Level | | USFDA | cİqİRb bİB İearq Aİte`b bvgÄjy Kİv hİBİZ cİİi | cİqİRb bİB İearq Aİte`b bvgÄjy Kİv nBj |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbuiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj mİe-Kıgİli 55 Zg mİvi gZıgZ</i> | <i>mİvi İmıİİ-</i> |
|-----------|---------------------------------|---|--|--|--|--|---|
| | Eskayef Bangladesh Ltd. Gazipur | f) Baclofen 5 mg/5ml Syrup Baclofen USP 100mg/100 ml | Relief of spasticity of voluntary muscle resulting from- Multiple sclerosis, Spinal lesions, Motor neuron disease | 5 mg , 10mg & 25 mg Tab. | BNF-56, Page-568 | <i>cİİqvRb bİB İearq Avİe`b bvgÄj Kiv İvİİZ cİİi </i> | <i>cİİqvRb bİB İearq Avİe`b bvgÄj Kiv nBj </i> |
| 11. | The Acme Laboratories Ltd. | a) Adapalene 1mg + Benzoyl Peroxide 25mg/gm gel. Adapalene INN 0.1 gm + Hydrous Benzoyl Peroxide USP 2.5 gm/100 gm | Topical treatment acne vulgaris in patients 12 years of age and older. | New | USFDA | <i>Abİgv`b Kiv İvİİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | b) Cefixime 200mg/5ml Powder for Suspension. Cefixime Trihydrate USP 2.24gm Eqv. to Cefixime 2gm/50ml. | Upper respiratory tract infections e.g. otitis media and other URTI where the causative organism is known or suspected to be resistant to other commonly used antibiotics or where treatment failure may carry significant risk. | 100 mg/5 ml Powder for Suspension & 100 mg, 200 mg Capsule 400 mg Tablet | USFDA | <i>Abİgv`b Kiv İvİİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | c) Cinnarizine 20mg & Dimenhydrinate 40mgTablet Cinnarizine INN 20mg + Dimenhydrinate USP 40mg. | Treatment of vertigo symptoms of various origins. | New | BNF-56 Page No. 221 | <i>Abİgv`b Kiv İvİİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | d) Dexlansoprazole delayed release 30mg capsule. Dexlansoprazole enteric coated pellets Pharma grade 300mg contains Dexlansoprazole INN 30mg. | Healing of all grades of erosive esophagitis (EE). | New | USFDA | <i>Abİgv`b Kiv İvİİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | e) Dexlansoprazole delayed release 60mg capsule. Dexlansoprazole enteric coated pellets Pharma grade 600mg contains Dexlansoprazole INN 60mg. | Healing of all grades of erosive esophagitis (EE). | New | USFDA | <i>Abİgv`b Kiv İvİİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÜZKviİKİ bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÜĒ BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfi gZıgZ</i> | <i>mfi imxıİ-</i> |
|-----------|-------------------------------|--|---|--|--|--|---|
| | The Acme Laboratories Ltd. | f) Liquid Paraffin 1.25ml + Magnesium Hydroxide 300mg/5ml oral emulsion. Liquid Paraffin BP 30ml + Magnesium hydroxide paste 34% BP 7.06gm + Magnesium hydroxide dried gel 96% BP 5gm/120ml. | Temporary relief of constipation | New | BNF 55 Page 63 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | g) Olopatadine Nasal Spray Olopatadine Hydrochloride INN 0.1596 gm/24ml (Each 100 microliter spray delivers 665 mcg of Olopatadine Hydrochloride Supplied as a 30.5 g bottle containing 240 sprays) | Relief of the symptoms of seasonal allergic rhinitis in patients 12 years of age and older | 1 mg/ml Eye Drops | USFDA | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | h) Telbivudine 600mg Tablet Telbivudine 600mg INN | Treatment of chronic hepatitis B in patients with evidence of viral replication and active liver inflammation | New | BNF-57, Page-349 | <i>cİİqvRb bıB İearq Avİe`b bvgÄy Kiv hıBİZ cıİi </i> | <i>cİİqvRb bıB İearq Avİe`b bvgÄy Kiv nBj </i> |

| <i>bs</i> | <i>cÜZKviİKİ bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmııİ-</i> |
|-----------|-------------------------------|--|--|--|--|---|--|
| | The Acme Laboratories Ltd. | <p>i) Multivitmin & Multimineral Tablet</p> <p>Dry Vitamin-A Acetate, 0.5 MIU/gm USP 2.485mg Eqv. to 1242.50 IU Vitamin A + Beta Carotene, 20% USP 4.568mg Eqv. to mg 507.5 IU Vitamin A + Ascorbic Acid (Vitamin C) BP 30mg + Dry Vitamin D2, 1MIU/gm BP 0.200mg Eqv. to 200 IU Vitamin D + Vitamin E Acetate, 50% BP 30mg Eqv. to 15 IU Vitamin E + Vitamin K1, 5% BP 0.25% + Thiamine Mononitrate (Vitamin B1) BP 0.75mg + Riboflavin (Vitamin B2) BP 0.85mg + Niacin BP 10mg + Pyridoxine HCl (Vitamin B6) BP 2.5mg + Folic Acid BP 200mcg + Cyanocobalamin (Vitamin B12) 0.1% BP 100mg Eqv. to 100mcg Vitamin B12 + Biotin, 2% BP 0.75mg Eqv. to 15mcg Biotin + Calcium D-Pantothenic BP 5.45mg Eqv. to 5mg Pantothenic Acid + Calcium Carbonate BP 2.7mg + Ferrous Sulphate Dried BP 3.371mg Eqv. to 3mg Iron + Di Calcium Phosphate Anhydrous BP 179.7mg Eqv. to 40mg Phosphorus + Potassium Iodide BP 0.099mg Eqv. to 75mcg Iodine + Magnesium Oxide, heavy BP 33.162mg Eqv. to 20mg Magnesium + Zinc Oxide BP 4668mg Eqv. to 3.75mg Zinc + Sodium Selenate USP 0.024mg Eqv. to 10mcg Selenium + Cupric Oxide Ph. Gr. 0.439mg Eqv. to 0.35mg Copper + Manganese Sulphate BP 2.749mg Eqv. to 1mg Manganese + Chromic Chloride, hexahydrate USP 0.308mg Eqv. to 60mcg Chromium + Sodium Molybdate, dihydrate BP 0.095mg Eqv. to 37.5mcg Molybdenum + Potassium Chloride BP 61.011mg Eqv. to 32mg Potassium and 29mg Chloride + Boron Citrate Ph. gr 0.32mg Eqv. to 16mcg Boron + Nickel Sulphate Hexahydrate Ph. gr 0.012mg Eqv. to 2.5mcg Nickel + Coloidal Silicon Dioxide Ph. gr 2.143mg Eqv. to 1mg Silicon + Stannous Chloride Dihydrate Ph. gr 0.010mg Eqv. to 5mcg Tin + Sodium Metavanadate Ph. gr 0.012mg Eqv. to 5mcg Vandaium + Phytosterols, 70% BP 571.429mg</p> | It can help to maintain healthy cholesterol and blood pressure level | New | | <i>cİqıRb bıB İearq Avte`b bvgÄj Kıv hıBİZ cıİi </i> | <i>cİqıRb bıB İearq Avte`b bvgÄj Kıv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕtai bvg I ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|----------------------------|--|---|--|--|---|--|
| | The Acme Laboratories Ltd. | <p>j) Vitamin A, Vitamin C, Vitamin E, Vitamin B2 , Zinc, Copper, Manganese, Selenium, Lutein & Zeaxanthin Tablet</p> <p>Beta Carotene, 20% USP 29.70mg Eqv. to 3300 IU (Vitamin A) + Ascorbic Acid (Vitamin C) BP 200mg + Dry Vitamin E Acetate, 50% BP 150mg Eqv. to 75IU Vitamin E + Riboflavin (Vitamin B2) BP 5mg + Zinc Acetate, dihydrate BP 100.80mg Eqv. to 30mg Zinc + Cupric Citrate Ph. gr 5mg Eqv. to 2mg Copper + Manganese Sulphate, monohydrate BP 15.40mg eqv. to 5mg Manganese + Sodium Selenate Ph. gr 0.048mg Eqv. to 20mcg Selenium + Lutein 5% Ph. gr 36mg Eqv. to 1.8mg Lutein + Zeaxanthin 5% Ph.gr 4mg Eqv. to 0.20mg Zeaxanthin</p> | Important to eye health, plus the added benefit to lutein and zeaxanthin | New | | <i>cŕŕŕRb bvB ŕearŕ Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bvB ŕearŕ Avŕe`b bvgĀj Kiv nBj </i> |
| 12 | EDCL, Dhaka | <p>a) Methadone Syrup 5mg/5ml</p> <p>Methadone Hydrochloride BP 0.50gm/100ml</p> | Treatment of opiod dependence. Moderate to severe pain pero operative analgesia | New | BNF-54 | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |
| | | <p>b) Lamivudine 150mg+Abacavir 150mg+Nevirapine 200mg Tablet.</p> <p>Lamivudine USP150mg+Abacavir Sulfate INN 175.50mg eq.to Abacavin 150mg+Nevirapine USP 200.00mg</p> | Treatment of HIV Infection | New | | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |
| | | <p>c) Lamivudine 150mg+Stavudine 40mg Tablet.</p> <p>Lamivudine USP 150mg+Stavudine USP 40mg Tablet.</p> | HIV Infection in combination with other antiretroviral drugs. | New | | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |
| | | <p>d) Abacavir 150mg Tablet</p> <p>Abacavir Sulfate INN 175.50mg eq. to Abacavin 150mg</p> | Treatment of Human Immunodeficiency virus (HIV) Infection | New | | <i>Abŕŕŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|----------------------|---|--|--|--|--|---|
| 13. | Apex Phrma Ltd. | a) Diflunisal 500mg Tablet Diflunisal USP 500mg | Treatment of mild to moderate pain, osteoarthritis, rheumatoid arthritis | New | USFDA | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |
| | | b) Simvastatin 20mg+ Niacin 500mg extended releases Tablet Simvastatin USP 20mg + Niacin USP 500mg | Reduce total-C, LDL-C, non-HDL-C or TG or to increase HDL-C | New | USFDA | <i>Abŕŕgr`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgr`b Kiv nBj </i> |
| | | c) Simvastatin 20mg+ Niacin 750mg extended releases Tablet Simvastatin USP 20mg + Niacin USP 750mg | Reduce total-C, LDL-C, non-HDL-C or TG or to increase HDL-C | New | USFDA | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |
| | | d) Simvastatin 20mg+ Niacin 1000mg extended release Tablet Simvastatin USP 20mg + Niacin USP 1000mg | -do- | New | USFDA | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |
| | | e) Dexlansoprazole 30mg delayed release Capsule Pellets containing delayed release Dexlansoprazole INN 300mg eq. to 30 mg of Dexlansoprazole | Treatment of duodenal ulcer, gastric ulcer | New | USFDA | <i>Abŕŕgr`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgr`b Kiv nBj </i> |
| | | f) Doxepin 25 mg Capsule Doxepin HCl USP 28.25 mg eq. to 25 mg Doxepin | Psychoneurotic depression and/ or anxiety | 75 mg Cap. 5 gm/100 gm Cream | USFDA | <i>Abŕŕgr`b Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |
| | | g) Doxepin 50 mg Capsule Doxepin HCl USP 56.5 mg eq. to 50 mg Doxepin | Psychoneurotic depression and/ or anxiety | -do- | USFDA | <i>Abŕŕgr`b Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm`xŕŕ-</i> |
|-------------|----------------------|---|---|---|--|--|---|
| Renata Ltd. | c) | Ibuprofen BP 200mg soft gelatin Capsule Ibuprofen BP 200mg | Minor pain of arthritis, headache, backache, menstrual cramps, the common cold, muscular aches, toothache, temporarily reduces fever. | 200 mg, 400 mg, 600 mg Tab. 300 mg Cap. 100 mg/5ml Suspension | | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgÄj Kiv nBj </i> |
| | d) | Ibuprofen BP 400mg soft gelatin Capsule Ibuprofen BP 400 mg | -do- | -do- | | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕearq Avŕe`b bvgÄj Kiv nBj </i> |
| | e) | Multiple Micronutrient Powder in 1gm Per sachet Vitamin A (as Acetate) USP 0.40 mg Vitamin C (as L-Ascorbic Acid) USP 30.00mg Vitamin D (as Cholecalciferol) USP 0.005 mg Vitamin E (as DL-alpha Tocopherol) USP 5.00 mg Vitamin B1 (Thiamin Mononitrate) USP 0.50 mg Riboflavin (as Phosphate ester mono sodium salt) USP 0.50 mg Niacin (as Niacinamide) USP 6.00 mg Pyridoxine (as Hydrochloride) USP 0.50 mg Vitamin B12 (Cyanocobalamin) USP 0.0009 mg Folic Acid USP 0.150 mg Iron (as Ferrous Fumarate) USP 10.00 mg Zinc (as Zinc Gluconate) USP 4.10 mg Copper (as Cupric Gluconate) USP 0.56 mg Selenium (as Sodium Selenite) USP 0.017 mg Iodine (as Potassium Iodide) USP 0.09 mg | Improves concentration and attention, enhances learning capacity and memory functions, increases resistance of diseases, increases, appetite, promotes appropriate complementary feeding practices, reduces morbidity and mortality for infections. | New | | <i>Abŕŕgv`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg I ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mŕe-Kŕgŕŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm`xŕŕ-</i> |
|-----------|--------------------------------------|---|--|--|--|---|--|
| 16. | Ziska Pharmaceuticals Ltd. | a) Memantine HCl 5 mg Tablet Memantine HCl INN 5mg | Treatment of moderate to severe dementia of the Alzheimers disease. | New | US FDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | b) Memantine HCl 10 mg Tablet Memantine HCl INN 10mg | -do- | New | USFDA/ BNF-56 Page-279 | <i>GB gŕl v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | | c) Varenicline 0.5mg Tablet Varenicline Tartrate INN 0.875mg eq. to varenicline 0.5mg | Smoking cessation, Alternative to nicotine replcement therapies and agonist medication | New | US FDA | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | | d) Varenicline 1mg Tablet Varenicline Tartrate INN 1.75mg eq. to varenicline 1mg | -do- | New | US FDA | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | | e) Methenamine Hippurate 1000 mg Tablet Methenamine Hippurate (Methenamine) USP 1000 mg | Prophylaxis and long term treatment of chronic or recurrent lower urinary tract infections | New | BNF-56 | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| 17. | Unimed & Unihelth Manufacturers Ltd. | a) Fenofibrate 160mg Tablet Fenofibrate BP 160mg | Treatment of secondary Hypercholesterolaemia and hypertriglyceridaemia, Hyperlipidemias of types | 200 mg Cap. | USFDA BNF-56 (page 144) | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | b) Atorvastatin 40mg Tablet Atorvastatin Calcium Trihydrate INN 43.372mg eq. to Atorvastatin 40mg | Indicated for reducing the risk of Cardiovascular events | 10 mg & 20 mg Tab. | BNF-56 (Page 140) | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | c) Clopidogrel 300mg Tablet Clopidogrel Bisulfate USP 391.5mg (eq.to 300mg Clopidogrel) | Acute myocardial infarction | 75 mg Tab. | USFDA BNF-57 | <i>GB gŕl v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbiŕK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mŕe-Kŕgŕŕi 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕmŕŕŕŕ-</i> |
|-----------|---|--|---|---|--|--|--------------------------|
| | Unimed & Unihelth Manufacturers Ltd. | e) Nitrofurantoin 50mg Capsule Nitrofurantoin macrocrystal USP 12.50mg +Nitrofurantoin monohydrate USP 40.35mg eq.to 37.50mg Nitrofurantoin | Urinary tract Infection | | USFDA BNF-56 Page-324 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | f) Nitrofurantoin 100mg Capsule Nitrofurantoin macrocrystal USP 25.00mg +Nitrofurantoin monohydrate USP 80.70mg eq.to 75.00mg Nitrofurantoin | Urinary tract Infection | | USFDA BNF-56 Page-324 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | g) Potassium Citrate 1.5gm+Citric acid monohydrate 250 mg/5ml Oral Solution Potassium Citrate USP 30.00gm+Citric acid monohydrate USP 5gm/100ml | Relief of discomfort in mild urinary tract infection alkalinisation of urine | New | BNF-56 Page-448 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | h) Orlistat 60 mg Capsule Orlistat INN 60 mg | For obesity management | 120 mg Capsule | | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| 18. | Beacon Phrmaceuticals Ltd. | a) Cyclophosphamide 20mg/ml injection Cyclophosphamide BP 1000mg/ 50ml Vial | Anticancer drug | 50 mg Tab. | USFDA BNF-56 Page 458 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | b) Paclitaxel 6 mg/ml injection Paclitaxel USP 100mg/16.7ml vial | Advanced Carcinoma of the ovary, node positive breast cancer | 30 mg/5 ml Injection | USFDA BNF-56 Page 477 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | c) Interferon alfa-2a BP 4.5MIU/0.5ml Prefilled Syringe Interferon alfa-2a BP 4.5MIU/0.5ml | treatment of basal cell-carcinoma, carcinoid syndrome, Chronic active hepatitis B, Chronic lymphocytic leukaemia etc. | Interferon Alfa 2a 3MIU, 5 MIU & 4.5 MIU Injection | BNF-56 Page 485 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕtai bvg I ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕŕi 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|-------------------------------|--|---|---|--|---|--------------------------|
| | Beacon Phrmaceuticals Ltd. | d) Acyclovir 25mg/ml Injection Acyclovir Sodium USP 274.50 eq. to Acyclovir 250mg/10ml Vial | Initial and recurrent mucosal and cutaneous herpes simplex (HSV-1 and HSV-2) in immunocompromised patients. | 200 mg/5 ml Suspension 3gm/100 gm Eye Ointment 200 mg & 400 mg Tab. | USFDA, BNF-56 Page 341 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | e) Cefuroxime 250mg Tablet Cefuroxime Axetil USP 300.70mg eq. to Cefuroxime 250mg | Infection due to sensitive Gram- positive and Gram- negative bacteria, Surgical Prophylaxis, more active against Haemophilus influenzae and Neisseria gonorrhoea, Lymedisease, upper and lower respiratory tract infection, Genito- urinary tract infection, Gonorrhoea. | 250 mg/5ml, 125mg/5ml Powder for Susp. 250mg/Vial, 750 mg/vial & 1 gm/vial Inj. | USFDA BNF-56 Page 299 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | f) Cefuroxime 500mg Tablet Cefuroxime Axetil USP 601.40mg eq. to Cefuroxime 500mg | -do- | -do- | USFDA BNF-56 Page 299 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | g) Alprostadil 500mcg/ml Injection Alprostadil USP 500mcg /ml Ampoule | Alprostadil injection is indicated for palliative, not definitive, therapy to temporarily maintain the potency of the ductus arteriosus until corrective or palliative surgery. | New | BNF-56 Page No# 426 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi big</i> | <i>Jlŕai big I ŕŕŕbuiK big</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ</i> BNF or USFDA Reference | <i>ŕUKŕbK`vj mie-Kŕgŕli</i> 55 Zg <i>mfvi gZŕgZ</i> | <i>mfvi ŕm×iŕ-</i> |
|-----------|-------------------------------|--|--|--|--|--|---|
| | Beacon Phrmaceuticals Ltd. | h) Tinidazole 2mg/ml Infusion Tinidazole USP 800 mg/400 ml IV Infusion | Various anaerobic organisms infections, septicemia, Osteomyelitis, Pelvic inflammation, Peritoneum inflammation, Lung infection, Sinusitis, etc. | 1 gm & 500 mg Tabl. | | <i>GB gŕl v cŕŕqvRb bŕB ŕeavq Avŕe`b bigÁjŕ Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl v cŕŕqvRb bŕB ŕeavq Avŕe`b bigÁjŕ Kiv nBj </i> |
| | | i) Fluconazole 2mg/ml Infusion Fluconazole USP 200 mg/100 ml IV Infusion | Treatment and Prophylaxis of fungal infection | 50 mg & 150 mg Tab. & Cap. 50 mg/5ml Powder for Suspension | BNF-56 Page No. 328 | <i>GB gŕl v cŕŕqvRb bŕB ŕeavq Avŕe`b bigÁjŕ Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl v cŕŕqvRb bŕB ŕeavq Avŕe`b bigÁjŕ Kiv nBj </i> |
| | | j) Polycarbophil 500 mg Tablet Calcium Polycrbophil USP 625 mg eq. to Polycarbophil 500mg | Treatment constipation or the signs and symptoms of irritable bowel disease | New | | <i>GB gŕl v cŕŕqvRb bŕB ŕeavq Avŕe`b bigÁjŕ Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl v cŕŕqvRb bŕB ŕeavq Avŕe`b bigÁjŕ Kiv nBj </i> |
| | | k) Iron Sucrose 2.5ml Injection (50mg elemental iron) Iron Sucrose concentrated solution (Ferric Hydroxide Sucrose complex) USP. Each 2.5ml contain 1.285mg eq. to 50.00mg elementl iron (Fe = 3.9% w/w) | Treatment of rapid iron supply, inflammatory bowel disease | 100 mg/5ml Injection | USFDA | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |
| | | l) Amlodipine BP 5mg + Atorvastatin USP 10mg Tablet Amlodipine Besylate BP 6.9 mg eq. to Amlodipine 5mg+ Atorvastatin Calcium INN 10.36mg to Atorvastatin INN 10mg | Treatment in patients with hyperlipidemia and either hypertension or angina | | USFDA | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |
| | | m) Doxorubicin HCl 10mg/ vial Doxorubicin HCL USP 10mg/ Vial | Treatment acute leukaemia soft tissue and bone sarcomas, Breast carcinoma, Ovarian carcinoma etc. | | BNF 56 Page 460 | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |
| | | n) Doxorubicin HCl 50mg / vial Doxorubicin HCL USP 50mg/ vial | -do- | | BNF 56, Page 460 | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg I ŕŕŕbuiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mŕe-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|-----------|-------------------------------|--|---|--|--|---|--|
| | Beacon Phrmaceuticals Ltd. | o) Deferiprone Taste masked Granules for 150mg/ml Suspension Deferiprone Taste masked granules pharma grade 166.666gm eq.to Deferiprone INN 15gm/100ml. | Treatment of iron overload inpatients with thalassaemia major when deferoxamine therapy is contraindicated or inadequate. | New | | <i>GB gŕŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv nBj </i> |
| | | p) Clopidogrel 75mg IR Pellets Capsule Clopidogrel Bisulphate Immediate release pellets Ph. grade 195.75mg contains Clopidogrel bisulphate USP 97.875 mg eq to Clopidogrel 75mg. | Treatment of myocardial infarction, peripheral arterial disease and stroke. | 75 mg Tab. | | <i>cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv nBj </i> |
| | | q) Clopidogrel 75mg IR+Aspirin 75mg EC pellets Capsule Clopidogrel +Aspirin pellets 362.417 mg contains Clopidogrel Bysulphate USP eq. to Clopidogrel 75 mg + Aspirin USP 75 mg | Risk of thromboembolic disorders such as myocardial infarction peripheral arterial disease and stroke. | 75 mg + 75 mg Tab. | | <i>cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv nBj </i> |
| | | r) Pseudoephedrine HCl SR 120mg Capsule Pseudoephedrine HCl SR pellets ph. grade 220.183 mg eq. to Pseudoephedrine HCl USP 120mg | Temporary relief of congestion associated with acute coryza, acute eustachian salpingitis etc. | 60 mg Tab. | | <i>GB gŕŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕŕv cŕŕqvRb bŕB ŕeavq Avŕe`b bŕgÄj Kiv nBj </i> |
| | | s) Vasopressin 20IU/ML Injection Vasopressin USP 20 IU/ml | Treatment of Cranial diabetes insipidus due to a deficiency in antidiurectic hormone. | New | BNF-56 Page-407 | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |
| | | t) Streptokinase 1500000 Unit Powder for reconstitution/6.5ml Vial Streptokinase BP 1500000 IU/ Vial | Treatment of acute myocardial infarction within 12 hours of onset, with persistent ST-Segment elevation or recent left bundle branch block. | New | USFDA BNF-56 Page-136 | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKİ big</i> | <i>Jlİai big I İRİbwiK big</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İm×İŞ-</i> |
|-----------|-------------------------------|---|--|--|--|---|--------------------------|
| | Beacon Phrmaceuticals Ltd. | u) Zoledronic Acid concentret 4mg/5ml vial IV Injection Zoledronic Acid Monohydrate USP 4.264mg eq. to 4 mg Zoledronic Acid/ Vial | Zoledronic Acid indicated for the treatment of hypercalcemia of malignancy | New | USFDA BNF-56 Page-415 | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | v) Eptifibatide 2 mg/ml (20 mg/10 ml Vial) Eptifibatide INN 20 mg /10ml Vial | Used in the management of unstable angina and in patient under going coronary angioplasty and stenting procedures. | New | USFDA BNF-56 Page-133 | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| 19. | Aristopharma Ltd. | a) Olopatadine 0.2% Eye Drops Olopatadine Hydrochloride INN 0.221gm eq. to Olopatadine 0.2gm/100ml | Treatment of ocular itching associated with allergic conjunctivitis | 1 mg/ml Eye Drops | USFDA | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | b) Loteprednol Etabonate 0.5% + Tobramycin 0.3% Ophthalmic Suspension Loteprednol EtabonateINN 0.5gm + Tobramycin USP 0.3 gm/100ml | Inflammatory Ocular conditions, Inflammatory conditions of thepalpebral and bulbar conjunctiva, Cornea. | New | USFDA | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | c) Alprazolam 500 mcg XR Tablet Alprazolam USP 0.50 mg | Treatment of Panic disorder | 250 mcg & 500 mcg Tab. | USFDA | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | d) Alprazolam 1 mg XR Tablet Alprazolam USP 1 mg | Treatment of Panic disorder | 250 mcg & 500 mcg Tab. | USFDA | <i>Abİgv`b Kiv hıBİZ cİİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKıbK`vj me-Kıgıİi 55 Zg mfvı gZıgZ</i> | <i>mfvı ımxıİ-</i> |
|-----------|----------------------|---|---|--|--|---|--------------------------|
| | Aristopharma Ltd. | e) Pilocarpine Hydrochloride 5 mg Tablet Pilocarpine Hydrochloride BP 5 mg | Treatment of symptoms of dry mouth from salivary gland hypofunction caused by radiotherapy for cancer of the head and neck | 1%, 2% & 4% Eye Drops | USFDA | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | f) Cefixim 200 mg/5 ml Powder for Suspension Cefixim Trihydrate BP 4.476 gm (eq. to Anhydrous Cefixime 4.0 gm)/100 ml | Treatment of designated microorganisms, Otitis media caused by S. Pneumonia, H. influenzae, B. Catarrhalis and S. Pyogenes, Sinusitis caused by S. pneumonia, H-influenzae, Acute uncomplicated cystitis and urethritis | 100mg/5ml Syrup & 200 mg, 400 mg Cap. | USFDA | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | g) Difluprednate INN 0.05% Ophthalmic Emulsion Difluprednate INN 0.05 gm/100 ml | Treatment of inflammation and pain associated with ocular surgery | New | USFDA | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | h) Ivabradine 5 mg F/C Tablet Ivabradine Hydrochloride INN 5.39 mg (eq. to Ivabradine 5 mg) | Treatment of Chronic Stable angina pectoris in patients with normal sinus rhythm. | New | BNF-57 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |
| | | i) Ivabradine 7.5 mg F/C Tablet Ivabradine Hydrochloride INN 8.085 mg (eq. to Ivabradine 7.5 mg) | -do- | New | BNF-57 | <i>Abİgv`b Kiv hıBİZ cıİi </i> | <i>Abİgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfi gZıgZ</i> | <i>mfi İmıİŞ-</i> |
|-----------|----------------------|---|--|--|--|--|---|
| | Aristopharma Ltd. | j) Ciprofloxacin 500 mg/5 ml Pellets for Suspension Ciprofloxacin Hydrochloride USP 25 gm (eq. to 10 gm Ciprofloxacin)/100 ml | For the treatment of urinary tract infections, lower respiratory tract infections and skin structure infections, bone and joint infections and gastrointestinal infections | 125 mg/5ml & 250 mg/5ml Powder for Suspension | USFDA BNF-57 | <i>İkiİ`i Rb`e`eni Kiv İİBİe bv GB kİZ® Abİgv`b Kiv İİBİZ cİİi </i> | <i>İkiİ`i Rb`e`eni Kiv İİBİe bv GB kİZ®Abİgv`b Kiv İİBİ </i> |
| | | k) Oseltamivir 45 mg Capsule Oseltamivir Phosphate INN 59.116 mg (eq. to Oseltamivir 45.00 mg) | Prevention of influenza (Bird flu), Strain H5N1 | 75 mg Capsule 60 mg/5 ml Powder for Suspension | USFDA BNF-57 | <i>Abİgv`b Kiv İİBİZ cİİi </i> | <i>Abİgv`b Kiv İİBİ </i> |
| | | l) Clloquinol 1% + Flumetasone Pivalate 0.02% Ear Drops Chloquinol BP 1 gm + Flumetasone Pivalate BP 20 mg/100 ml | Inflammatory conditions of the external ear where a secondary infections is suspected, Otorrhoea | | BNF-57 | <i>Abİgv`b Kiv İİBİZ cİİi </i> | <i>Abİgv`b Kiv İİBİ </i> |
| 20. | Alco Pharma Ltd. | a) Nicotine 2mg Tablet Nicotine Polacrilex BP 4.66mg eq. to 2.00mg Nicotine | Aid to Smoking Cessation Treatment | New | BNF-56 Page No. 274 | <i>Abİgv`b Kiv İİBİZ cİİi </i> | <i>Abİgv`b Kiv İİBİ </i> |
| | | b) Nicotine 4mg Tablet Nicotine Polacrilex BP 9.32mg eq. to 4.00mg Nicotine | -do- | New | | <i>GB gİİv cİİqvRb bİB İeavq Avİe`b bİgÄİy Kiv İİBİZ cİİi </i> | <i>GB gİİv cİİqvRb bİB İeavq Avİe`b bİgÄİy Kiv İİBİ </i> |
| | | c) Varenicline 0.5mg Tablet Varenicline tartrate INN 0.85mg eq. to Varenicline INN 0.5mg | Aid to smoking cessation treatment | New | USFDA BNF-56 Page : 276 | <i>cİİqvRb bİB İeavq Avİe`b bİgÄİy Kiv İİBİZ cİİi </i> | <i>cİİqvRb bİB İeavq Avİe`b bİgÄİy Kiv İİBİ </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbKİyj me-Kıgİli 55 Zg mfvİ gZİgZ</i> | <i>mfvİ İmıİİ-</i> |
|-----------|----------------------|---|---|--|--|---|--|
| | Alco Pharma Ltd. | d) Varenicline 1mg Tablet Varenicline Tartrate 1.71mg eq. to 1mg Varenicline | -do- | New | BNF-56 Page No. 276 USFDA | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv İvİİZ cİİi </i> | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv nBj </i> |
| | | e) Tapentadol HCl 75mg Tablet Tapentadol Hydrochloride INN 75mg | Severe acute pain, Dental pain, Low back pain and Stage Joint disease, Oestoear thritis of the hip or Knee | New | USFDA | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv İvİİZ cİİi </i> | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv nBj </i> |
| | | f) Tapentadol HCl 100 mg Tablet Tapentadol Hydrochloride INN 100 mg | -do- | | | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv İvİİZ cİİi </i> | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv nBj </i> |
| | | g) Repaglinide 1mg + Metformin HCl 500mg Tablet Repaglinide INN 1mg + Metformin HCl BP 500mg | Adjunct to diet & exercise to improve glycemic control with type 2 diabetic melitus. | New | USFDA | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv İvİİZ cİİi </i> | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv nBj </i> |
| | | h) Repaglinide 2mg + Metformin HCl 500mg Tablet Repaglinid INN 2mg + Metformin HCl BP 500mg | Adjunct to diet & exercise to improve glycemic control with type 2 diabetic melitus. | New | USFDA | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv İvİİZ cİİi </i> | <i>cÖqvRb bİB İearq Avİe`b bvgÄy Kıv nBj </i> |
| | | i) Amlodipine 5mg + Atorvastatin 10mg Tablet Amlodipine Besylate BP 6.934mg eq. to 5mg Amlodipine and Atorvastatin Calcium Trihydrate INN 10.8mg eq. to 10mg Atorvastatin | Hypertension & Cardiovascular disease etc. Chronic stable angina. | | USFDA | <i>Abİİİv`b Kıv İvİİZ cİİi </i> | <i>Abİİİv`b Kıv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbnİK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kİgnİi 55 Zg mfvİ gZİgZ</i> | <i>mfvİ İm×İŞ-</i> |
|-----------|----------------------|---|--|--|--|---|---|
| | Alco Pharma Ltd. | j) Loperamide 2mg + Simethicone 125mg Chewable Tablet Loperamide HCl USP 2.153 mg eq. to Loperamide 2 mg+ Simethicone USP 125mg | Treat Diarrhoea and Symptoms of gas. | New | USFDA BNF | <i>Abİgn`b Kİv İvİtZ cİti </i> | <i>cÖqvRb İvİ İearq Avte`b İvgİy Kİv nBj </i> |
| | | k) Loperamide 2mg + Simethicone 125mg Tablet Loperamide HCl USP 2.153 mg eq. to Loperamide 2 mg + Simethicone USP 125mg | Treat Diarrhoea and Symptoms of gas. | New | USFDA BNF | <i>Abİgn`b Kİv İvİtZ cİti </i> | <i>cÖqvRb İvİ İearq Avte`b İvgİy Kİv nBj </i> |
| | | l) Simethicone 40mg Chewable Tablet Simethicone USP 40mg | Relieve the abdominal Pain | 67 mg/ml Paed Drop 480 mg + 20 mg/5 ml Suspension | | <i>Abİgn`b Kİv İvİtZ cİti </i> | <i>Abİgn`b Kİv nBj </i> |
| | | m) Simethicone 80mg Chewable Tablet Simethicone USP 80mg | Relieve the abdominal Pain | -do- | | <i>cÖqvRb İvİ İearq Avte`b İvgİy Kİv İvİtZ cİti </i> | <i>cÖqvRb İvİ İearq Avte`b İvgİy Kİv nBj </i> |
| | | n) Ezetimibe 10 mg + Simvastatin 10 mg Tablet Ezetimibe INN 10 mg + Simvastatin USP 10 mg | Primary Hypercholesterolemia or mixed hyperlipidemia | New | USFDA | <i>Kİİİbkb AcÖqvRİbİq İearq İİİİİİİ-Gİ 233 Ges 237 Zg mfvİq Avte`b İvgİy Kİİİ İvİ İm×İŞ- enİj İvİv İvİtZ cİti </i> | <i>Kİİİbkb AcÖqvRİbİq İearq İİİİİİİ- Gİ 233 Ges 237 Zg mfvİq Avte`b İvgİy Kİİİ İvİ İm×İŞ- enİj İvİv nBj </i> |
| | | o) Ezetimibe 10 mg + Simvastatin 20 mg Tablet Ezetimibe INN 10 mg + Simvastatin USP 20 mg | -do- | New | USFDA BNF | <i>Kİİİbkb AcÖqvRİbİq İearq İİİİİİİ-Gİ 233 Ges 237 Zg mfvİq Avte`b İvgİy Kİİİ İvİ İm×İŞ- enİj İvİv İvİtZ cİti </i> | <i>Kİİİbkb AcÖqvRİbİq İearq İİİİİİİ- Gİ 233 Ges 237 Zg mfvİq Avte`b İvgİy Kİİİ İvİ İm×İŞ- enİj İvİv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKİ bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE</i> BNF or USFDA Reference | <i>İUKİbK`vj mİe-Kıgİli 55 Zg mİvi gZİgZ</i> | <i>mİvi İm`vİŞ-</i> |
|----------------------------|----------------------|--|---|--|--|--|--|
| M/s Orion Laboratorie Ltd. | b) | Tiemonium Methylsulphate 10mg/5ml Syrup Tiemonium Methylsulphate INN 200mg/100ml | Gastroenteritis, Enterocolitis, Spasmodic dismanorrhoea, Mild cystitis, Renal Colic | 2.5 mg/ml, 5 mg/ml Injection & 50 mg Tab. | | <i>cÖqvRb bİB I BNF G AŞİF® A_ev USFDA KZİİ Abİgwi`Z bq İeavq DCCGi 234 I 237mİvq Avİe`b bİgÄjy Kwi evi İm`vİŞ- enİj İvLv İvBİZ cİİi </i> | <i>cÖqvRb bİB I BNF G AŞİF® A_ev USFDA KZİİ Abİgwi`Z bq İeavq DCCGi 234 I 237mİvq Avİe`b bİgÄjy Kwi evi İm`vİŞ- enİj İvLv İvBj </i> |
| | c) | Tramadol HCl 37.5mg + Paracetamol 325mg Tablet Tramadol HCl BP 37.5mg + Paracetamol BP 325mg | Short term relief of moderate & acute pain. | New | USFDA | <i>cÖqvRb bİB İeavq DCCGi 237mİvq Avİe`b bİgÄjy Kwi evi İm`vİŞ- enİj İvLv İvBİZ cİİi </i> | <i>cÖqvRb bİB İeavq DCCGi 237mİvq Avİe`b bİgÄjy Kwi evi İm`vİŞ- enİj İvLv İvBj </i> |
| | d) | Amino Acid Tablet L-Alanine USP 38.6mg, L-Arginine USP 44.0mg, L-Aspartic USP 84.00mg, L-Cystine USP 10.6mg, L-Glutamic USP 260.1mg, L-Glycine USP 24.0mg, L-Hisidine USP 33.3mg, L-Isoleucine USP 66.8mg, L-Leucine USP 116.0mg, L-lysine 168mg, L-Methionine USP 36.0mg, L-Phenylalanine USP 25.3mg, L-Proline 124.0mg, L-Serine 60.0mg, L-Threonine 46.6mg, L-Tryptophan 14.6mg, L-Tyrosine 18.6mg, L-Valine USP 81.3mg | Illness, Injury and Stress, for maintain healthy Immune system. Tissue and Cell growth and repair | Amino Acid 5% IV Infusion | | <i>BNF G AŞİF® A_ev USFDA KZİİ Abİgwi`Z bq İeavq DCCGi 237mİvq Avİe`b bİgÄjy Kwi evi İm`vİŞ- enİj İvLv İvBİZ cİİi </i> | <i>BNF G AŞİF® A_ev USFDA KZİİ Abİgwi`Z bq İeavq DCCGi 237mİvq Avİe`b bİgÄjy Kwi evi İm`vİŞ- enİj İvLv İvBj </i> |
| | e) | Loperamide 2mg + Simethicone 125mg Tablet Loperamide HCl USP 2.153 mg eq. to Loperamide 2 mg + Simethicone USP 125mg | Treat Diarrhoea and Symptoms of gas. | New | USFDA BNF | <i>Abİgwi`b Kİv İvBİZ cİİi </i> | <i>cÖqvRb bİB İeavq Avİe`b bİgÄjy Kİv İvBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbuiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ</i> BNF or USFDA Reference | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×iŕ-</i> |
|-----------|----------------------------|--|--|--|--|--|---|
| | M/s Orion Laboratorie Ltd. | f) Amlodipine 5mg + Atorvastatin 10mg Tablet Amlodipine Besylate BP 6.934mg eq. to 5mg Amlodipine and Atorvastatin Calcium Trihydrate INN 10.8mg eq. to 10mg Atorvastatin | Hypertension & Cardiovascular disease etc. Chronic stable angina. | | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | g) Multivitamins + Multiminerals (A-Z) + Cholesterol lowering agent with phyosteroles Tablet Vitamin A (as Beta Carotene and Vitamin A Palmitate) BP 1750 IU, Vitamin C (as Ascorbic Acid) BP 30 mg, Vitamin D BP 200 IU, Vitamin E (as E acetate) BP 15 IU, Vitamin K Bp 12.5 mcg, Thiamin (as Mononitrate) (B1) BP 0.75 mg, Riboflavin (B2) BP 0.85 mg, Niacin USP 10.00 mg, Vitamin B6 (as Pyridoxine Hydrochloride)Bp 2.5 mg, Folic Acid BP 200.00 mcg, Vitamin B12 (Cyanacobalamin) BP 100.00 mcg, Biotin BP 15 mcg, Pantothenic Acid (as Calcium Pantothenate) BP 5.00 mg, Calcium (as Calcium Carbonate) BP 54.0 mg, Iron (as Ferrous Sulphate) BP 3.00 mg, Phosphorous (as Calcium Phosphate) BP 40.0 mg, Iodine (Potassium Iodate) BP 75 mcg, Magnesium (as Magnesium Oxide) BP 20.00 mg, Zinc (as Zinc Oxide) Ph. Grade 3.75 mg, Selenium (as Sodium Selenate) BP 10 mcg, Copper (as Copper Lysinate) Ph.Grade 0.35 mg, Manganese (as Manganese Glycinate) BP 1 mg, Chromium (as Chromium Chloride) Ph. Grade 60 mcg, Molybdenum (as Sodium Molibdate)BP 37.5 mcg, Chloride (as Sodium Chloride) BP 29 mg, Potassium (as Potassium Chloide) BP 32 mg, Boron (as Boron Citrate) Ph. Grade 16 mcg, Nickel (asd Nickelous Sulphate) Ph. Grade 2.5 mcg, Silicon (as Silicon Dioxide) BP 1 mg, Tin (Stannous Chloride Dihydrate) BP 5 mcg, Vanadiummm (as Sodium Meta venadate) Ph. Grade 5 mcg, Phytosterol Ph. Grade 400 mg | Prevention and Treatment of Vitamins & Minerals deficiencies. Reduce Saturated fat & cholesterols, Level | | | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕŕv cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|----------------------------|----------------------|--|---|--|--|---|--|
| M/s Orion Laboratorie Ltd. | h) | Alosetron 0.5mg Tablet Alosetron HCl INN 0.562mg eq. to 0.5mg Alosetron | Chronic IBS (irritable bowel syndrome) Symptoms. | New | USFDA | <i>Abŕŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕŕgŕ`b Kiv nBj </i> |
| | i) | Alosetron 1mg Tablet Alosetron HCl INN 1.124mg eq. to 1mg Alosetron | Chronic IBS (irritable bowel syndrome) Symptoms. | New | USFDA | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | j) | Docusate Sodium BP 100mg Tablet Docusate Sodium BP 100mg | Prevention and treating chronic constipation. Softening stools in people with haemorrhoids (piles) or anal fissure. | New | | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | k) | Docusate Sodium 50mg/15ml Syrup Docusate Soidium BP 50mg/15ml | -do- | New | | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | l) | Docusate Sodium 100mg/30ml Syrup Docusate Sodium BP 100mg/30ml | -do- | New | | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | m) | Ibuprofen 100mg + Pseudoephedrine HCl 15mg/5ml Suspension Ibuprofen USP 2.0gm + Pseudoephedrine HCl USP 0.3gm/100ml | Relief of cold, Sinus and flu symptoms etc. | New | USFDA | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |
| | n) | Ibuprofen 100 mg + Pseudoephedrine HCl 15mg + chlopheniramine Maleate 1mg/5ml Suspension Chlorpheniramine Maleate BP 0.02gm + Ibuprofen USP 2.0gm + Pseudoephedrine HCl USP 0.30gm/100ml | Relief of hayfever or other respiratory allergies and common cold. | New | USFDA | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl`v cŕŕqŕRb bŕB ŕeavq Avŕe`b bŕgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bvg</i> | <i>Jlİai bvg I İRİbwiK bvg</i> | <i>İbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvix cÖE</i> BNF or USFDA Reference | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvi gZİgZ</i> | <i>mfvi İmıİŞ-</i> |
|----------------------------|----------------------|--|---|--|--|---|--|
| M/s Orion Laboratorie Ltd. | o) | Simethicone 40mg Chewable Tablet Simethicone USP 40mg | Relieve the abdominal Pain | 67 mg/ml Paed Drop 480 mg + 20 mg/5 ml Suspension | | <i>Abİgv`b Kiv hİBtZ cİti </i> | <i>Abİgv`b Kiv nBj </i> |
| | p) | Simethicone 80mg Chewable Tablet Simethicone USP 80mg | Relieve the abdominal Pain | -do- | | <i>GB gvİv cÖqvRb bİB İearq Avte`b bİgÄj Kiv hİBtZ cİti </i> | <i>GB gvİv cÖqvRb bİB İearq Avte`b bİgÄj Kiv nBj </i> |
| | q) | Mecobalamin 500 mcg + Folic Acid 1.5mg Tablet Mecobalamin INN 500 mcg + Folic Acid BP 1.5 mg | Formation of new red blood cells | New | | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv hİBtZ cİti </i> | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv nBj </i> |
| | r) | Desloratadine 1mg/ml Paediatric Drop Desloratadine INN 0.1gm/100ml | Seasonal allergic rhinitis, Perennial allergic rhinitis, Chronic idiopathic urticaria. | 5 mg Tab. & 2.5 mg/5ml Syrup | | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv hİBtZ cİti </i> | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv nBj </i> |
| | s) | Itopride Hydrochloride 50mg Tablet Itopride Hydrochloride INN 50mg | Treatment of gastro intestinal symptoms caused by reduced gastrointestinal motility | New | | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv hİBtZ cİti </i> | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv nBj </i> |
| | t) | Metronidazole 400 mg + Diloxanided Furoate 500mg Tablet Metronidazole BP 100mg + Diloxanide Furoate BP 500mg | Chronic intestinal amoebiasis, Liver abcess, giradiassis, trichomonal veginitis. | New | | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv hİBtZ cİti </i> | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv nBj </i> |
| | u) | Baclofen 5 mg/5ml Oral Solution Baclofen USP 100 mg/100 ml | It is an effective muscle relaxant and anti spastic agent with a spinal site of action. | 5 mg, 10 mg & 25 mg Tab. | BNF-56, Page-568 | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv hİBtZ cİti </i> | <i>cÖqvRb bİB İearq Avte`b bİgÄj Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj mŕe-Kŕgŕŕi 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm`ŕŕŕ-</i> |
|----------------------------|----------------------|---|---|--|--|---|--|
| M/s Orion Laboratorie Ltd. | v) | Calcium Carbonate 680 mg + Magnesium Carbonate 80 mg Chewable Tablet Calcium Carbonate USP 680 mg + Magnesium Carbonate USP 80 mg | Indicated for the management of conditions associated with hyperacidity and for fast relief of acid indigestion, heartburn, sour stomach, upset stomach, gastric pain and feeling of epigastric heaviness or fullness, nausea | New | | <i>cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |
| | w) | Acetaminophen 250 mg + Aspirin 250 mg + Caffeine 65 mg Tablet Acetaminophen BP 250 mg + Aspirin USP 250 mg + Caffeine USP 65 mg | It is used to treat pain caused by tension headaches, migraine headaches, muscle aches, menstrual cramps, arthritis, toothaches, the common cold, or nasal congestion. | New | USFDA BNF-46 Page-210 | <i>cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |
| | x) | Fexofenadine HCl 60mg + Pseudoephedrine HCl 120 mg Extended Release Tablet Fexofenadine Hydrochloride USP 60 mg + Pseudoephedrine Hydrochloride BP 120 mg | Relief of symptoms associated with seasonal allergic rhinitis | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | y) | Paracetamol 300 mg + Phenylephrine HCl 5 mg + Caffeine 25 mg Capsule Paracetamol BP 300 mg + Phenylephrine HCl USP 5 mg + Caffeine USP 25 mg | It is for the relief of sinus pain and the symptoms of colds and influenza, including fatigue and drowsiness | New | | <i>KŕŕŕbKb cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>KŕŕŕbKb cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |
| | z) | Paracetamol 500 mg + Phenylephrine HCl 6.1 mg + Caffeine 25 mg Capsule Paracetamol BP 500 mg + Phenylephrine HCl USP 6.1 mg + Caffeine USP 25 mg | -do- | New | | <i>KŕŕŕbKb cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv hŕBŕZ cŕŕi </i> | <i>KŕŕŕbKb cŕŕŕRb bvB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |

| <i>bs</i> | <i>cÖZKviİKi bıg</i> | <i>Jlİtai bıg I İRİbııK bıg</i> | <i>ıbt`Rbv</i> | Status (New Molecule/ Existing) | <i>Avte`bKvıx cÖE</i> BNF or USFDA Reference | <i>İUKııK`ıj me-Kıgııı</i> 55 Zg mfvı gZıgZ | <i>mfvı ımııİ-</i> |
|-----------|----------------------------|---|---|--|--|--|---|
| | M/s Orion Laboratorie Ltd. | aa) Polycarbophil Calcium 1 gm Chewable Tablet Polycrbophil Calcium USP 1250 mg eq. to Polycarbophil 1000mg | Treatment of constipation or the signs and symptoms of irritable bowel disease | New | | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv ııBİZ cııı </i> | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv nBj </i> |
| | | ab) Tenoxicam 40mg/Vial IM/IV Injection Tenoxicam (Lyophilized) BP 40 mg/Vial | Relief of pain and inflammation in osteoarthritis and rheumatoid arthritis | 20 mg Tab. | | <i>GB gıııv cÖqvRb bıB ıearq Avte`b bıgÄj Kıv ııBİZ cııı </i> | <i>GB gıııv cÖqvRb bıB ıearq Avte`b bıgÄj Kıv nBj </i> |
| | | ac) Tenoxicam 20mg/Vial IM/IV Injection Tenoxicam (Lyophilized) BP 20 mg/Vial | -do- | 20 mg Tab. | BNF-46 (Page-488) | <i>Abİgv`b Kıv ııBİZ cııı </i> | <i>Abİgv`b Kıv nBj </i> |
| | | ad) Acyclovir 250 mg Capsule Acyclovir USP 250mg | Initial and recurrent mucosal and cutaneous herpes simplex (HSV-1 and HSV-2) in immunocompromised patients. | 200 mg/5 ml Suspension 3gm/100 gm Eye Ointment 200 mg & 400 mg Tab. | | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv ııBİZ cııı </i> | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv nBj </i> |
| 22. | Oponin Pharma Ltd. | a) Hydrocortisone 10mg MR Tablet Hydrocortisone USP 10m | Replacement therapy | 1 gm/100 gm Cream & Ointment 100 mg/Vial Injection | BNF-56 Page-388 As Plain Tablet | <i>Abİgv`b Kıv ııBİZ cııı </i> | <i>Abİgv`b Kıv nBj </i> |
| | | b) Hydrocortisone 20mg MR Tablet Hydrocortisone USP 20mg | -do- | -do- | BNF-56 Page-388 As Plain Tablet | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv ııBİZ cııı </i> | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv nBj </i> |
| | | c) Hydrocortisone 5mg Tablet Hydrocortisone USP 5mg | -do- | -do- | | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv ııBİZ cııı </i> | <i>cÖqvRb bıB ıearq Avte`b bıgÄj Kıv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕŕi 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|---------------------|----------------------|--|---|--|--|--|---|
| Opsonin Pharma Ltd. | d) | Baclofen 5 mg/5ml Syrup Baclofen USP 0.1 gm/100 ml | Relief of voluntary muscle spasticity resulting from disorders such as multiple sclerosis, tumours of the spinal cord | 5 mg, 10 mg & 25 mg Tab. | BNF-56, Page-568 | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv nBj </i> |
| | e) | Atorvastatin 40 mg Tablet Atorvastatin Calcium INN 41.44 mg eq. to Atorvastatin 40 mg | For the treatment of reduction of elevated total cholesterol, LDL-cholesterol, apolipoprotein B and triglycerides | 20 mg & 10 mg Tab. | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | f) | Clonazepam 0.25 mg Tablet Clonazepam BP 250 mcg | Partial seizures, generalized seizures & Panic disorders | 2 mg Tab. & 2.5 mg/ml Paediatric Drops | | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv nBj </i> |
| | g) | Clonazepam 1 mg Tablet Clonazepam BP 1 mg | -do- | -do- | | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv nBj </i> |
| | h) | Glimepiride 1 mg + Metformin HCl 500 mg Tablet Glimepiride BP 1 mg + Metformin Hydrochloride BP 500 mg | For the management of patients with type-2 diabetic mellitus when diet, exercise and single agent do not result adequate glycemic control | New | | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv nBj </i> |
| | i) | Glimepiride 2 mg + Metformin HCl 500 mg Tablet Glimepiride BP 2 mg + Metformin Hydrochloride BP 500 mg | -do- | New | | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv hŕBŕZ cŕŕi </i> | <i>cŕŕqvRb bvB ŕearq Avŕe`b bvgÄj Kiv nBj </i> |

| <i>bs</i> | <i>cÜZKviİKi bvg</i> | <i>Jlİtai bvg I İRİbwiK bvg</i> | <i>İbİ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avİe`bKvix cÖE BNF or USFDA Reference</i> | <i>İUKİbK`vj me-Kıgİli 55 Zg mfvı gZıgZ</i> | <i>mfvı İmıİŞ-</i> |
|-----------|---------------------------------|---|--|--|--|---|--|
| 23. | Pacific Pharmaceuticals Ltd. | a) Repaglinide 1mg+Metformin HCl 500mg Tablet Repaglinide BP 1mg+Metformin HCl BP 500mg | Adjunct to diet and exercise to improve glycemic control in adults with type2 diabetes mellitus | New | | <i>cİİqvRb bıB İearq Avİe`b bıgÄjy Kıv hıBİZ cıİi </i> | <i>cİİqvRb bıB İearq Avİe`b bıgÄjy Kıv nBj </i> |
| | | b) Repaglinide 2mg+Metformin HCl 500mg Tablet Repaglinide BP 2mg+Metformin HCl BP 500mg | -do- | New | | <i>cİİqvRb bıB İearq Avİe`b bıgÄjy Kıv hıBİZ cıİi </i> | <i>cİİqvRb bıB İearq Avİe`b bıgÄjy Kıv nBj </i> |
| 24. | General Pharmaceuticals Ltd. | a) Voriconazole 200mg/5 ml Powder for Suspension Voriconazole INN 4gm/100ml | Treatment of Invasive aspergillosis, Condideamia in nonneutropenic patients, Esophageal Candiasis | 50 mg & 200 mg Tab. | USFDA BNF-56 Page -327 | <i>Abİgv`b Kıv hıBİZ cıİi </i> | <i>Abİgv`b Kıv nBj </i> |
| | | b) Dexlansoprazole 30 mg Delayed Release Capsule Dexlansoprazole INN 360.00 mg Blended Pellets conten eq. to 30 mg Dexlansoprazole | Healing of Erosive Esophagitis, Maintenance of Healed erosive esophagitis symptomatic No- Erosive Gastroesophageal Reflux disease. | New | USFDA | <i>Abİgv`b Kıv hıBİZ cıİi </i> | <i>Abİgv`b Kıv nBj </i> |
| | | c) Dexlansoprazole 60 mg Delayed Release Capsule Dexlansoprazole INN 360.00 mg Blended Pellets contain eq. to 60 mg Dexlansoprazole | -do- | New | USFDA | <i>Abİgv`b Kıv hıBİZ cıİi </i> | <i>Abİgv`b Kıv nBj </i> |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg I ŕŕŕbwiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | <i>ŕUKŕbK`vj me-Kŕgŕli 55 Zg mŕvi gZŕgZ</i> | <i>mŕvi ŕm×ŕŕ-</i> |
|---------------------------------|----------------------|--|---|--|--|---|--|
| General Pharmaceuticals Ltd. | d) | Nisoldipine 10mg Extended Release Tablet Nisoldipine INN 10mg | Prophylaxis of angina, Mild to moderate hypertension | New | BNF-55 Page-116 | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | e) | Nisoldipine 20mg Extended Release Tablet Nisoldipine INN 20mg | -do- | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | f) | Nisoldipine 30mg Extended Release Tablet Nisoldipine INN 30mg | -do- | New | USFDA | <i>GB gŕl v cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgÄj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl v cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgÄj Kiv nBj </i> |
| | g) | Nisoldipine 40mg Extended Release Tablet Nisoldipine INN 40mg | -do- | New | USFDA | <i>GB gŕl v cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgÄj Kiv hŕBŕZ cŕŕi </i> | <i>GB gŕl v cŕŕqŕRb bŕB ŕearq Avŕe`b bŕgÄj Kiv nBj </i> |
| | h) | Ranolazine 500mg Extended Release Tablet Ranolazine INN 500mg | Treatment of Chronic angina | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | i) | Demeclocycline Hydrochloride 150mg Tablet Demeclocycline Hydrochloride USP 150mg | Respiratory tract infection Urinary tract infection, Skin and Skin Structure infection severe acne. | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | j) | Demeclocycline Hydrochloride 300mg Tablet Demeclocycline Hydrochloride USP 300mg | -do- | New | USFDA | <i>Abŕgŕ`b Kiv hŕBŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |

| bs | cŪZKviŕKi bvg | Jlŕtai bvg l ŕŕbwiK bvg | ibŕ`Rbv | Status (New Molecule/ Existing) | Avŕe`bKvix cŪĒ BNF or USFDA Reference | ŕUKŕbK`vj mie-Kŕguŕli 55 Zg mfvi gZŕgZ | mfvi umxŕš- |
|-----|---------------------------------|---|----------------------|--|--|---|---|
| 26. | Novartis Bangladesh Ltd. | a) Diclofenac Cholestyramine 145 mg Capsule Diclofenac Cholestyramine 145 mg eq. to Diclofenac Sodium 75 mg | NSAID | 25 mg; 50 mg; 75 mg & 100 mg Tab. | | cŕŕqvRb bvB ŕearq Avŕe`b bvgĀj Kiv hvŕZ cŕŕi | cŕŕqvRb bvB ŕearq Avŕe`b bvgĀj Kiv nBj |
| 27. | Novo Healthcare and Pharma Ltd. | a) Sildenafil 25 mg Tablet Sildenafil Citrate INN 35.119 mg (eq. to 25 mg Sildenafil) | Erectile dysfunction | New | BNF-56 page 452 | GB RvZŕq Jl a ŕŕk ŕPvi vBcŕ_`Nŕŕ b hver AvmŕZŕQ Ges Jl amgr AvbqvŕŕZ frŕe e`envi nBŕZŕQ ŕbeŪb ŕenxb D ³ Jlŕtai AvbqvŕŕZ e`envi ŕŕŕi Rb` SŕKcYŕhBŕZ cŕŕi উল্লেখ্য যে, যৌন `gŕZŕq e`enviŕi i Rb` kiv`ŕq ŕKQZJl a ŕŕk ŕbeŪZ AvŕQ thŕb mgm`vi h_vh_ ŕPŕKrmvi ŕbvgŕĒ GB RvZŕq Jlŕtai cŕŕqvRb AvŕQ ŕKbv ŕel qŕŪ Jl a ŕbqŕŕ KŕguŕŕZ Avŕj vPbv Kwi qv cŕŕqvRbŕq umxŕš- MŕY Kiv hvŕZ cŕŕi | Jl aŕli Safety, Efficacy and usefulness m=ŕŕK® ŕe`-mi Z Z_` l DcŕĒmn Jl a ŕbqŕŕ Kŕguŕli ŕUKŕbK`vj mie-Kŕguŕli eŕvei 15 ŕŕbi gŕa` cŕZŕe`b`ŕmlŕj i Rb` ŕbgeŕŕZ ŕeŕklĀŕ`i mgŕŕq GKŕŪ Kŕguŕ Mvb Kiv nBj t (1) Aa`ŕcK tgrt BmgŕBj Lvb, dvgrŕKŕj ŕR ŕefŕM, XŕKv tgmŕŕKj Kŕj R - AvŕevqK (2) Aa`ŕcK dŕi`v telMg, ŕKŕbK`vj dvŕgŕŕŕ l dvgrŕKŕj ŕR, XŕKv ŕekŕe`ŕj q - m`m` (3) Rbve Ave`jy gŕŕw i, gŕv-mŕPe, eŕsjvŕ`k Jl a ŕkŕi mgŕŕZ Ges e`e`ŕcbr cŕi Pj K, BŕtmPv dvgrŕmDŕŪK`ŕj mŕŕj t - m`m` (4) Aa`ŕcK ŕMŕjvg ŕKewi qv, BDŕŕvŕ Rŕ ŕefŕM, eŕŕeŪz ŕkL gŕŕe tgmŕŕKj ŕekŕe`ŕj q (5) Rbve tgrt i`ŕj Avŕgb, Jl a ZĒŕearqK, Jl a cŕkŕmb cŕi`Bi, XŕKv - m`m`-mŕPe |
| | | b) Sildenafil 50 mg Tablet Sildenafil Citrate INN 70.238 mg (eq. to 50 mg Sildenafil) | Erectile dysfunction | New | BNF-56 page 452 | -H- | -H- |

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbiK bvg</i> | <i>ŕbŕ`Rbv</i> | Status (New Molecule/ Existing) | <i>Avŕe`bKvix cŪĒ BNF or USFDA Reference</i> | ŕUKŕbK`vj mve-Kŕgŕŕli 55 Zg mŕvi gZvgZ | <i>mŕvi ŕm×vŕŕ-</i> |
|-----------|---------------------------------|--|---|--|--|--|--|
| | Novo Healthcare and Pharma Ltd. | c) Febuxostat 40 mg F/C Tablet Febuxostat INN 40 mg | Chronic management of hyperuricemia in patients with gout. | New | USFDA | <i>Abŕgŕ`b Kiv hvŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| 28. | Sanofi Aventis Bangladesh Ltd. | a) Glimepiride 1 mg + Metformin HCl 500 mg SR Tablet Glimepiride BP 1 mg + Metformin Hydrochloride BP 500 mg | For the management of patients with type-2 diabetic mellitus when diet, exercise and single agent do not result adequate glycemic control | New | | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv hvŕZ cŕŕi </i> | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |
| | | b) Glimepiride 2 mg + Metformin HCl 500 mg SR Tablet Glimepiride BP 2 mg + Metformin Hydrochloride BP 500 mg | -do- | New | | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv hvŕZ cŕŕi </i> | <i>cŕŕŕRb bŕB ŕeavq Avŕe`b bvgĀj Kiv nBj </i> |

2.4.2 Proposed Product for Locally manufacture (Veterinary)

| <i>bs</i> | <i>cŪZKviŕKi bvg</i> | <i>Jlŕai bvg l ŕŕŕbiK bvg</i> | <i>ŕbŕ`Rbv</i> | ŕUKŕbK`vj mve-Kŕgŕŕli 55 Zg mŕvi gZvgZ | <i>mŕvi ŕm×vŕŕ-</i> |
|-----------|------------------------------|---|---|---|--------------------------|
| 1. | Popular Pharmaceuticals Ltd. | a) Amoxicillin 2 gm/Vial Injection (Vet) Amoxicillin Sodium BP 2.122 gm eq. to 2 gm Amoxicillin/vial | Gastrointestinal, respiratory and urinary tract infections | <i>Abŕgŕ`b Kiv hvŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | b) Amoxicillin Trihydrate 20 gm + Colistin Sulphate 120 MIU/100 gm Oral Powder (Vet) Amoxicillin Trihydrate BP 20 gm + Colistin Sulphate BP 120 MIU (eq. to 6.36 gm Colistin Sulphate) /100gm | Treatment of Coli bacillosis salmonellosis, streptococcosis atrophic rhinitis (AR) bacterial pneumonia etc. | <i>Abŕgŕ`b Kiv hvŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |
| | | c) Ampicillin 1 gm + Colistin 1 MIU/Vial Injection Ampicillin Sodium BP 1.065 gm eq. to 1 gm Ampicillin + Colistin Sulphate 1 MIU eq. to 0.053 gm Colistin Sulphate/Vial | Treatment of pneumonia of cattle and pigs | <i>Abŕgŕ`b Kiv hvŕZ cŕŕi </i> | <i>Abŕgŕ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviṭKi bvg</i> | <i>Jlṭai bvg l ṭRṭbwi K bvg</i> | <i>ṭṭṭ`Rbv</i> | <i>ṭUKṭbK`vj mve-Kṭṭṭṭi 55 Zg mfvī gZṭgZ</i> | <i>mfvi ṭm×vš-</i> |
|-----------|-----------------------------|---|--|--|---|
| | ACI Ltd. | c) Hozom (Vet) Tablet Cobalt Sulphate BP 50 mg, Dried Ferrous Sulphate BP 100 mg, Thiamine Mononitrate BP 25 mg, Cyanocoblamine (B ₂) BP 0.02 mg, Choline Bitartrate USP 9.10 mg | For anorexia of animals caused by various diseases or nutritional deficiency. | <i>Abṭṭṭv`b Kiv hvṭṭZ cṭṭi </i> | <i>Abṭṭṭv`b Kiv nBj </i> |
| 4. | The Acme Laboratories Ltd. | a) Magnesium Hydroxide Suspension 400mg/5ml (Vet) Magnesium Hydroxide Paste 34% BP 29.415gm/500ml + Magnesium Hydroxide Dried Gel 96% BP 31.250gm/500ml | Indigestion | <i>Abṭṭṭv`b Kiv hvṭṭZ cṭṭi </i> | <i>Abṭṭṭv`b Kiv nBj </i> |
| | | b) Imidocarb Dipropionate Injection 120mg/ml (Vet) Imidocarb Dipropionate INN 0.240gm/2ml | Treatment of Babesiosis and anaplasmosis | <i>Abṭṭṭv`b Kiv hvṭṭZ cṭṭi </i> | <i>Abṭṭṭv`b Kiv nBj </i> |
| | | c) Amprolium, Sulfaquinoxaline Sodium & Menadione Sodium bisulphite (Vitamin K) WSP (Vet) Amprolium USP 10.200gm/100gm + Sulfaquinoxaline Sodium Ph. gr. 10.200gm/100gm + Menadione Sodium bisulphite (Vitamin K) USP 0.100gm/100gm | Treatment of a acute and chronic coccidiosis of poultry | <i>Abṭṭṭv`b Kiv hvṭṭZ cṭṭi </i> | <i>Abṭṭṭv`b Kiv nBj </i> |
| | | d) Procaine Penicillin and Benzyl Penicillin Sodium Powder for Injection (Vet) Procaine Penicillin BP 6,00,000 Units + Benzyl Penicillin Sodium BP 200,000 Units/Vial | Antibiotic, It is highly active against wide range of pathogenic bacteria of animals. | <i>Abṭṭṭv`b Kiv hvṭṭZ cṭṭi </i> | <i>Abṭṭṭv`b Kiv nBj </i> |
| | | e) Ivermectin & Clorsulon Injection (Vet) Ivermectin BP 1 gm + Clorsulon USP 10 gm/100 ml | It is indicated for the effective treatment and control of the cattle | <i>cṭṭṭvRb bvB ṭeavq Avṭe`b bvgĀj Kiv hvṭṭZ cṭṭi </i> | <i>cṭṭṭvRb bvB ṭeavq Avṭe`b bvgĀj Kiv nBj </i> |
| 5. | Square Pharmaceuticals Ltd. | a) Diminazene Diaceturate 1.05 gm + Antipyrine 1.31 gm/2.36 gm Sachet Powder for Injection (Vet) Diminazene Diaceturate INN 1.05 gm + Antipyrine BP 1.31 gm/2.36 gm | It is highly active against trypanosoma spp., Babesia spp. and Theilaria annulata. Antipyrine is active against fever especially in cases of Babesiosis. | <i>Abṭṭṭv`b Kiv hvṭṭZ cṭṭi </i> | <i>Abṭṭṭv`b Kiv nBj </i> |
| | | b) Diminazene Diaceturate 445 mg + Antipyrine 555 mg/gm Powder for Injection (Vet) Diminazene Diaceturate INN 445 mg + Antipyrine BP 555 mg/gm | -do- | <i>Abṭṭṭv`b Kiv hvṭṭZ cṭṭi </i> | <i>Abṭṭṭv`b Kiv nBj </i> |

| <i>bs</i> | <i>cŪZKviṭKi bḡ</i> | <i>Jlṭai bḡ I ṭRṭbiiK bḡ</i> | <i>ibṭ`Rbv</i> | <i>ṭUKıbK`vj mve-Kıgıṭli 55 Zg mfvı gZıgZ</i> | <i>mfvi ım×ıŖ-</i> |
|-----------|-----------------------------|--|---|---|--------------------------|
| | Square Pharmaceuticals Ltd. | c) Sulphamethoxazole 80 mg + Trimethoprim 16 mg/ml Injectable Solution (Vet) Sulphamethoxazole BP 80 mg + Trimethoprim BP 16 mg/ml | To potentiated sulfonamide produce antibacterial activity against a wide range of infections caused by gram positive and gram negative bacteria, some protozoa and some anaerobes under certain conditions. It is use to treat infetions of the CNS, respiratory tract, gastrointestinal tract and in particular urinary tract. | <i>Abṭgı`b Kiv hvṬZ cvṭi </i> | <i>Abṭgı`b Kiv nBj </i> |
| | | d) Simethicone Suspension (Vet) Simethicone USP 1.00 gm/100 ml | Treatment of Bloat & Tympany in Cattle, Buffalo, Sheep & Goats | <i>Abṭgı`b Kiv hvṬZ cvṭi </i> | <i>Abṭgı`b Kiv nBj </i> |

2.4.3 Proposed Product for Import

| <i>bs</i> | <i>cŪZKviṭKi bḡ</i> | <i>Jlṭai bḡ I ṭRṭbiiK bḡ</i> | <i>ibṭ`Rbv</i> | <i>CPP/FSC</i> | <i>ṭUKıbK`vj mve-Kıgıṭli 55 Zg mfvı gZıgZ</i> | <i>mfvi ım×ıŖ-</i> |
|-----------|---|---|---|----------------|---|---|
| 01. | Made for F. Hoffmann La Roche Ltd. Switzerland by Chugai Pharma Manufacturing Company Ltd. Japan (Roche Bangladesh Ltd.) | a) Actemra 80 mg/4ml Vial Tocilizumab 20 mg/ml | Treatment of moderate to severe active rheumatoid arthritis | Japan | <i>Abṭgı`b Kiv hvṬZ cvṭi </i> | <i>Abṭgı`b Kiv nBj </i> |
| | | b) Actemra 200 mg/10 ml Vial Tocilizumab 20 mg/ml | -do- | Japan | <i>Abṭgı`b Kiv hvṬZ cvṭi </i> | <i>Abṭgı`b Kiv nBj </i> |
| | | c) Actemra 400 mg/20 ml Vial Tocilizumab 400 mg/vial (400mg/20ml) | -do- | Japan | <i>cṭıqıRb bıB ıearıq Arte`b bḡÁj Kiv hvṬZ cvṭi </i> | <i>cṭıqıRb bıB ıearıq Arte`b bḡÁj Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiK big</i> | <i>ŃbŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`vj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi mŃvŃŃ-</i> |
|-----------|--|---|--|------------------------|--|--------------------------|
| 02. | S.C. Sindan Pharma SRL, Romania (Bots Pvt. Ltd.) | a) Vinorelbina 10mg/ml Concentrate for Solution for Infusion Vinorelbina Tartrate 13.85 mg eq. to Vinorelbina 10mg/ml Vial | Non-microcellular lung cancer. Breast cancer with metastases | Romania Switzerland | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | b) Vinorelbina 50mg/5 ml Concentrate for Solution for Infusion Vinorelbina Tartrate 69.25 mg eq. to Vinorelbina 50mg/5ml Vial | Non-microcellular lung cancer. Breast cancer with metastases | Romania Switzerland | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | c) Epirubicin HCl 2mg/ml Solution for Injection 5 ml Epirubicin Hydrochloride Ph. Eur. 10mg/5ml | Breast, Ovarian, Gastric, Esophagus, Pancreatic and Hepatic carcinoma Malignant lymphomas (non-Hodgkin, Hodgkin's disease) and multiple myeloma; Lung carcinoma | Romania, UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | d) Epirubicin HCl 2mg/ml Solution for Injection, 25 ml Epirubicin Hydrochloride Ph. Eur. 50mg/25ml | -do- | Romania, UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | e) Sindroxocin 10 mg/ Vial Powder for Solution for Injection Doxorubicin HCl 10 mg/Vial | Treatment of Acute lymphoblastic leukemia, acute myeloblastic leukemia as monotherapy wilmistumor neuroblastoma soft tissue & bone sarcomas | Romania France | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | f) Sindroxocin 50 mg/ Vial Powder for Solution for Injection Doxorubicin HCl 50 mg/Vial | -do- | -do- | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |

| <i>bs</i> | <i>cŮZKviŤKi byg</i> | <i>JlŤai byg l ŤRŤbwiK byg</i> | <i>ibŤ`Rbv</i> | CPP/FSC | <i>ŤUKıbK`yj mve-KıgıŤi 55 Zg mŤvi gZıgZ</i> | <i>mŤvi ım×ıŤ-</i> |
|-----------|--|--|--|--------------------|---|--|
| 03. | Manufacturer Alkermcs Controlled Therapeutics II, USA [Manufacturer of Active Microphes Inj. dosage form] Final Batch Release by Cilag AG, Switzerland (UniHealth Ltd.) | a) Risperdal Consta 25mg Suspension for IM application Microspheres: Risperidone 25mg/Vial | Treatment of schizophrenia and bipolarmania. | FSC Switzerland | <i>AbŤgy`b Kiv hıBŤZ crtı </i> | <i>AbŤgy`b Kiv nBj </i> |
| | | b) Risperdal Consta 37.5mg Suspension for IM application Microspheres: Risperidone 37.5mg/Vial | Treatment of schizophrenia and bipolarmania. | FSC Switzerland | <i>AbŤgy`b Kiv hıBŤZ crtı </i> | <i>AbŤgy`b Kiv nBj </i> |
| | | c) Risperdal Consta 50mg Suspension for IM application Microspheres: Risperidone 50mg/Vial | -do- | FSC Switzerland | <i>AbŤgy`b Kiv hıBŤZ crtı </i> | <i>AbŤgy`b Kiv nBj </i> |
| 04. | Glaxo Operation UK Ltd., UK (GlaxoSmithKline Bd. Ltd.) | a) Tykerb Tablet 250 mg Lapatinib Ditosylate INN 405 mg (eq. to Lapatinib 250 mg) | Metastatic breast cancer | European Union | <i>AbŤgy`b Kiv hıBŤZ crtı </i> | <i>AbŤgy`b Kiv nBj </i> |
| | | b) Avamys Nasal Spray Fluticasone furoate INN 27.5 mcg/spray, 120 Spray | Perennial allergic rhinitis | European Union | <i>AbŤgy`b Kiv hıBŤZ crtı </i> | <i>AbŤgy`b Kiv nBj </i> |
| 05. | Chong Kunb Dang Pharmaceutical Corp. Korea (City Overseas Ltd.) | a) Belloxa Inj. 100 mg Vial Oxaliplatin 100 mg | Treatment of metastatic colorectal cancer | Korea | <i>Zıııj KıvFŤ 7ııı DbŤzŤ`Ťki gŤa` th ŤKıv GKııı Ť`Ťki FSC bv _ıvKıq AvŤe`b bıgÄıy Kıv hıBŤZ crtı </i> | <i>Zıııj KıvFŤ 7ııı DbŤzŤ`Ťki gŤa` th ŤKıv GKııı Ť`Ťki FSC bv _ıvKıq AvŤe`b bıgÄıy Kıv nBj </i> |
| | | b) Belloxa Inj. 150 mg Vial Oxaliplatin 150 mg | -do- | Korea | <i>Zıııj KıvFŤ 7ııı DbŤzŤ`Ťki gŤa` th ŤKıv GKııı Ť`Ťki FSC bv _ıvKıq AvŤe`b bıgÄıy Kıv hıBŤZ crtı </i> | -H- |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|--|---|---|----------------------------|---|--|
| 06. | Novartis Pharma AG, Switzerland (Novartis Bd Ltd.) | a) Galvus Tablet 50 mg Vildagliptin INN 50 mg | Type-2 diabetes Mellitus | Switzerland | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Co-Diovan 160 mg + 12.5 mg Tab. Valsartan USP 160 mg + Hydrochlorothiazide USP 12.50 mg | Hypertension | Switzerland | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bigÄj Kiv hvBŃZ cŃŃi </i> | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bigÄj Kiv nBj </i> |
| 07. | Novartis Pharma SPA, Italy (Novartis Bd. Ltd.) | a) Trileptal 300 mg Tab. Oxcarbazepine INN 300 mg | Partial seizures & generalizatonic clonic seizures in adults & children | Switzerland Italy | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bigÄj Kiv hvBŃZ cŃŃi </i> | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bigÄj Kiv nBj </i> |
| | | b) Trileptal 600 mg Tab. Oxcarbazepine INN 600 mg | -do- | Switzerland Italy | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bigÄj Kiv hvBŃZ cŃŃi </i> | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bigÄj Kiv nBj </i> |
| 08. | Takeda Pharmaceuticals Co. Ltd., Japan Marketing : Abbott Lab. (Pakistan) Ltd., Pakistan (Unimed Ltd.) | a) Lucrin Depot 3.75 mg Inj. Leuprorelin Acetate 3.75 mg/Vial | Treatment of advance prostatic cancer | Japan | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Lucrin Depot 11.25 mg Inj. Leuprorelin Acetate 11.25 mg/Vial | -do- | Japan | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 09. | Advanced Medical Optics Uppsala AG, Sweden (S.P. Trading) | a) Healon-5 23 mg/ml Solution for Intraocular Application Sodium Hyaluronate 5000 23 mg/ml | Surgery of the anterior eye segment | Sweden Australia USA | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Healon GV 14 mg/ml Solution for intraocular Application Sodium Hyaluronate 7000 14 mg/ml | -do- | Sweden Australia USA | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi byg</i> | <i>JlŃai byg l ŃRŃbiŃK byg</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi mŃvŃŃ-</i> |
|-----------|--|--|---|-----------|--|---|
| 10. | Sigma Pharmaceuticals (Australia) Pvt. Ltd., Australia (Biogene Pharma Lrd.) | a) Cloxyll 120 mg Tablet Docusate Sodium 120mg | Management of constipation | Australia | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Alendro 70 mg Tablet Alendronate Sodium monohydrate BP 81.24 mg (eq. to Alendronic Acid 70 mg) | Treatment of osteoporosis including glucocorticoid induced osteoporosis | Australia | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bygAŃj Kiv hvBŃZ cŃŃi </i> | <i>Ń`Ńk DrcŃ`b nq Ńeavq AvŃe`b bygAŃj Kiv nBj </i> |
| | | c) Herron Calcium Plus Tablet Calcium Carbonate 1500 mg Borax 13.2 mg Pyridoxine HCl 1.4 mg Folic Acid 250 mcg Magnesium Oxide Heavy 100 mg Dry Vitamin D3 200 IU (eq. to 2.0 mg) | Prevention of Osteoporosis | Australia | <i>cŃŃqŃRb byB Ńeavq AvŃe`b bygAŃj Kiv hvBŃZ cŃŃi </i> | <i>cŃŃqŃRb byB Ńeavq AvŃe`b bygAŃj Kiv nBj </i> |
| | | d) Herron Baby Teething Gel 87mg/gm Choline Salicylate 8.7% w/w | Temporary relief of pain of teething babies | Australia | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | e) Ferrosig Injection 100mg/2ml amp Iron Polymaltose 318mg eq. to Iron 100mg/2ml | treatment of Iron deficiency | Australia | <i>cŃŃqŃRb byB Ńeavq AvŃe`b bygAŃj Kiv hvBŃZ cŃŃi </i> | <i>cŃŃqŃRb byB Ńeavq AvŃe`b bygAŃj Kiv nBj </i> |
| | | f) Logicin Rapid Relief Nasal Spray Oxymetazoline Hydrochloride BP 0.5 mg/ml | Temporary relief of nasal congestion | Australia | <i>cŃŃqŃRb byB Ńeavq AvŃe`b bygAŃj Kiv hvBŃZ cŃŃi </i> | <i>cŃŃqŃRb byB Ńeavq AvŃe`b bygAŃj Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bġ</i> | <i>JlŃai bġ l ŃRŃbiK bġ</i> | <i>ŃbŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`vj mve-KŃġŃŃi 55 Zg mŃvi gZġZ</i> | <i>mŃvi Ńm×vŃŃ-</i> |
|-----------|--|---|---|-------------------|--|---|
| | Sigma Pharmaceuticals (Australia) Pvt. Ltd., Australia (Biogene Pharma Lrd.) | g) Aeron 500 Nebuliser Solution Ipratropium Bromide BP 500 mcg/1ml | Moderate asthmatic attacks, chronic forms of asthma; asthma in patients with diminished cardiac reserve; chronic obstructive bronchitis with bronchospasm | Australia | <i>GB RvZġq Jl a Ń`Ńk Drcw`Z nq Ńeavq AvŃe`b bġvĀġy Kiv hvBŃZ cŃŃi </i> | <i>GB RvZġq Jl a Ń`Ńk Drcw`Z nq Ńeavq AvŃe`b bġvĀġy Kiv nBj </i> |
| | | h) Aeron 250 Nebuliser Solution Ipratropium Bromide BP 250 mcg/1ml | -do- | Australia | <i>Ń`Ńk Drcw`Z nq Ńeavq AvŃe`b bġvĀġy Kiv hvBŃZ cŃŃi </i> | <i>Ń`Ńk Drcw`Z nq Ńeavq AvŃe`b bġvĀġy Kiv nBj </i> |
| 11. | Alcon Laboratories Inc., USA (Globex Marketing Co.,) | a) Triesence 40 mg/ml Injectable Suspension Triamcinolone Acetonide USP 4% | -Ophthalmic Diseases - Synthetic corticosteroid with anti-inflammatory action - Indicated for visualization during vitrectomy | USA | <i>Ń`Ńk Drcw`Z nq Ńeavq AvŃe`b bġvĀġy Kiv hvBŃZ cŃŃi </i> | <i>Ń`Ńk Drcw`Z nq Ńeavq AvŃe`b bġvĀġy Kiv nBj </i> |
| 12. | Pfizer Italia Srl, Italy (Janata Traders) | a) Sutent Hard Capsule 12.5 mg Sunitinib Maleate 16.70 mg eq. to 12.50 mg of Sunitinib | Treatment of Gastrointestinal stromal tumor after failure of imatinib mesylate due to resistance or intolerance | European Union | <i>AbŃġv`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃġv`b Kiv nBj </i> |
| | | b) Sutent Hard Capsule 25 mg Sunitinib Maleate 33.40 mg eq. to 25 mg of Sunitinib | -do- | European Union | <i>AbŃġv`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃġv`b Kiv nBj </i> |
| | | c) Sutent Hard Capsule 50 mg Sunitinib Maleate 66.80 mg eq. to 50 mg of Sunitinib | -do- | European Union | <i>AbŃġv`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃġv`b Kiv nBj </i> |
| | | d) Medrol 4 mg Tablet Methyl Prednisolone USP 4 mg | Indicated for conditions requiring glucocorticoids activity such as Endocrin Rheumatic collagen disorders/arthritis, dermatological allergic states, ophthalmic, disorder | Italy UK | <i>cŃŃqvRb bvB Ńeavq AvŃe`b bġvĀġy Kiv hvBŃZ cŃŃi </i> | <i>cŃŃqvRb bvB Ńeavq AvŃe`b bġvĀġy Kiv nBj </i> |
| | | e) Medrol 16 mg Tablet Methyl Prednisolone USP 16 mg | -do- | Italy UK | <i>cŃŃqvRb bvB Ńeavq AvŃe`b bġvĀġy Kiv hvBŃZ cŃŃi </i> | <i>cŃŃqvRb bvB Ńeavq AvŃe`b bġvĀġy Kiv nBj </i> |

| <i>bs</i> | <i>cŮZKviŤKi big</i> | <i>JlŤai big l ŤRŤbiŤK big</i> | <i>ibŤ`Rbv</i> | CPP/FSC | <i>ŤUKŤbK`vj mve-KŤgŤŤi 55 Zg mŤvi gZŤgZ</i> | <i>mŤvi mŤvŤŤ-</i> |
|-----------|--|---|--|------------------------|---|--|
| 13. | Pfizer Manufacturing Deutschland, Germany (Janata Traders) | a) Champix 0.5 mg F/C Tablet Varenicline Tartrate 0.5 mg | Indicatd for smoking cessation in adults. | European Union | <i>cŤŤqŤRb bŤB ŤeavŤq AvŤe`b bigÄj KŤv hvŤtZ cvŤi </i> | <i>cŤŤqŤRb bŤB ŤeavŤq AvŤe`b bigÄj KŤv nBj </i> |
| | | b) Champix 1 mg F/C Tablet Varenicline Tartrate 1 mg | -do- | European Union | <i>cŤŤqŤRb bŤB ŤeavŤq AvŤe`b bigÄj KŤv hvŤtZ cvŤi </i> | <i>cŤŤqŤRb bŤB ŤeavŤq AvŤe`b bigÄj KŤv nBj </i> |
| 14. | Pfizer Limited, UK (Janata Traders) | a) Celsentri 150mg F/C Tablet Maraviroc 150 mg | It is in combination with other anti retroviral medicinal products is indicated for treatment experienced adult patients infected with only CCR5 tropic HIV-1 detectable infections. | European Union | <i>AbŤjgr`b KŤv hvŤtZ cvŤi </i> | <i>AbŤjgr`b KŤv nBj </i> |
| | | b) Celsentri 300mg F/C Tablet Maraviroc 300 mg | -do- | European Union | <i>AbŤjgr`b KŤv hvŤtZ cvŤi </i> | <i>AbŤjgr`b KŤv nBj </i> |
| 15. | Genetech Inc., USA (Janata Traders) | a) Raptiva 125 mg Powder & Solvent for Solutin for Injection Vial Efalizumab 125 mg/Vial | Treatment of adult (18 years or older) with chronic moderate to severe plaque psoriasis who are candidates for systemic therapy or phototherapy | USA | <i>AbŤjgr`b KŤv hvŤtZ cvŤi </i> | <i>AbŤjgr`b KŤv nBj </i> |
| 16. | Pfizer Manufacturing Belgium NV/SA, Belgium (Janata Traders) | a) Xalacom Eye Drops Solution 2.5 ml Latanoprost 50 mcg + Timolol Maleate 6.83 mg (eq. to Timolol 5 mg)/ml | Reduction of elevated intraocular pressure (IOP) in patients with open angle glaucoma or ocular hypertension who are insufficiently responsive to topical IOP lowering agents. | Belgium Switzerland | <i>AbŤjgr`b KŤv hvŤtZ cvŤi </i> | <i>AbŤjgr`b KŤv nBj </i> |
| 17. | Merck Serono S.A. Switzerland (Janata Traders) | a) Pergoveris Powder and Solvent for Solution for Injection Folitropin Alfa 150 IU + Lutropin Alfa 75 IU/vial | Recombinant human follicle stimulating hormone | EMEA | <i>AbŤjgr`b KŤv hvŤtZ cvŤi </i> | <i>AbŤjgr`b KŤv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big I ŃRŃbiŃK big</i> | <i>ibŃ Rbv</i> | CPP/FSC | <i>ŃUKŃbK`vj mve-KŃgŃli 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi mŃvŃŃ-</i> |
|-----------|--|---|---|-------------|---|---|
| 18. | Novartis Vaccines & Diagnostic SRL, Italy (Renata Ltd.) | a) Agrippal Injection Vaccine Virus Influenza A/Wisconsin/67/2005 (H3N2) – Like strain (A/Wisconsin/67/2005 NYMCX-161-B) 15 micrograms HA Virus Influenza B/Malaysia/2506/2004 – Like strain (B/Malaysia/2506/2004 15 micrograms HA Virus Influenza A/Solomon Islands/3/2006 (H1N1) – Like strain (A/Solomon Islands/3/2006 IVR-145) 15 micrograms HA ** haemagglutinin | Influenza virus Vaccine | UK Italy | <i>AbŃgŃ`b Kiv hvŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 19. | Berna Biotech Korea Corp., Korea (Renata Ltd.) | a) Quinvaxem Vaccine DTP-HePB-Hib Fally Liquid combined Vaccine | Prevent diphtheria, tetanus, pertussis, hepatitis B and haemophilus influenzae type B | Korea | <i>chŃB Z` I KŃMR-cŃŃŃ mn cŃŃŃŃ AvŃe`b`ŃŃLj KŃŃŃŃ Rb` cŃZŃvŃŃŃŃK ej v hvŃZ cvŃi </i> | <i>chŃB Z` I KŃMR-cŃŃŃ mn cŃŃŃŃ AvŃe`b`ŃŃLj KŃŃŃŃ Rb` cŃZŃvŃŃŃŃK ej v nBj </i> |
| 20. | Roche Diagnostic GmbH, Germany (Roche Bangladesh Ltd.) | a) Mircera Prefilled Syringe, 30 mcg/0.3 ml of Solution for Injection Methoxy Polyethylene Glycol Epoetin beta 0.03 mg/0.3 ml | Treatment of anaemia associated with chronic kidney disease | EMA | <i>AbŃgŃ`b Kiv hvŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Mircera Prefilled Syringe, 40 mcg/ 0.3ml of Solution for Injection Methoxy Polyethylene Glycol Epoetin beta 0.04 mg/0.3ml | -do- | EMA | <i>AbŃgŃ`b Kiv hvŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | c) Mircera Prefilled Syringe, 60 mcg/ 0.3ml of Solution for Injection Methoxy Polyethylene Glycol Epoetin beta 0.06 mg/0.3ml | -do- | EMA | <i>AbŃgŃ`b Kiv hvŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bŃg</i> | <i>JlŃai bŃg l ŃRŃbiK bŃg</i> | <i>ŃbŃ Rbv</i> | CPP/FSC | <i>ŃUKŃbK`vj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|--|---|--|-------------------------|--|--|
| | Roche Diagnostic GmbH, Germany (Roche Bangladesh Ltd.) | d) Mircera Prefilled Syringes 120mcg/ 0.3ml of Solution for Injection Methoxy Polyethylene Glycol Epoetin beta 0.120 mg/0.3ml e) Mircera Prefilled Syringes 360mcg/ 0.6ml of Solution for Injection Methoxy Polyethylene Glycol Epoetin beta 0.360 mg/0.6ml | Treatment of anaemia associated with chronic kidney disease -do- | EMEA EMEA | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> <i>AbŃgŃ`b KŃv nBj </i> |
| 21. | S.A. Alcon Couveur N.V. , Belgium (Globex Marketing) Co. Ltd.) | a) Viscoat - Viscoelastic 0.75ml Solution for injection Sodium Chondrotin Sulphate 40 mg + Sodium Hyaluronate 30 mg/ml | Indicated for use as a surgical aid in anterior segment procedures including cataract extraction and intraocular lens inplantation. | Belgium USA | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| 22. | Allergan Pharmaceuticals Ltd., Ireland (Eskayef Bangladesh Ltd.) | a) Relestat Eye Drops solution 0.5 mg/5ml Epinastine Hydrochloride 0.5 mg/ml | Seasonal allergic conjunctivitis | Ireland, UK & Sweden | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| 23. | Sanofi Pasteur SA, France (Sanofi Aventis Bangladesh Ltd.) | a) Pneumo 23 Solution for Injection in a pre-filled Syringe (0.5 ml). Polysaccharide Pneumococcal Vaccine.Purified capsular polysaccharide of Streptococcus pneumoniae type: 1,2,3,4,5,6B,7F,8,9N,9V,10A,11A,12F,14,1 5B,17F,18C,19A,19F,20,22F,23F,33F . 25µg of each strain / 0.5ml. b) Vaxigrip Suspension for injection in prefilled syringe 0.5ml A / Brisbane / 59 / 2007 (H1N1) Ph.Eur 15µg HA A / Brisbane / 10 / 2007(H3N2) Ph.Eur 15µg HA B / Florida / 2006 Ph.Eur 15µg HA / 0.5 ml. | Prevention of pneumococcal infections Prevention of Influenza. | France France | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> <i>AbŃgŃ`b KŃv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big I ŃRŃbiŃK big</i> | <i>ibŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKubK`vj mve-KubŃli 55 Zg mŃvi gZvgZ</i> | <i>mŃvi mŃvŃŃ-</i> |
|-----------|---|--|--|-----------------|--|---|
| 24. | Berna Biotech Ltd., Switzerland (Tajarat Healthcare Marketing) | a) Vivotif Capsule Viable organisms of the attenuated strain salmonella typhi Ty 21a >=2x10 ⁹ CFU | Typhoid fever | Switzerland | <i>AbŃgv`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| 25. | Pfizer (Perth) Pty Ltd. Australia (Janata Traders) | a) Campto 300mg/15 ml Injection Irinotecan Hydrochloride Trihydrate 300 mg/15 ml | It is indicated for the treatment of patients with advanced colorectal cancer | Australia | <i>AbŃgv`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| 26. | Alcon Laboratories Inc., USA (Globex Marketing Co. Ltd.) | a) Systane Ultra Lubricant Eye Drops Hydroxy propyl guar 8A (AL-12355, HP-8A), non compendial w/v % 0.16 – 0.19 (May be adjusted up to 0.19% compensate for raw material viscosity) | Relief of burning and irritation due to dryness of the eye | USA | <i>AbŃgv`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| 27. | Novo Nordisk A/S, Denmark (Transcom Distribution) | a) Novo Seven 5 mg (250 KIU) Powder and Solvent for Solution Injection Eptacog Alfa (Activated) 5 mg/Vial corresponds to 250 KIU/VIAL, 1mg/ml after reconstitution, 1KIU equals to 1000 IU | Treatment of bleeding episodes and for the prevention of bleeding in those undergoing surgery. | Denmark EMEA | <i>chŃB Z_` I KvMR-cŃwi mn cŃvi vq AvŃe`b `vŃlj Kvi evi Rb` cŃZŃvbiŃŃK ej v hvBŃZ cvŃi </i> | <i>chŃB Z_` I KvMR-cŃwi mn cŃvi vq AvŃe`b `vŃlj Kvi evi Rb` cŃZŃvbiŃŃK ej v nBj </i> |
| | | b) Novo Seven 2 mg (100 KIU) Powder and Solvent for Solution for Injection Eptacog Alfa (Activated) 2 mg/Vial corresponds to 100 KIU/VIAL, 1mg/ml after reconstitution, 1KIU equals to 1000 IU | Treatment of bleeding episodes and for the prevention of bleeding in those undergoing surgery | Denmark EMEA | <i>chŃB Z_` I KvMR-cŃwi mn cŃvi vq AvŃe`b `vŃlj Kvi evi Rb` cŃZŃvbiŃŃK ej v hvBŃZ cvŃi </i> | <i>chŃB Z_` I KvMR-cŃwi mn cŃvi vq AvŃe`b `vŃlj Kvi evi Rb` cŃZŃvbiŃŃK ej v nBj </i> |
| | | c) Novo Seven 1 mg (50 KIU) Powder and solvent for Solution for injection. Eptacog Alfa (Activated) 1 mg/Vial corresponds to 50 KIU/VIAL, 1mg/ml after reconstitution, 1KIU equals to 1000 IU | Treatment of bleeding episodes and for the prevention of bleeding in those undergoing surgery | Denmark EMEA | <i>chŃB Z_` I KvMR-cŃwi mn cŃvi vq AvŃe`b `vŃlj Kvi evi Rb` cŃZŃvbiŃŃK ej v hvBŃZ cvŃi </i> | <i>chŃB Z_` I KvMR-cŃwi mn cŃvi vq AvŃe`b `vŃlj Kvi evi Rb` cŃZŃvbiŃŃK ej v nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bŃg</i> | <i>JlŃai bŃg l ŃRŃbiŃK bŃg</i> | <i>ŃbŃ Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`Ńj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|--|--|--|---|--|---|
| 29. | Novartis Pharma AG, Switzerland (Novartis Bangladesh Ltd.) | a) Exforge 5/80 mg Tablet Amlodipine Besilate BP 6.94 mg eq. to 5 mg Amlodipine + Valsartan USP 80 mg b) Exforge 5/160 mg Tablet Amlodipine Besilate BP 6.94 mg eq. to 5 mg Amlodipine + Valsartan USP 160 mg c) Exforge 10/160 mg Tablet Amlodipine Besilate BP 13.87 mg eq. to 10 mg Amlodipine + Valsartan USP 160 mg | Hypertension -do- -do- | Switzerland Switzerland Switzerland | <i>Ń`Ńk DrcŃŃ Z nq ŃeaiŃq AŃŃe`b bŃgAŃj KŃv hvBŃZ cŃŃi </i> <i>Ń`Ńk DrcŃŃ Z nq ŃeaiŃq AŃŃe`b bŃgAŃj KŃv hvBŃZ cŃŃi </i> <i>Ń`Ńk DrcŃŃ Z nq ŃeaiŃq AŃŃe`b bŃgAŃj KŃv hvBŃZ cŃŃi </i> | <i>Ń`Ńk DrcŃŃ Z nq ŃeaiŃq AŃŃe`b bŃgAŃj KŃv nBj </i> <i>Ń`Ńk DrcŃŃ Z nq ŃeaiŃq AŃŃe`b bŃgAŃj KŃv nBj </i> <i>Ń`Ńk DrcŃŃ Z nq ŃeaiŃq AŃŃe`b bŃgAŃj KŃv nBj </i> |
| 30. | OM Pharma, Switzerland (M/s. Swadesh, Dhaka) | a) Bronchovaxom Adults 40 mg Capsule Standardized lyophilizate of bacterial lysates 40mg | Immunotherapy, prevention of recurrent chronic bronchitis, Tonsillitis, Pharyngitis and bacterial resistance to conventional therapy | Switzerland | <i>cŃŃqŃRbŃq Z `ŃŃ mn cŃŃŃŃŃ AŃŃe`b `ŃŃŃj KŃŃŃŃŃ Rb` cŃŃZŃŃŃŃŃŃK ejŃŃ hvBŃZ cŃŃi </i> | <i>cŃŃqŃRbŃq Z `ŃŃ mn cŃŃŃŃŃ AŃŃe`b `ŃŃŃŃŃ KŃŃŃŃŃ Rb` cŃŃZŃŃŃŃŃŃK ejŃŃ nBj </i> |
| 31. | Swiss Co Services AG, Switzerland (City Overseas Ltd.) | a) Circadin 2 mg Prolonged release Tablet Melatonin INN 2 mg | Treatment of primary insomnia characterized by poor quality of sleep in patients who are aged 55 or over | EMA | <i>cŃŃqŃRb bŃŃŃ ŃeaiŃq AŃŃe`b bŃgAŃj KŃv hvBŃZ cŃŃi </i> | <i>cŃŃqŃRb bŃŃŃ ŃeaiŃq AŃŃe`b bŃgAŃj KŃv nBj </i> |
| 32. | Glaxo SmithKline Biological, Belgium (Glaxo SmithKline Bd. Ltd.) | a) Rotarix Oral Suspension Vaccine Human Rotavirus, Live Attenuated Rix4414 Strain not less than 10 ^{6.0} CCID ₅₀ | Prevention of gastroenteritis G1 and non G1 serotypes (such as G2, G3, G4, G9) | EMA | <i>AbŃŃŃŃ`b KŃv hvBŃZ cŃŃi </i> | <i>AbŃŃŃŃ`b KŃv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bıg</i> | <i>JlŃai bıg l ŃRŃbiŃK bıg</i> | <i>ıbf`Rbv</i> | CPP/FSC | <i>ŃUKıbK`yj mve-KıgıŃli 55 Zg mŃvi gZıgZ</i> | <i>mŃvi ım×ıŃ-</i> |
|-----------|---|---|-------------------------------------|---------|--|---|
| | Novartis Farma S.p.A., Italy (Novartis Bd. Ltd.) | e) Rasilez HCT 300/12.5 mg F/C Tablet Aliskiren Hemifumarate INN 331.50 mg eq. to 300 mg of Aliskiren + Hydrochlorothiazide 12.50 mg | Hypertension | EMEA | <i>GB grŃv cŃŃqvRb bıvB ıeavq ArŃe`b bıgÄıy Kıv hvBŃZ crŃi </i> | <i>GB grŃv cŃŃqvRb bıvB ıeavq ArŃe`b bıgÄıy Kıv nBj </i> |
| | | f) Rasilez HCT 300/25 mg F/C Tablet Aliskiren Hemifumarate INN 331.50 mg eq. to 300 mg of Aliskiren + Hydrochlorothiazide 25 mg | Hypertension | EMEA | <i>GB grŃv cŃŃqvRb bıvB ıeavq ArŃe`b bıgÄıy Kıv hvBŃZ crŃi </i> | <i>GB grŃv cŃŃqvRb bıvB ıeavq ArŃe`b bıgÄıy Kıv nBj </i> |
| 34. | Lilly, France (International Agencies Bd. Ltd.) | a) Humalog Mix-25 100 IU/ml suspension for Injection in 3 ml Cartridge Insulin Lispro (rdNA Origin) 100IU (3.5 mg)/ml (25% insulin lispro & 75% Insulin Lispro protamine suspension) | Diabetes mellitus insulin dependent | France | <i>AbŃgr`b Kıv hvBŃZ crŃi </i> | <i>AbŃgr`b Kıv nBj </i> |
| | | b) Humalog Mix-50 100 IU/ml suspension of Injection in 3 ml Cartridge Insulin Lispro (rdNA Origin) 100IU (3.5 mg)/ml (50% insulin lispro & 50% Insulin Lispro protamine suspension) | Diabetes mellitus insulin dependent | France | <i>AbŃgr`b Kıv hvBŃZ crŃi </i> | <i>AbŃgr`b Kıv nBj </i> |
| 35. | Orion Corporation, Finland (Novartis Bd. Ltd.) | a) Stalevo 200 F/C Tablet Levodopa USP 200 mg + Carbidopa Monohydrate USP 54.1 mg (eq. to Carbidopa 50 mg) + Entacapone Orion Spection 200 mg | Parkinsons disease | EMEA | <i>AbŃgr`b Kıv hvBŃZ crŃi </i> | <i>AbŃgr`b Kıv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big I ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`vj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi mŃvŃŃ-</i> |
|-----------|---|---|---|----------------|---|--|
| 36. | Hameln Pharmaceuticals GmbH, Germany (Crystal International) | a) Dobutamine Hameln 5 mg/ ml Solution for Infusion 50 ml vial Dobutamine Hydrochloride 280 mg (Eq. to Dobutamine 250 mg/50 ml) | Treatment of cardiac decompensation due to depressed contractility | Germany | <i>AbŃgŃ`b Kiv hvŃŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 37. | Manufactured by : Wasserburger Arzneimittelwerk GmbH, Germany Manufactured for : Hospira Australia Private Ltd., Australia (Globex Marketing Co. Ltd.) | a) DBL(R) Leucovorin Calcium Injection 15 mg/2 ml Ampoule Calcium Folate 16.2 mg eq. to Folinic Acid 15 mg/2 ml | Treatment of certain megaloblastic anaemias resulting from folic acid deficiency. | Australia | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgAŃj Kiv hvŃŃZ cŃŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgAŃj Kiv nBj </i> |
| 38. | Allergan Pharmaceuticals Ltd., USA (Eskayef Bangladesh Ltd.) | a) Alphagan-P Ophthalmic Solution 1.5 mg/ml Brimonidine Tartrate 0.15% w/v | Indicated for lowering intraocular pressure in the treatment of open angle glaucoma and ocular hypertension | USA | <i>AbŃgŃ`b Kiv hvŃŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 39. | Guilin Pharmaceutical Co. Ltd., China (Bio-Gears, Dhaka) | a) Artesun 60 mg IV/IM Powder for Injection Artesunate 60 mg/vial | Severe malaria | China | <i>Jl aŃŃ g`vŃj ŃŃ qŃ Ńi vŃŃMi ŃPŃKŃmŃq LŃB LŃB cŃŃqŃRb Ńeavq ŃeŃkŃ ŃeŃePbŃq AbŃgŃ`b Kiv hvŃŃZ cŃŃi </i> | <i>Jl aŃŃ g`vŃj ŃŃ qŃ Ńi vŃŃMi ŃPŃKŃmŃq LŃB cŃŃqŃRb Ńeavq ŃeŃkŃ ŃeŃePbŃq AbŃgŃ`b Kiv nBj </i> |
| 40. | Merck KGaA, Germany (Popular Pharma Ltd.) | a) Concor 10 mg Tablet Bisoprolol Hemifumarate 10 mg | Ischaemic heart disease treatment must not be discontinued suddenly | Germany EMA | <i>AbŃgŃ`b Kiv hvŃŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 41. | Excelvision AG, Switzerland (Novartis Bangladesh Ltd.) | a) Gen Teal Eye Gel 0.3% Hyperomellose USP 0.3% | Longlasting lubricant eye gel for people who experience sensation of dryness, fatigue or discomfort of the eyes | Switzerland | <i>AbŃgŃ`b Kiv hvŃŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ Rbv</i> | CPP/FSC | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZvgZ</i> | <i>mŃvi mŃvŃŃ-</i> |
|-----------|---|--|---|---------|--|---|
| 42. | Panacea Biotech, India (Popular Pharma Ltd.) | <p>a) Easyfive Vaccine (Diphtheria, Tetanus Pertusis, Hepatitis-B (rDNA) & Haemophilus influenza type B Conjugated vaccine in Vial (Multidose)</p> <p>Adsorbed Diphtheria Vaccine (as Diphtheria toxoid) BP NLT 100 Lf (150IU), Tetanus Antitoxin BP NLT 37.5Lf (200 IU when tested in guinea pigs and 300 IU when tested in mice) Pertussis Vaccin (as Inactivated w-B. pertussis) BP NLT 60 OU (20 IU), Hepatitis B Vaccine (rDNA) [as rec-Hepatitis B surface antigen (HBsAg)] BP 50.00mcg, Haemophilus type b conjugate vaccine [as H. influenzae type b polysaccharide conjugated to Tetanus toxoid (PRP-TT)] BP 50.00mcg / 2.5ml</p> | It is indicated for Primary active immunization against diphtheria, tetanus, pertussis, Haemophilus influenzae type b [Hib] and hepatitis B (HB) in infants from 6 weeks onwards. | India | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bvgŃŃj Kiv hŃBŃZ cŃŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bvgŃŃj Kiv nBj </i> |
| | | <p>b) Easyfive Vaccine (Diphtheria, Tetanus Pertusis, Hepatitis-B (rDNA) & Haemophilus influenza type B Conjugated vaccine in Vial (Single Dose)</p> <p>Adsorbed Diphtheria Vaccine (as Diphtheria toxoid) BP NLT 20 Lf (30IU), Tetanus Antitoxin BP NLT 7.5Lf (40 IU when tested in guinea pigs and 60 IU when tested in mice) Pertussis Vaccin (as Inactivated w-B. pertussis) BP NLT 12 OU (4 IU), Hepatitis B Vaccine (rDNA) [as rec-Hepatitis B surface antigen (HBsAg)] BP 10.00mcg, Haemophilus type b conjugate vaccine [as H. influenzae type b polysaccharide conjugated to Tetanus toxoid (PRP-TT)] BP 10.00mcg/0.5ml Pre-filled Syringe</p> | It is indicated for Primary active immunization against diphtheria, tetanus, pertussis, Haemophilus influenzae type b [Hib] and hepatitis B (HB) in infants from 6 weeks onwards. | India | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bvgŃŃj Kiv hŃBŃZ cŃŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bvgŃŃj Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbKŃyj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃŃŃ-</i> |
|-----------|---|---|--|----------------|---|--|
| 43. | Sandoz GmbH, Austria (Novartis Bangladesh Ltd.) | a) Omnitrope 6.7 mg/ml Solution for Injection Cartridge Recombinant Somatropine 6.7 mg/ml | Treatment of Children growth disturbance | Austria EMA | <i>AbŃgŃv` b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃv` b Kiv nBj </i> |
| | | b) Omnitrope 3.3 mg/ml Solution for Injection in a cartridge Recombinant Somatropine 3.3 mg/ml | -do- | Austria EMA | <i>AbŃgŃv` b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃv` b Kiv nBj </i> |
| | | c) Omnitrope 5mg/ml Powder for Solution for Injection Recombinant Somatropine 5.8 mg (17.4IU) corresponding to 5 mg (15IU) Somatropin | -do- | Austria EMA | <i>AbŃgŃv` b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃv` b Kiv nBj </i> |
| 44. | Thai Nakorn Patana Co. Ltd. Thailand –Contract Manufacturer, Manufactured the Product on Behalf of Fresenius Medical Care, Germany (Janata Traders) | a) CAPD/DPCA-4 ANDY Disc (Peritoneal Dialysis Solution 2000 ml) Sodium Chloride 5.786 gm Calcium Chloride Dihydrate 0.2573 gm Magnesium Chloride Hexahydrate 0.1017 gm Sodium Lactated Solution 50% 7.850 gm eq. to Sodium Lactate 3.925 gm Glucose Monohydrate 25 gm (eq. to Anhydrous Glucose 22.73 gm) Sodium Hydroxide 0-0.0054 gm Hydrochloric Acid 25% 0-0.0760gm/1000 ml | Peritoneal Dialysis | Thailand | <i>GB RvZŃq Jl a Ń`Ńk Drcw` Z nq Ńeavq AvŃe` b bigÄy Kiv hvBŃZ cŃŃi </i> | <i>GB RvZŃq Jl a Ń`Ńk Drcw` Z nq Ńeavq AvŃe` b bigÄy Kiv nBj </i> |
| | | b) CAPD/DPCA-10 ANDY Disc (Peritoneal Dialysis Solution 2000 ml) Sodium Chloride 5.786 gm Calcium Chloride Dihydrate 0.1470 gm Magnesium Chloride Hexahydrate 0.1017 gm Sodium Lactated Solution 50% 7.850 gm eq. to Sodium Lactate 3.925 gm Glucose Monohydrate 16.50 gm (eq. to Anhydrous Glucose 15 gm) Sodium Hydroxide 0-0.0054 gm Hydrochloric Acid 25% 0-0.0760gm Sodium Hydroxide 0-0.0054 gm Hydrochloric Acid 25% 0-0.0760gm /1000 ml | Peritoneal Dialysis | Thailand | <i>GB RvZŃq Jl a Ń`Ńk Drcw` Z nq Ńeavq AvŃe` b bigÄy Kiv hvBŃZ cŃŃi </i> | <i>GB RvZŃq Jl a Ń`Ńk Drcw` Z nq Ńeavq AvŃe` b bigÄy Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`vj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|---|---|---|---------|--|---|
| | Komi Pharma International Co. Ltd., Korea (Rafique Medicine) | f) Super BBNE-Vac Infectious Bronchitis virus (IBV M41 Strain) ... Min 10 ^{7.5} EID ₅₀ Infectious Bronchitis virus (IBV KM91 Strain) ... Min 10 ^{7.5} EID ₅₀ Newcastle disease virus (ND: Ulster 2C Strain) ... Min 10 ^{9.5} EID ₅₀ Egg Drop syndrome 76 (EDS 76: K-11 Strain) ... Min 10 ^{8.0} EID ₅₀ | For the vaccination of health poultry against infectious bronchitis, New castle disease and Egg drop syndrome | Korea | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bigAŃj Kiv hŃBŃZ cŃŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bigAŃj Kiv nBj </i> |
| | | g) IBD Vaccine Live IBD virus, komi strain 33% LPGG Solution ... 67% Streptomycin 200 mcg/ml Penicillin 22 Unit/ml | For the active immunization against gumboro disease in chickens | Korea | <i>AbŃgŃv`b Kiv hŃBŃZ cŃŃi </i> | <i>AbŃgŃv`b Kiv nBj </i> |
| 02. | Choong Ang Vaccine Laboratories Co. Ltd., Korea (Farma & Farm) | a) Poul-Shot-S/9R Vaccine Salmonella gallinarum (9R Strain) - ≥ 2 X 10 ⁷ CFU/Dose | An aid for prevention of fowl typhoid (salmonella gallinarum in chickens) | Korea | <i>AbŃgŃv`b Kiv hŃBŃZ cŃŃi </i> | <i>AbŃgŃv`b Kiv nBj </i> |
| | | b) Poul Shot MG-F Vaccine Mycoplasma gallisepticum Culture fluid – 50% TPGG 50% | An aid for prevention of avian mycoplasmosis (Mycoplasma gallisepticum) in chickens | Korea | <i>AbŃgŃv`b Kiv hŃBŃZ cŃŃi </i> | <i>AbŃgŃv`b Kiv nBj </i> |
| | | c) Poul Shot BBNE Vaccine Inactivated IBV (Strain M41) ... ≥ 10 ^{7.5} EID ₅₀ /ml + Inactivated IBV (Strain M91) ... ≥ 10 ^{7.5} EID ₅₀ /ml + Inactivated NDV (Strain Lasota) ... ≥ 10 ^{9.5} FID ₅₀ /ml + Inactivated EDSV(Strain k11) ... ≥ 10 ⁸ TCID ₅₀ /ml | Prevention of infectious bronchitis newcastle disease and Egg drop syndrome in poultry | Kora | <i>AbŃgŃv`b Kiv hŃBŃZ cŃŃi </i> | <i>AbŃgŃv`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi byg</i> | <i>JlŃai byg l ŃRŃbiŃK byg</i> | <i>ŃbŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|---|---|---|----------------|--|--------------------------|
| | Choong Ang Vaccine Laboratories Co. Ltd., Korea (Farma & Farm) | d) Poul Shot ING Plus Vaccine Inactivated IBV (IBV M41, before inactivated) ... ≥ 10 ^{7.0} EID ₅₀ /ml _7% + Inactivated IBV fluid (IBV KM91, before inactivated) ... ≥ 10 ^{7.5} EID ₅₀ /ml 7%+ Inactivated NDV fluid (NDV Lasota before inactivated) ... ≥ 10 ^{9.5} EID ₅₀ /ml 10%+ Inactivated IBDV fluid (IBDV CAG, before inactivated) ... ≥ 10 ^{8.0} TCID ₅₀ /ml 6% | Prevention of infectious bronchitis newcastle disease and Egg drop syndrome in poultry | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 03. | Shinil Biogen Co. Ltd., Korea (Pharma & Farm) | a) SI Ampi Coli, WSP Ampicillin Trihydrate 50 gm (Potency) + Colistin Sulphate 125,000,000IU/Kg | Treatment of disease in animals caused by gram positive bacteria susceptible to ampicillin and colistin | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) SI Coccine Stop WSP Amprolium 102 gm + Sulfaquinoxaline Sodium 102 gm+ Menadione Sodium Bisulphate (Vit-K3) 1gm/Kg) | Prevention and treatment of acute & chronic coccidiosis in poultry | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | c) CND Inj. Colistin Sulphate 250,000IU + Neomycin Sulphate 50 mg + Dexamethasone 21 Phosphate Sodium Salt 0.5 mg/ml | Treatment and prevention of the Pneumonia and Bronchitis, diarrhea | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | d) Phosco Injection Butaphophan 100mg+Vitamin B12 50 mcg/ml | Treatment of acute disease and acute metabolic disorder, Slight Paralysis, anorexia | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | e) Cocci-zione 25ml Solution Toltrazeril 25gm/Liter | Treatment of Coccidiosis | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|---|--|---|----------------|--|--------------------------|
| 04. | Special T Product Ltd. UK (Wilts Marketing Co. Ltd.) | a) Enro 10% Oral Solution Enrofloxacin 100 mg/ml | Gastrointestinal, respiratory and urinary tract infections | UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | b) Quinflume 20% Oral Solution Flumequine 200 mg/ml | Gastrointestinal, respiratory and urinary tract infections | UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| 05. | DaOne Chemical Co. Ltd., Korea (Wilts Marketing Co. Ltd.) | a) Ciproxacin Oral Solution 10 gm/100 ml Ciprofloxacin 100 gm/Litre | Treatment of infectious diseases caused by mycoplasmas, gram negative and gram positive bacteria, CRD, salmonellosis, colibacillosis, infectious coryza, pasteurellosis, swollen head syndrome and nonspecific diarrhoea | Korea | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | b) Ampi-Power Ampicillin Trihydrate 100 gm + Colistin Sulphate 250,000,000 IU/Kg | Treatment of the infectious diseases caused by ampicillin and colistin sensitive bacteria salmonellosis, collbacillosis | Korea | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| 06. | Dyntec Ltd. Czech Republic (Wilts Marketing Co. Ltd.) | a) Canvac R Inj. Vaccting Virus rabiei inactivatum NLT 2 IU | Designed for prophylactic immunization of clinically healthy animals against rabies. | Czech Republic | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | b) Canvac-8 DHPPII Inj. Virus febris contagiosae canis attenuatum, Min. 10 ^{2.7} , CEID ₅₀ Virus laryngotracheutodus contagiosae cains attenuatum, Min. 10 ^{3.5} , TCID ₅₀ Parvovirus enteritidis canis attenuatum, Min. NLT 128, HAU ₅₀ Virus parainfluenis canis attenuatum, Min. NLT 10 ^{3.0} , TCID ₅₀ Leptospira icterohaemorrhagiae inactivata, NLT 32x, Neutralization in dilution Leptospira grippotyphosae inactivata, NLT 32x, Neutralization in dilution Keotisoura sejrie ubactuvata, NLT 32x, Neutralization in dilution | designed for active immunization of dogs, canine and musteline beasts of pray and fur-coat animals against distemper, infectious hepatitis, infectious laryngotracheitis of dogs, parvovirus of dogs, canine parainfluenza and three types of leptospira. | Czech Republic | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃvŃŃ-</i> |
|-----------|---|---|--|----------------|---|---|
| | Dyntec Ltd. Czech Republic (Wilts Marketing Co. Ltd.) | c) Aftebin AOC Inj. Vaccine Picornavirus Apthae epizooticae inactivatum Type A NLT 1.85 µg Picornavirus Apthae epizooticae inactivatum Type O NLT 5.55 µg Picornavirus Apthae epizooticae inactivatum Type C NLT 2.77 µg unit per dose | Used for active immunization of cattle, sheep and goat against foot and mouth disease. | Czech Republic | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv hvŃtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv nBj </i> |
| 07. | Colorado Serum Company, USA (Wilts Marketing Co. Ltd.) | a) Anthrax Spore Vaccine Bacillus anthracis 3 million spores per dose | Cattle Bacillus anthracis spores in saponin steme strain 34F2 to use in healthy cattle, sheep, goats, swine and horses in the prevention of anthrax. | USA | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv hvŃtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv hvŃtZ cŃŃi </i> |
| 08. | Laboratorio Avi-Mex, SA, Mexico (Wilts Marketing Co. Ltd.) | a) Newcastle Influenza Killed Vaccine Amnioallantoic fluids with Newcastle Disease Virus Lasota strain of chicken embryo origin and inactivated not less than 0.13 ml (13%), Minimum titer is 10 ^{9.0} CEID ₅₀ /ml Amnioallantoic fluids with avain influenza virus A/Chicken/Mexico/232/94/CPA strain, of chicken embryo origin and inactivated not less than 0.18 ml (18%) Minimum titer is 10 ^{8.0} CEID ₅₀ /ml | The vaccine is to be used in poultry and farm raised birds, recommended to be use as an aid for the prevention and control of newcastle disease and avian influenza subtype H5 | Mexico | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv hvŃtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv nBj </i> |
| | | b) New H5 Vaccine Recombinant Live Newcastle Disease virus with the insertion of the H5 hemmaglutinin gen of the avian influenza virus of SPF chicken embryo origin, and lyophilized. Amnioallantoic fluid (AAF) from recombinant Newcastle disease virus (live): 80% Stabilizer : 20% the minimum titer of the vaccine is 10 ^{7.0} CEID ₅₀ /ml | Prevention and control of Avain influenza subtype H5 Newcastle disease | Mexico | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv hvŃtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bŃg</i> | <i>JlŃai bŃg l ŃRŃbiŃK bŃg</i> | <i>ŃbŃ Rbv</i> | CPP/FSC | <i>ŃUKŃbK`Ńj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃvŃŃ-</i> |
|-----------|--|--|---|-----------|---|--|
| | Laboratorio Avi-Mex, SA, Mexico (Wilts Marketing Co. Ltd.) | c) Avian Influenza Killed Virus Vaccine killed, Type A, H5N2 avian influenza virus (AIV) (with not less than 10 ^{7.7} CEID ₅₀ /0.5ml before inactivation | The vaccine is to be used in poultry and farm raised birds and control of Avian Influenza subtype H5 subtype. | Mexico | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv hvBŃZ cvŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv nBj </i> |
| 09. | C. A. Laboratories Asociados, Venezuela (Wilts Marketing Co. Ltd.) | a) Calavac Newcastle (La Sota) Live Virus Vaccine Newcastle LaSota Bulk Viral Fluids 0.8 ml /2000 doses | Prevention of Newcastle Disease of Chickens | Venezuela | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv hvBŃZ cvŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv nBj </i> |
| | | b) Calavac Gumboro Intermediate Plus (winterfield 2512) Live Virus Vaccine Gumboro (winterfield 2512) Bulk viral fluids 0.8 ml/2000 doses | Prevention of Gumboro Disease of Chickens | Venezuela | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv hvBŃZ cvŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv nBj </i> |
| 10. | Laboratorio Avi-Mex SA, Mexico (Wilts Marketing Co. Ltd.) | a) Fx-Plus 20 Injectable Solution Fosfomycin Base 200.00 mg/ml | Treatment of a wide range of bacterial disease of poultry, cattle, sheep & goats | Mexico | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv hvBŃZ cvŃi </i> | <i>cŃŃqŃRb bŃB Ńeavq AvŃe`b bŃgŃŃj KŃv nBj </i> |
| 11. | Quat-Chem Ltd., UK (Pharma & Farm Products Ltd.) | a) Virukill 260 Solution PCMX (Para Chloro Meta Xylenol) 5.1% w/w + DC<X (Dichloro meta xylenol) 28.9% + Ethanol 13.3% Pine Tar Oils 3.3% | Useful for prevention of infectious disease in Livestock housing | UK | <i>AbŃŃŃv`b KŃv hvBŃZ cvŃi </i> | <i>AbŃŃŃv`b KŃv nBj </i> |
| | | b) Iodocleanse Solution Metallic Iodine 3 gm/100 ml | Bacterial disinfectant | UK | <i>AbŃŃŃv`b KŃv hvBŃZ cvŃi </i> | <i>AbŃŃŃv`b KŃv nBj </i> |

| <i>bs</i> | <i>cŮZKviŤKi big</i> | <i>JlŤai big I ŤRŤbiŤK big</i> | <i>ŤbŤ`Rbv</i> | <i>CPP/FSC</i> | <i>ŤUKŤbK`yj mve-KŤgŤŤi 55 Zg mŤvi gZŤgZ</i> | <i>mŤvi Ťm>ŤŤ-</i> |
|-----------|---|---|---|-------------------|---|--|
| | Quat-Chem Ltd., UK (Pharma & Farm Products Ltd.) | c) Virusat 240 Solution Benzalkonium Chloride BP 5 ml + Glutaraldehyde 50% BP 8 ml / 100 ml | Bacterial disinfectant | UK | <i>AbŤgŤ`b Kiv hvŤŤZ cvŤi </i> | <i>AbŤgŤ`b Kiv nBj </i> |
| | | d) Viroxide Super Powder Peroxy Mono Sulphate 40% w/w Sodium Trichloroisocyanurate (coated) 5% w/w | Bactericidal disinfectant | UK | <i>AbŤgŤ`b Kiv hvŤŤZ cvŤi </i> | <i>AbŤgŤ`b Kiv nBj </i> |
| 12. | Bedson SA , Argentina (Pals Agrovet) | a) Fosbac Plus T Soluble Powder Calcium Fosfamicin 20% Tylosin Tartrate 5% | Treatment of mycoplasmosis coli bacillosis, chronic respiratory disease of poultry and broiler Argentina | Argentina | <i>cŤŤqŤRb bŤB ŤearŤ ArŤe`b bŤgAŤj Kiv hvŤŤZ cvŤi </i> | <i>cŤŤqŤRb bŤB ŤearŤ ArŤe`b bŤgAŤj Kiv nBj </i> |
| 13. | Bioveta AS, Czech Republic (Eon Animal Health Products Ltd.) | a) Biocan R Inj. Vaccine Solution for Injection Virus rabiel inactivatum min 2 IU/ml Nutrimentum MEM Algedratum Thiomersalum | Active immunization of the target animals against rabies | Czech Republic | <i>AbŤgŤ`b Kiv hvŤŤZ cvŤi </i> | <i>AbŤgŤ`b Kiv nBj </i> |
| | | b) Biocan M Inj. Vaccine Microsporium Canis inact. Min 500 000 vegetative form/1ml | The propylaxis and therapy of skin mycosis in dogs induced by the dermatophyte microsporium canis. | Czech Republic | <i>AbŤgŤ`b Kiv hvŤŤZ cvŤi </i> | <i>AbŤgŤ`b Kiv nBj </i> |
| | | c) Cloteid 4 Inj. Vaccine Anatoxinum tetanicum purificatum 30 IU/ml | Active immunization of horses cattle, goats and dogs against tetanus | Czech Republic | <i>AbŤgŤ`b Kiv hvŤŤZ cvŤi </i> | <i>AbŤgŤ`b Kiv nBj </i> |
| | | d) Sergon Inj. Gonadotrophinum Sericum 500 IU/ml | Anestrus oestrus induction and synchronization | Czech Republic | <i>AbŤgŤ`b Kiv hvŤŤZ cvŤi </i> | <i>AbŤgŤ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŮZKviŤKi big</i> | <i>JlŤai big l ŤRŤbiŤK big</i> | <i>ŤbŤ`Rbv</i> | CPP/FSC | <i>ŤUKŤbK`yj mve-KŤgŤŤi 55 Zg mŤvi gZŤgZ</i> | <i>mŤvi Ťm×ŤŤ-</i> |
|---|--|---|----------------|---------------------------------|--|--------------------|
| Bioveta AS, Czech Republic (Eon Animal Health Products Ltd.) | e) Biofel PCH Inj. Vaccine Virus panleucopeniae contagiosae felis inactivatum min 10 ^{3.0} TCID ₅₀ Herpesvirus felis inactivatum min 10 ^{5.0} TCID ₅₀ Celicivirus felisinactivatum min 10 ^{5.5} TCID _{50/Dose} | For active immunization against panleucopenia calicivirus and herpesvirus infection of cats. | Czech Republic | <i>AbŤgv`b Kiv hvBŤZ cvŤi </i> | <i>AbŤgv`b Kiv nBj </i> | |
| | f) Biocan-DHPPI + LR Inj. Vaccine a)Component DHPPI-Lyophilize Virus febris contagiosae canis Min 10 ^{3.0} TCID ₅₀ , Max 10 ^{4.5} TCID ₅₀ Virus Laryngotracheitidis contagiosae canis Min 10 ^{3.5} TCID ₅₀ , Max 10 ^{4.5} TCID ₅₀ Parvovirus enteritidis canis Min 10 ^{4.5} TCID ₅₀ , Max 10 ^{5.5} TCID ₅₀ Virus Parainfluenzae canis Min 10 ^{3.0} TCID ₅₀ , Max 10 ^{4.2} TCID ₅₀ Lyophilisation medium to 1 ml b) Component LR Virus rabiei inactivated min 2 IU max 4 IU Leptospira icterohaemorrhagiae inact min 1 X 10 ^{7.0} max 10 ^{9.0} Leptospira canicola inact min 1 X 10 ^{7.0} max 10 ^{9.0} Liptospira grippotyphosa inact min 1 X 10 ^{7.0} max 10 ^{9.0} Alluminium hydroxide gel, culture medium | For active immunization of dogs against canine distemper infectious hepatitis infectious laryngotracheitis, parvovirus parinfluenza, rabies and the most troquent leptospira serovars | Czech Republic | <i>AbŤgv`b Kiv hvBŤZ cvŤi </i> | <i>AbŤgv`b Kiv nBj </i> | |
| | g) Biofel PCHR Inj. Vaccine Virus panleucopeniae contagiosae felis inactivatum min 10 ^{3.0} TCID ₅₀ Herpesvirus felis inactivatum min 10 ^{5.0} TCID ₅₀ Celicivirus felisinactivatum min 10 ^{5.5} TCID _{50/Dose} Virus rabiei inactivation min 1 IU/ml | For active immunization of cats against panleucopenia calicivirus and herpesvirus infection and rabies | Czech Republic | <i>AbŤgv`b Kiv hvBŤZ cvŤi </i> | <i>AbŤgv`b Kiv nBj </i> | |
| | h) Ornipest Lyof vaccine Parmyxovirus Pseudopestis avium (Lasota, SL 93) min 10 ^{6.0} EID ₅₀ max 10 ^{8.0} EID ₅₀ | For the preventive vaccination of poultry against Newcastle disease | Czech Republic | <i>AbŤgv`b Kiv hvBŤZ cvŤi </i> | <i>AbŤgv`b Kiv nBj </i> | |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|--|---|---|----------------|---|--|
| | Bioveta AS, Czech Republic (Eon Animal Health Products Ltd.) | i) Ornibron Lyof vaccine Virus bronchitidis infectiosae avium H120 min 10 ^{3.0} EID ₅₀ max 10 ^{5.3} EID ₅₀ | For the preventive vaccination of poultry against infectious bronchitis | Czech Republic | <i>AbŃgv`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| | | j) Ornibur intermediate Lyof vaccine Virus bursitidis infectiosae avium min 10 ^{4.0} EID ₅₀ max 10 ^{6.3} EID _{50/Dose} | preventive vaccination of chicken against aviary infectious bursitidis | Czech Republic | <i>AbŃgv`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| | | k) Orniprim Lyof Vaccine Paramyxovirus Pseudopestis avium min. 10 ^{6.0} max. 10 ^{7.5} EID ₅₀ per dose | New Castle Disease Virus Hitcher B1 Live | Czech Republic | <i>cŃŃqŃRb bŃB Ńeaiq AvŃe`b bŃgAŃj Kiv hvBŃZ cŃŃi </i> | <i>cŃŃqŃRb bŃB Ńeaiq AvŃe`b bŃgAŃj Kiv nBj </i> |
| 14. | Intervet International BV, The Netherlands (Bangal Overseas Ltd.) | a) Nobilis Coryza Vaccine <u>Perdose of 0.5 ml H. Paragallinarum :</u> Strain 083 (serotype A) at least 1 Chicken PD ₇₀ Strain Spross (serotype B) at least 1 Chicken PD ₇₀ Strain H-18 (serotype C) at least 1 Chicken PD ₇₀ | Vaccination of chickens against Haemophilus paragallinarum infections | Netherland | <i>AbŃgv`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgv`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi byg</i> | <i>JlŃai byg l ŃRŃbiŃK byg</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃŃŃ-</i> |
|-----------|---|--|--|---------|--|--------------------------|
| 18. | Merial, France (Advance Animal Science Co. Ltd.,) | a) Sergotonine Injectable Solution Serotonine 1.09 mg + Ergometrine 0.15 mg/ml | Prevention & treatment of postpartum complications & abortions, placental retention, inflammation and oedema due to dystocia | France | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 19. | Coophavet S.A.S, France (Advance Animal Science Co. Ltd.,) | a) Vitalic Oral Liquid Vitamin A 1.2 MIU + Alfa Tocopherol Acetate (Vitamin E) 1200 mg + Thiamine Hydrochloride (Vitamin B1) 250 mg + Riboflavine Sodium Phosphate (Vitamin B2) 480 mg + Pyridoxine Hydrochloride (Vitamin B6) 240 mg + Calcium Pantothenate 700 mg + Nicotinamide 6000 mg + Vitamin B12 1500 mg + Biotin 12 mg / 100 ml | Vitamin complement preferably well adapted to the requirement of poultry especially Broilers, Layers, Breeders, Ducks etc. | France | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Heparenol Oral Solution Sorbitol 35 gm + Methionine Acetyl 10 gm + Choline Chloride 7.5 gm + Betain 6.0 gm Lysine HCl 2 gm/100 ml | Improving & stimulating hepatic, biliary and intestinal functions | France | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 20. | Antec International Ltd., U.K (Advance Animal Science Co. Ltd.,) | a) Virkon S Tablet Potassium peroxomonosulphate triple salt < 50% w/w Sodium Chloride < 2% w/w Sulphamic Acid < 5% w/w Sodium alkyl benzene sulphonate < 5% w/w Malic Acid < 20% w/w Sodium hexmetaphosphate < 5% w/w Dyacid Red 9 < 1% w/w Sodium bicarbonate < 15% w/w | Surface, equipment, skin & aerial disinfection against bacteria, Virus & fungi | U.K | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bġ</i> | <i>JlŃai bġ l ŃRŃbiŃK bġ</i> | <i>ibŃ Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbKŃyj mve-KŃgŃli 55 Zg mŃvi gZġgZ</i> | <i>mŃvi ŃmŃvŃŃ-</i> |
|-----------|---|--|--|--------------------|--|--|
| 21. | Merial Select Inc., U.S.A (Advance Animal Science Co. Ltd.,) | a) Gallivac™ AE+FP Freezed dried live vaccine Avian Encephalomyelitis Virus at lest ... 2.7 Log 10 EID ₅₀ + Fowl Pox Virus at least 2.2 log 10EID ₅₀ b) Trovc AIV H5 Vaccine Fowl pos vectored ai recombinant virus at least 2.2 log 10 TCID ₅₀ /Dose of freeze dried vaccine | Prevention against Avian Encephalomyelitis and Fowl Pox Prevention of Avian Influenza type (H5) and Fowl Pox infection in poultry | U.S.A U.S.A | <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv hŃBŃZ cŃŃi </i> <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv hŃBŃZ cŃŃi </i> | <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv nBj </i> <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv nBj </i> |
| 22. | Merial Italia S.P.A, Italy (Advance Animal Science Co. Ltd.,) | a) Gallimune Flu H5N9 Inactivated Avian Influenza virus H5N9 strain ≥10HIU | Aavin Influenza H5 infection in poultry | Italy | <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv hŃBŃZ cŃŃi </i> | <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv nBj </i> |
| 23. | Merial Rue del Aviation, France (Advance Animal Science Co. Ltd.,) | a) Gallimune 208 ND + Flu H9 M,E, Vaccine Inactivated Avian Influenza virus H9N2 strain ≥10HIU + Inactivated Newcastle disease virus, Ulster 2C strain ≥10HIU | Prevention against new castle disease and Avian influenza in poultry | France | <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv hŃBŃZ cŃŃi </i> | <i>cŃqŃRb bŃB Ńeavq AvŃe`b bġgĀj KŃv nBj </i> |
| 24. | Intervet Inc. , U.S.A (Bengal Overseas Ltd.) | b) Innovax ND+SB Vaccine Live Trukey Herpes Virus Strains HVT/NDV-F* (HVT/NDV-F is a HVT based recombinant encoding the F(Fusion) protein of NDV) at least 1534 PFU per bird dose + Marek's disease virus serotype 2 Strains SB-1 at least 1514 PFU per bird dose. | Active immunization of healthy 18-day-old chicken embryos by the in ovo route or of one day-old chickens by the subcutaneous route as an aid in the prevention of very virulent marek's disease & New castle disease | U.S.A | <i>chŃŃ Z` I KŃMRcŃŃi mn cŃŃi vq AvŃe`b KŃi evi Rb` cŃZŃvŃbŃŃK ej v hŃBŃZ cŃŃi </i> | <i>chŃŃ Z` I KŃMRcŃŃi mn cŃŃi vq AvŃe`b KŃi evi Rb` cŃZŃvŃbŃŃK ej v nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃvŃŃ-</i> |
|-----------|--|---|---|----------------|---|--|
| 25. | Laboratories Ovejero SA, Spain (Tajarat Animal Care) | a) Inmugal IBA Gumboro Vaccine Gumboro disease Virus, Winterfield 2512 strain ≥10 ^{3.5} EID ₅₀ /Dose | Active immunization of chickens and adult birds against Gumboro disease. | Spain | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Inmugal V.P. Hitchner B-1 Active virus of Newcastle disease, attenuated strain Hitchner B1 10 ⁶ EID ₅₀ /Dose | Active immunization of chickens and adult hens against Newcastle disease. | Spain | <i>cŃŃqŃRb bŃB ŃeavŃ ArŃe`b bŃgŃŃj Kiv hvBŃZ cvŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃ ArŃe`b bŃgŃŃj Kiv nBj </i> |
| | | c) Inmugal V.P. La Sota Vaccine Active virus of Newcastle disease, attenuated strain La Sota >10 ⁶ EID ₅₀ /Dose | Active immunization against Newcastle disease in chickens. | Spain | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | d) Dog-VAC Rabia Vaccine EP CVS strain of Rabies virus (inactivated strain) >10 ⁷ LD ₅₀ /Dose | Active immunization on dog, cats and cattle against rabies. | Spain | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 26. | KBNP Inc, Korea (Tajarat Animal Care) | a) Himmvac ND Oil Vaccine Inactivated ND virus (B1) -15% Marcol 52-58% Montanide-7% | Prevention Newcastle disease in poultry. | Korea | <i>cŃŃqŃRb bŃB ŃeavŃ ArŃe`b bŃgŃŃj Kiv hvBŃZ cvŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃ ArŃe`b bŃgŃŃj Kiv nBj </i> |
| | | b) Himmvac IB Live Vaccine IB virus (H-120) infected fluid – 10% Stabilizer (LPGG) – 20% Penicillin – 200IU/ml Streptomycin – 200mcg/ml | Active immunization against infectious bronchitis | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | c) Himmvac IB ND Combined Live Vaccine Newcastle Disease Virus (B1) infected fluid-30% IB virus (H120) infected fluid – 10% Stabilizer (LPGG) -20% Penicillin – 200IU/ml Streptomycin – 200mcg/ml | Active immunization against Infectious Bronchitis and Newcastle Disease. | Korea | <i>cŃŃqŃRb bŃB ŃeavŃ ArŃe`b bŃgŃŃj Kiv hvBŃZ cvŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃ ArŃe`b bŃgŃŃj Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bŃg</i> | <i>JlŃai bŃg l ŃRŃbiŃK bŃg</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`Ńj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|--|---|--|----------------|--|---|--------------------|
| KBNP Inc, Korea (Tajarat Animal Care) | d) Himmvac ND High Vaccine Amount per dose Newcastle Disease Virus (Ulster) infected fluid – 10 ^{6.0} EID ₅₀ /dose Stabilizer (LPGG) – 20% Penicillin – 200IU/ml Streptomycin – 200mcg/ml | Prevention of Newcastle disease in chickens | Korea | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv hvBtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv nBj </i> | |
| | e) Himmvac IB-ND Combined oil vaccine Inactivated IB virus (H-120) -20% Inactivated ND virus (B1) – 15% Marcol 52 – 58% Montanide – 7% | Prevention Infectious Bronchitis Newcastle disease | Korea | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv hvBtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv nBj </i> | |
| | f) Himmvac IB-ND-EDS Combined oil Vaccine Inactivated IB virus (H-120) – 20% Inactivated ND virus (B1) – 15% Inactivated EDS'76 virus – 15% | Prevention of Infectious Bronchitis Disease & Egg Drop Syndrom 76 in poultry | Korea | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv hvBtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv nBj </i> | |
| | g) Himmvac Newcastle Live Vaccine (B1 Strain) Amount per 1000 doses Newcastle Disease Virus (B1) infected fluid – 50% Stabilizer (LPGG) – 50% Penicillin – 200IU/ml Kanamycin – 100mcg/ml Streptomycin – 200mcg/ml | Prevention of Newcastle Disease in Chickens | Korea | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv hvBtZ cŃŃi </i> | <i>cŃŃqŃRb bŃB ŃeavŃq AvŃe`b bŃgAŃj KŃv nBj </i> | |
| | h) Himmvac IBD Live Vaccine Amount per dose Infectious bursal disease virus, lukert strain – at least 10 ^{2.0} EID ₅₀ Stabilizer (LPGG) – max. 1,000mcg Penicillin – 1.25IU Streptomycin – 5.0mcg | Prevention Infectious Bursal Disease in Chickens | Korea | <i>AbŃŃgŃ`b KŃv hvBtZ cŃŃi </i> | <i>AbŃŃgŃ`b KŃv nBj </i> | |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big I ŃRŃbiŃK big</i> | <i>ŃbŃ Rbv</i> | CPP/FSC | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃvŃŃ-</i> |
|-----------|---|--|--|---------|---|--|
| | KBNP Inc, Korea (Tajarat Animal Care) | i) Himmvac ND LaSota Live Vaccine Amount per 1000 doses Newcastle Disease Virus (LaSota) infected fluid – 60% Stabilizer (LPGG) – 40% Penicillin – 200IU/ml Streptomycin – 200mcg/ml | Prevention of Newcastle Disease in Chicken | Korea | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 27. | Ceva Phylaxia Veterinary Biologicals Co. Ltd., Hungary (Univet Ltd.) | a) Repromune New-IBD K Inactivated Vaccine NDV Strain SZ LaSota inducing min4 LogHI or min 50PD ₅₀ + IBDV Strain GP/82 inducing min 3Log10VN/dose | Immunization against Newcastle disease (New) and infectious bursal disease (IBD) | Hungary | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Layermune New K Inactivated Vaccine Inactivated Newcastle disease virus Strain NDV-SZ, inducing min 4Log2 HI or min 50PD ₅₀ /Dose | Prevention of Newcastle disease & ND | Hungary | <i>cŃŃqŃRb bvB Ńeavq AvŃe`b bŃgŃŃj Kiv hvBŃZ cŃŃi </i> | <i>cŃŃqŃRb bvB Ńeavq AvŃe`b bŃgŃŃj Kiv nBj </i> |
| 28. | Laboratoire Biove, France (Organic Pharmaceuticals Ltd.) | a) Biocal Solution for Injection, vial Calcium Gluconate 280 mg + Magnesium Hypophosphite 90 mg/ ml | Prevention of hypocalcemia in cattle, sheep and goat | France | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) Toniphos Solution for Injection, vial Sodium Trihydrophosphonate 100 mg/ml | Treatment of reproduction problem, vaginal prolapse, over lactation & gestation, growth and bone mineralization disorders, asthenia. | Fance | <i>AbŃgŃ`b Kiv hvBŃZ cŃŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi bġ</i> | <i>JlŃai bġ l ŃRŃbiŃK bġ</i> | <i>ibŃ`Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKıbK`yj mve-KıgıŃli 55 Zg mŃvi gZıgZ</i> | <i>mŃvi ıııııŃ-</i> |
|-----------|--|--|--|---------------------------------------|---|--|
| 29. | V.M.D. NV Berendonk, Belgium (Organic Pharmaceuticals Ltd.) | a) Vitamin A, D3, E Injectable Solution Vitamin A Ph. Eur. 50,000IU + Colecalceferol Ph. Eur. 25,000 IU + Alphatocopherol Acetate Ph. Eur 20 mg/ml b) Dexaveto Injection 0.2% Dexamethasone Sodium Phosphate 2.64 mg eq. to Dexamethasone base 2 mg/ml c) Pen-Strep 20/20 Suspension for Injection Procaine Benzylpenicillin Ph. Eur. 200.000IU + Dihydrostreptomycin Sulphate eq. to Dihydrostreptomycin Base Ph. Eur. 200 mg/ml | Chronic Respiratory disease, ornithosis, infectious synovitis Fowl cholera etc Shock and Allergic reaction, arthritis Treatment of mixed infection caused by gram positive and gram negative bacteria | Belgium Belgium Belgium | <i>AbŃgr`b Kıv hvBŃZ cvŃi </i> <i>AbŃgr`b Kıv hvBŃZ cvŃi </i> <i>AbŃgr`b Kıv hvBŃZ cvŃi </i> | <i>AbŃgr`b Kıv nBj </i> <i>AbŃgr`b Kıv nBj </i> <i>AbŃgr`b Kıv nBj </i> |
| 30. | Dutch Farm Veterinary Pharmaceuticals B.V., The Netherlands (Organic Pharmaceuticals Ltd.) | a) Multivitamin Injectable Solution Vitamin A Ph.Eur. 50,000 IU Vitamin D3 Ph. Eur. 25,000 IU Vitamin E Acetate Ph. Eur. 4.00 mg Vitamin B1 Hydrochloride Ph. Eur. 2.50 mg Vitamin B2 Sodium Phosphate Ph. Eur. 2.00 mg Vitamin B6 hydrochloride Ph. Eur. 1.25 mg Vitamin B12 Ph. Eur. 30.00 mcg Vitamin C Ph. Eur. 2.00 mg Nicotinamide Ph. Eur. 12.50 mg Calcium Pantothenate Ph. Eur. 3.00 mg/ml | Deficiency of or increased requirement for vitamins and nutrients. | Netherlands | <i>AbŃgr`b Kıv hvBŃZ cvŃi </i> | <i>AbŃgr`b Kıv nBj </i> |
| 31. | Astral Pharmaceutical Industries, India (Janata Traders) | a) Xnel Injection 4 gm Ceftiofur Sodium Sterile Powder for Injection 4 gm/Vial | Respiratory tract infections | India | <i>cŃŃqıRb bıB ıııııq AvŃe`b bıgÄj Kıv hvBŃZ cvŃi </i> | <i>cŃŃqıRb bıB ıııııq AvŃe`b bıgÄj Kıv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ Rbv</i> | CPP/FSC | <i>ŃUKŃbK`yj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃŃŃ-</i> |
|-----------|--|--|--|-------------------|--|--------------------------|
| 32. | Biomune Company, USA (Univet Limited) | a) Circomune-W Vaccine Chicken anaemia Virus $\geq 10^{6.2}$ TCID ₅₀ /dose 7.6 ml | Prevention of chicken infections anaemia | USA | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 33. | Coventry Chemicals Ltd., UK (Bengal Overseas Ltd.) | a) Omnicide Solution Glutaraldehyde 5-15% + Alkyl Benzyl dimethyl ammonium chloride 5-15% | Disinfectant | UK | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 34. | CEVA-PHYLAXIA Veterinary Biologicals Co. Ltd., Hungary (Navana Pharmaceuticals Ltd.) | a) ITA ND + IB + EDS Vaccine NDV strain "LaSota" min. 50 PD ₅₀ EDS strain "B8/78" min. 7Log ₂ HI IBV stain "M/41" min. 6Log ₂ 10HI/Dose | Recommended for the vaccination of breeder and layer type chicken flocks. | Hungary | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | b) ITA ND + IBD Vaccine NDV stain "LaSota" min. 50 PD ₅₀ IBDV stain "GP" min. 3Log ₁₀ VN/Dose | Vaccine for immunization against Newcastle disease and infectious Bursal disease (IBD) | Hungary | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| | | c) ITA (New) ND Vaccine NDV stain "LaSota" min. 50 PD ₅₀ /Dose | Vaccine for immunization against Newcastle disease | Hungary | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |
| 35. | CNN-Laboratorio Veterinario Ltd., Brasil (Navana Pharmaceuticals Ltd.) | a) AVI IBD Plus Avian Infectious Bursal Disease Virus G-22 Strain Min 10 ^{2.0} EID ₅₀ /Dose | Live vaccine for immunization against Infectious bursal disease (IBD) | Brasil Hungary | <i>AbŃgŃ`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b Kiv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`vj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi Ńm×ŃŃ-</i> |
|-----------|--|---|---|---------|--|---------------------------------|
| 36. | Farm Care GB Ltd., UK (Tazan Agro Ltd.) | a) Virus-Guard Powder Penta Potassium Peroxy Monosulphate 50.417% w/w Sodium Chloride 1.5% w/w Malic Acid 10% w/w Sulphamic Acid 5% w/w Sodium Hexametaphosphate 18% w/w Alkyl Aryl Sulphonate 15% w/w Red Dye (Mapcol Amaranth) 0.083% w/w | A broad spectrum animal health Disinfectant | UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | b) Quat-Guard Liquid Alkyl Dimethyl Benzyl Ammonium Chloride 80.5% Isopropyl Alcohol 0.6% Water 14.8% Lemon Fragrance 0.031% Blue Dye 0.002% | Disinfectant | UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | c) EGG-Guard Powder Sodium Chloride 5% Sodium Sulphate 10% Sodium Carbonate 20% Sodium Tripolyphosphate 15% Potassium Peroxymonosulphate 30% Non-Ionic Surfactant 20% | Disinfectant | UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> |
| | | d) Para-Guard Powder Paraformaldehyde 93% Prills | Disinfectant | UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | e) Ultra-Guard Liquid Coal Tar Acid 40% Chlorinated Xylenols 20% Lactic Acid 20% Sulphonic Acid 15% Water 5% | Disinfectant | UK | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big l ŃRŃbiŃK big</i> | <i>ŃbŃ Rbv</i> | <i>CPP/FSC</i> | <i>ŃUKŃbKŃyj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃŃŃ-</i> |
|-----------|---|--|---|----------------|--|--------------------------|
| 37. | EG Interex sarl, France (Arifs (Bangladesh) Ltd.) | a) Sanitagerm Chlorure d'alkyl dimethyl benzyl ammonium 98.5 g/l Chlorure of Didecyl Dimethyl Ammonium 26.6 g/l Glutaraldehyde 102 g/l | Disinfectant (bactericide/fungicide/virucide) for animal premises means of transport, breeding equipment, buildings for food preparation, storage facilities. | France | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| | | b) Aquagerm Chlorhydrate of polyhematechylene biguanide (PHMB) 44 g/l | Drinking water sanitation in animal husbandary (bactericide, fungicide and algacide). | France | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |
| 38. | Dae Sung Microbiological Labs, Korea (Vet Care Organization) | a) Amivicom Inj. L-Arginine HCl 1.44 mg L-Cysteine HCl 3.20 mg L- Glutamine 3.20 mg Glycine 3.20 mg K-Histidine 1.32 mg L-Isoleucine 3.60 mg L-Leucine 4.28 mg L-Lysine HCl 5.44 mg L-Methionine 3.20 mg L-Phenylalanine 5.00 mg L-Threonine 3.20 mg L-Tryptophan 0.86 mg L-Valine 3.60 mg Thiamine HCl 4.00 mg Riboflavin Sodium Phosphate 0.17 mg Pyridoxine HCl 0.34 mg Nicotinamide 8.00 mg Ascorbic Acid 4.00 mg Glucose Anhydrous 3.30 mg Calcium Chloride Anhydrous 0.21 mg Potassium Chloride 0.21 mg Magnesium Sulphate 0.08 mg / ml | It is combined injection with amino acid, vitamin and electrolyte is effective for the following cases : <ul style="list-style-type: none"> • Health recovery of infirmity, anorexia animal • Recovery of animal after operation • Prevention of hypoproteinemia and vitamin deficiencies | Korea | <i>AbŃgŃ`b KŃv hvBŃZ cvŃi </i> | <i>AbŃgŃ`b KŃv nBj </i> |

| <i>bs</i> | <i>cŃZKviŃKi big</i> | <i>JlŃai big I ŃRŃbiŃK big</i> | <i>ŃbŃ`Rbv</i> | CPP/FSC | <i>ŃUKŃbK`vj mve-KŃgŃŃi 55 Zg mŃvi gZŃgZ</i> | <i>mŃvi ŃmŃvŃŃ-</i> |
|-----------|---|--|--|-------------|--|--------------------------|
| | Dae Sung Microbiological Labs, Korea (Vet Care Organization) | b) Carasil Injetion Butafosfan 100 mg Nicotinamide 23 mg DL-Methionine 18.7 mg Taurine 37.3 mg Cyanocobalamin 50 mcg / ml | Assistant prescription for the treatment of acute disease and acute metabolic disorder, slight paralysis, anorexia, decrease in lactating recovery of fatigue, infirmity of young animal, lumbago of horse and hypocalcia. | Korea | <i>AbŃgv`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| 39. | Korea Thumb Vet Co., Ltd., Korea (Vet Care Organization) | a) Thumbvet Tonophan Injection Tonophosphan 100 mg + Vitamin B12 20 mcg Propylene Glycol 0.1 ml Benzyl Alcohol 0.01 ml Sodium Carbonate 0.6 mg/ ml | Break down caused by Ca and P, rachitis, enchondroma, lameness, astasia, paresis caused by milk fever, metabolic disorder caused by phosphorus deficiency, growth stimulation. | Korea | <i>AbŃgv`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| 40. | Socorex ISBA S.A., Switzerland (Arifs (Bangladesh) Ltd. | a) Self refilling syringe luer lock feed tube Self refilling syringe for veterinary use | Vaccinator | Switzerland | <i>AbŃgv`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgv`b Kiv nBj </i> |
| 41. | Samu Median Co. Ltd., Korea (Tushin Agro Pharma) | a) Medicox Solution Toltrazeril 25gm/Liter | Treatment of Coccidiosis | Korea | <i>AbŃgv`b Kiv hvBŃZ cvŃi </i> | <i>AbŃgv`b Kiv nBj </i> |

2.4.5 Proposed Product for Locally Manufacture (Medical Device)

| <i>bs</i> | <i>cĀZKviġKi bvg</i> | <i>cġ`i bvg</i> | <i>ġRġbwi K bvg</i> | <i>ġUKġbK`vj mve-Kvgġġi 55 Zg mġvi gZvgZ</i> | <i>mġvi mġvġŠ-</i> |
|-----------|----------------------|--|---|--|---------------------------|
| 01. | JMI-Bangla Co.Ltd. | a) Model TCU 380 (Copper T Pouch Pack) | <u>Suture tied T with Copper</u> Polypropylene Ph. Grade 0.47 gm <u>Flange (Blue in Colour)</u> LDTE (Blue)- 051gm <u>Solid Rod</u> Polypropylene Ph. Grade 1.0gm <u>Insertion Tube</u> LDPE Ph. Grade 0.740gm/Pouch | <i>Abġgv` b Kiv ġvġZ cġġi </i> | <i>Abġgv` b Kiv nBġ </i> |
| | | b) Blood Lancet | <u>Body</u> Polypropylene ph. Grade 0.35gm <u>Upper Cap</u> Polypropylene Ph. Grade 0.15gm <u>Cannula</u> Stainless steel 1 pcs | <i>Abġgv` b Kiv ġvġZ cġġi </i> | <i>Abġgv` b Kiv nBġ </i> |

2.4.6 Proposed Product for Import (Surgical Equipment)

| <i>bs</i> | <i>cōZKviḥKi big</i> | <i>cḥi big</i> | CPP/FSC | <i>ḥUKḥKḥj mve-Kḥgḥli</i> 55 Zg mḥvi gZḥgZ | <i>mḥvi m×ḥš-</i> |
|-----------|---|---|----------|--|---------------------------|
| 01. | Manufactured by : UG Medical Disposable DN, BHD for B.Braun Medical Industries Sdn, Bhd, Malaysia (Asia Pacific Medicals Ltd.) | a) Blood Line A & V with filter Hemodialysis Blood tubing set | Malaysia | <i>Abḥgr` b Kiv ḥvBḥZ cḥḥi </i> | <i>Abḥgr` b Kiv nBj </i> |
| | | b) Surgical Gloves Prepowdered latex Surgical Gloves | Malaysia | <i>Abḥgr` b Kiv ḥvBḥZ cḥḥi </i> | <i>Abḥgr` b Kiv nBj </i> |
| 02. | B.Braun Medical Industries, Germany (Asia Pacific Medicals Ltd.) | a) Diacan Arterial and Venus Fistula Needles for Hemodialysis | Germany | <i>Abḥgr` b Kiv ḥvBḥZ cḥḥi </i> | <i>Abḥgr` b Kiv nBj </i> |
| | | b) Diacap Polysulfone Hemodialyzer | Germany | <i>Abḥgr` b Kiv ḥvBḥZ cḥḥi </i> | <i>Abḥgr` b Kiv nBj </i> |
| | | c) Certofix TRIO Central Venus Catheter | Germany | <i>Abḥgr` b Kiv ḥvBḥZ cḥḥi </i> | <i>Abḥgr` b Kiv nBj </i> |

2.4.7 Proposed Product for Import (Gauze, Bandage, etc.)

| <i>bs</i> | <i>cŪZKvi:Ki big</i> | <i>cŕ`i bvg</i> | CPP/FSC | <i>mfvi m×vš-</i> | <i>mfvi m×vš-</i> |
|-----------|--|---|---------|---|--|
| 01. | Premier Enterprises, India (Access Medical Services, Dhaka) | a) Gauze Swabs | India | <i>Abšgr` b Kiv hvBtZ cŕti </i> | <i>Abšgr` b Kiv nBj </i> |
| | | b) Lap Sponge | India | <i>Abšgr` b Kiv hvBtZ cŕti </i> | <i>Abšgr` b Kiv nBj </i> |
| | | c) Gauge Balls | India | <i>Abšgr` b Kiv hvBtZ cŕti </i> | <i>Abšgr` b Kiv nBj </i> |
| | | d) Cut Gauge | India | <i>Abšgr` b Kiv hvBtZ cŕti </i> | <i>Abšgr` b Kiv nBj </i> |
| | | e) Roller Bandage | India | <i>Abšgr` b Kiv hvBtZ cŕti </i> | <i>Abšgr` b Kiv nBj </i> |
| 02. | Shanchuan Medical Instrument Co. Ltd., China (Plaimar Worldwide, Dhaka) | a) Disposable Syringe 3 ml | China | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv hvBtZ cŕti </i> | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv nBj </i> |
| 03. | Hindustan Syringe & Medical Devices Ltd., India (Brothers Enterprise) | a) Dispo Van Insulin Syringe (Insulin Syringe U-40 1 ml) | India | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv hvBtZ cŕti </i> | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv nBj </i> |
| | | b) Dispo Van Insulin Syringe (Insulin Syringe U-100 0.5 ml) | India | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv hvBtZ cŕti </i> | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv nBj </i> |
| | | c) Dispo Van Insulin Syringe (Insulin Syringe U-100 1 ml) | India | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv hvBtZ cŕti </i> | <i>ŕ`tk chŕß cwi grŕY Drcw` Z nq weavq Arte` b bvgÄj Kiv nBj </i> |
| 04. | Denex International, India (Hospicare (BD) Ltd.) | a) I.V. Cannula | India | <i>Abšgr` b Kiv hvBtZ cŕti </i> | <i>Abšgr` b Kiv nBj </i> |
| 05. | Tianjin Human Care Latex Corporation, China (Janata Traders) | a) Male Latex Condom | China | <i>cŕqRb bVB weavq Arte` b bvgÄj Kiv hvBtZ cŕti </i> | <i>cŕqRb bVB weavq Arte` b bvgÄj Kiv nBj </i> |

GKB Strain nBtZ Drcw`Z GKB tivtMi Avg`vbxthM` Veterinary Vaccine Gi Drtmi/Country of Origin-Gi cv_#K`i KvitY Strength Gi ZviZtg`i Rb` evi evi w/mmmDtz Dc`nvc`bi c0qvRbxqZv AvtQ wK bv tmB wltq m`xvS`-MhY c0t1/2 t

GKB Strain nBtZ Drcw`Z GKB tivtMi Avg`vbxthM` Vaccine Gi Drtmi/Country of Origin-Gi cv_#K`i Rb` KLtbr KLtbr Strength Gi ZviZg` t`Lv hvq|

thgb t Strain LaSota nBtZ Drcw`Z F`vKimb t

| Vaccine with Strength | Name of the Manufacturer |
|---|---------------------------------------|
| Newcastle Disease Virus Strain LaSota min 10^{5.5} EID ₅₀ | Phylaxia-Sanofi, Hungary |
| Newcastle Disease Virus LaSota Strain not less than 10^{6.0} EID ₅₀ | Schering Plough Animal Health, U.S.A. |

D³ GKB tivtMi Vaccine Gi Country of Origin cwi eZ#bi KvitY Concentration Gi ZviZg` t`Lv hvBtZtQ| D³ GKB tivtMi F`vKimbUli gvIv ev Strength Gi ভারতম্যের কারণে উহা যথাক্রমে ড্রাগ কন্ট্রোল কমিটি (ডিসিসি) এর ২২০ I 225 Zg mfvq Abtgw`Z nq|

GBifc Avg`vbxthM` GKB Vaccine Gi Strength Gi cv_#K`i Rb` evi evi w/mmmDtz Dc`nvc`bi c0qvRbxqZv wltq Avtj vPbv nq|

tUKwbK`vj mve-KugUli m`xvS`/t Vaccine Gi Strength Gi cv_#K`i Rb` Efficacy-Gi ZviZg` nBqv_vtK| GBifc mKj F`vKimb`bi Avte`b wM K0Uj KugUtZ Dc`rcb`bi mgw`k Kiv nq|

KguUli m`xvS`- t Vaccine Gi Strength Gi cv_#K`i Rb` Efficacy-Gi ZviZg` nBqv_vtK| GBifc mKj F`vKimb`bi Avte`b wM K0Uj KugUtZ Dc`rcb`bi Kwi tZ nBte |

mfvicZ gtnv`q Dcw`Z mKj tK ab`ev` Avcb Kwi qv mfv`i mgw`B tNvl Yv Kti b|

wtMM/qvi tRbtij tgv BmgvBj trvmb
 cwi Prj K
 JIa ckimb cwi`Bi
 |
 m`m`-mPe
 JIa wqšY KugU|

tK Avj Zvd Avj x
 mPe
 t`v` I cwi evi Kj`vY gšYij q
 |
 mfvicZ
 JIa wqšY KugU|